SU91-BIETM-F23-053: Awais Ali Raza

SU91-bietm-f23-056: Jahanzaib Ali

SU91-BIETM-F23-072: Azeem Liaqat

SU91-BIETM-F23-043: Toseef Ahmad

SU91-BIETM-F23-045: Nigar Fatima

Lab 07

```dart
// page 1
import 'package:flutter/material.dart';
void main() => runApp(const MyApp());
class MyApp extends StatelessWidget {
  const MyApp({super.key});
  @override
  Widget build(BuildContext context) {
    return const MaterialApp(
      debugShowCheckedModeBanner: false,
      home: WelcomeScreen(),
    );
  }
}
class WelcomeScreen extends StatefulWidget {
  const WelcomeScreen({super.key});
  @override
  State<WelcomeScreen> createState() => _WelcomeScreenState();
}
class _WelcomeScreenState extends State<WelcomeScreen>
    with SingleTickerProviderStateMixin {
  late AnimationController _controller;
  late Animation<double> _animation;
  @override
  void initState() {
    super.initState();
    _controller =
        AnimationController(vsync: this, duration: const Duration(seconds: 2));
    _animation = CurvedAnimation(parent: _controller, curve: Curves.easeIn);
    _controller.forward();
  }
  @override
  void dispose() {
```

```
  void dispose() {
    _controller.dispose();
    super.dispose();
  }
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      body: FadeTransition(
        opacity: _animation,
        child: ScaleTransition(
          scale: _animation,
          child: Center(
            child: Column(
              mainAxisAlignment: MainAxisAlignment.center,
              children: const [
                Icon(Icons.psychology, size: 100, color: Colors.deepPurple),
                SizedBox(height: 20),
                Text(
                  "MindSync",
                  style: TextStyle(fontSize: 32, fontWeight: FontWeight.bold),
                ),
              ],
            ),
          ),
        ),
      ),
    );
  }
}
```



```flutter/material.dart
// page 2
import 'package:flutter/material.dart';
void main() => runApp(const MyApp());
class MyApp extends StatelessWidget {
  const MyApp({super.key});

  @override
  Widget build(BuildContext context) {
    return const MaterialApp(
      home: LoginScreen(),
      debugShowCheckedModeBanner: false,
    );
  }
}
class LoginScreen extends StatefulWidget {
  const LoginScreen({super.key});
  @override
  State<LoginScreen> createState() => _LoginScreenState();
}
class _LoginScreenState extends State<LoginScreen>
    with SingleTickerProviderStateMixin {
  late AnimationController _controller;
  late Animation<double> _fade;
  @override
  void initState() {
    super.initState();
    _controller =
        AnimationController(vsync: this, duration: const Duration(seconds: 2));
    _fade = CurvedAnimation(parent: _controller, curve: Curves.easeIn);
    _controller.forward();
```

```flutter/material.dart
    _controller.forward();
  }
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      body: FadeTransition(
        opacity: _fade,
        child: Padding(
          padding: const EdgeInsets.all(24),
          child: Column(
            mainAxisAlignment: MainAxisAlignment.center,
            children: [
              const Text("Welcome Back",
                  style: TextStyle(fontSize: 30, fontWeight: FontWeight.bold)),
              const SizedBox(height: 30),
              TextField(decoration: const InputDecoration(hintText: "Email")),
              const SizedBox(height: 10),
              TextField(
                  obscureText: true,
                  decoration: const InputDecoration(hintText: "Password")),
              const SizedBox(height: 20),
              ElevatedButton(onPressed: () {}, child: const Text("LOGIN"))
            ],
          ),
        ),
      ),
    );
  }
}
```


Welcome Back
Email
Password
LOGIN


Welcome Back
fatimanigaar149@gmail.com
.....
LOGIN

```dart
// page 3
import 'package:flutter/material.dart';
void main() => runApp(const MyApp());
class MyApp extends StatelessWidget {
  const MyApp({super.key});
  @override
  Widget build(BuildContext context) {
    return const MaterialApp(
      home: AnalyticsScreen(),
      debugShowCheckedModeBanner: false,
    ); MaterialApp
  }
}
class AnalyticsScreen extends StatefulWidget {
  const AnalyticsScreen({super.key});
  @override
  State<AnalyticsScreen> createState() => _AnalyticsScreenState();
}
class _AnalyticsScreenState extends State<AnalyticsScreen>
    with SingleTickerProviderStateMixin {
  late AnimationController _controller;
  late Animation<double> _slide;
  @override
  void initState() {
    super.initState();
    _controller =
        AnimationController(vsync: this, duration: const Duration(seconds: 2));
    _slide =
        Tween<double>(begin: 0, end: 1).animate(CurvedAnimation(parent: _controller, curve: Curves.easeIn
```

```dart
    _controller.forward();
  }
  @overview
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(title: const Text("Analytics")),
      body: FadeTransition(
        opacity: _slide,
        child: ListView(
          padding: const EdgeInsets.all(16),
          children: const [
            ListTile(
              leading: Icon(Icons.monitor_heart),
              title: Text("Wellbeing Score: 78"),
            ), ListTile
            ListTile(
              leading: Icon(Icons.phone_android),
              title: Text("Screen Time: 0m"),
            ), ListTile
          ],
        ), ListView
      ), FadeTransition
    ); Scaffold
  }
}
```


Analytics
Wellbeing Score: 78
Screen Time: 0m