SOFTWARE REQUIREMENTS SPECIFICATION

Configurable Offline Wholesale & Retail ERP / POS Platform
Configurations: Cloth Wholesaler (Client A) and Cosmetics (Client B)

Version	2.2 (Draft for customer review)
Supersedes	SRS v2.1 and SRS v1.0
Status	Draft. Items marked PROPOSED need customer confirmation
Target OS	Windows desktop, fully offline

1. Document Control and Summary of Changes

This version merges SRS v1.0 with the platform direction and the business decisions agreed since. One codebase is delivered to two clients: Client A (cloth wholesaler) and Client B (cosmetics). Each client receives its own installation, configured through a business profile.

Area	SRS v1.0	SRS v2.1
Clients	One client (cloth wholesaler)	Two clients, one codebase: cloth wholesaler (A) and cosmetics (B), each with a separate installation
Technology	Tauri, Python/FastAPI, SQLite	Electron, TypeScript, SQLite. Same offline Windows installer for the customer
Data protection	General backup requirement	Dedicated reliability section: power-loss safety, automatic backups, safe upgrades
Hardware	Not specified	Recommended PC specification for new purchases (section 9.3)
Product direction	Cloth wholesaler only	Configurable platform with two V1 profiles: Cloth Wholesale and Cosmetics
Product structure	Company, Category, Subcategory, Article, Variant, Than Size	Company/Brand, Item, Variant. Category and Subcategory become optional classification
Than	A level in the hierarchy	Than size is a free-text label on the variant. Sale and stock are counted in whole thans
Features	Fixed	Feature flags. A disabled feature disappears from the UI and is rejected by the backend
Tax	To be confirmed	No tax calculation in V1
Warehouse	Mentioned in stock model	Not visible in V1. One hidden default warehouse; schema is branch-ready
Returns and exchange	Returns only	Returns plus exchange designed (PROPOSED, not requested by customer)
Credit limit	Stored per party	Setting: Off, Warn, or Block
Excel import	Not specified	Deferred. Fast manual entry screens for opening data
Expiry	Not covered	Alert only. Never blocks a sale (applies to the Cosmetics profile)
Printing	A4 and thermal	A4 and thermal both required, from one invoice data source

2. Introduction and Objectives

Primary principle: Version 1 must work fully without internet. Cloud connectivity is a future enhancement, never a daily dependency.

- One configurable ERP/POS codebase delivered to the cloth wholesaler (Client A) and the cosmetics business (Client B), and reusable for similar businesses later.
- Manage cloth in the unit the business actually trades: thans, sold to shops at a rate per than.
- Continuous party accounts (khata) with repeated purchases and installment-style payments.
- Supplier purchases, payables and payments with a running ledger.
- City-wise party, sales, recovery and outstanding analysis.
- Transaction-based inventory, cash and bank tracking, expenses and profit reporting.
- Backup and restore, audit logs, role-based permissions, A4 and thermal printing.
- Architecture prepared for cloud sync, branches, web dashboard and mobile, without being required for V1.

3. Scope

3.1 Version 1 deliverables

Common to both clients (Core):

- Windows desktop application and installer, offline.
- Business setup, settings, feature configuration and master data.
- Companies, items, variants, optional categories.
- Inventory with stock movements, adjustments, physical count and returns.
- POS / wholesale sales and invoices, walk-in and credit sales.
- Parties, khata, statements, aging, city-wise analysis, daily recovery.
- Suppliers, purchases, supplier ledger and payments.
- Expenses, cash and bank accounts, transfers, daily cash closing.
- Sale returns, purchase returns and exchange.
- Profit and management reports, dashboard.
- Users, roles, permissions, audit log.
- Backup and restore, A4 and thermal printing, report export.

Client A, Cloth Wholesale profile: than-based sales and stock with a manual than size label, party khata with installment payments, daily recovery, city-wise party analysis, wholesale price, supplier credit.

Client B, Cosmetics profile: brand, item and variant structure with size and unit (ml, g, kg), optional barcode scanning in POS, optional batch and manufacturing date, expiry date with admin near-expiry alerts (sales never blocked), cosmetics dashboard and batch and expiry reports.

3.2 Future platform capability (not in V1)

Supported by the architecture but not delivered in V1: Excel import, serial and warranty tracking, multi-warehouse and branches, cloud sync, mobile and web dashboard, remote backup, advanced analytics.

4. Configuration Model

4.1 Business profiles and feature flags

At installation (and later in Settings, Business Configuration) the administrator selects a profile. The profile pre-sets the feature flags. Individual flags can then be adjusted.

Feature flag	Cloth Wholesale	Cosmetics	Notes
Than label	On	Off	Free-text than size on variants
Party khata and credit sales	On	Optional	Ledger-based receivables
Recovery module	On	Off	Daily collection screen and reports
City-wise analysis	On	Off	City on party, city reports
Wholesale price	On	Optional	Second price on variant
Barcode	Optional per item	On	Scan to add to cart; manual search always available
Batch	Off	Optional	Batch number, manufacturing date
Expiry alerts	Off	On	Admin alert only; sales are never blocked
Serial / warranty	Reserved	Reserved	Schema only; no V1 UI
Multi-warehouse	Reserved	Reserved	Hidden; one default warehouse

4.2 Configuration rules

ID	Profile	Requirement
FR-CFG-001	CORE	Profile selected at installation and changeable in Settings, Business Configuration.

ID	Profile	Requirement
FR-CFG-002	CORE	When a feature is disabled, its menus, settings sections, product fields, reports and dashboard widgets are not displayed. The backend also rejects operations of a disabled feature.
FR-CFG-003	CORE	A feature cannot be disabled while records depending on it exist; the user is told why. Hiding is not deletion: tables always exist.
FR-CFG-004	CORE	Costing method is chosen at setup and is locked after the first stock transaction.
FR-CFG-005	CORE	Settings changes that affect money or stock are audited.
FR-CFG-006	CORE	Each client has its own installation and its own local database. No data is shared between clients. Both run the same codebase and version; database upgrades run through migrations on each installation.

5. Users, Roles and Permissions

Role	Typical access
Owner / Admin	Full access, settings, feature configuration, users, restore, financial controls
Manager	Operations, approvals, reports
Sales User	Sales, customer lookup, invoices, within permitted overrides
Accountant	Payments, ledgers, expenses, cash and bank, financial reports
Store Manager / Storekeeper	Inventory, receiving, controlled stock adjustments
Recovery Staff	Party outstanding, collection entry, recovery reports
Viewer	Read-only access to permitted screens

A small business can run with a single Owner/Admin account. Multi-user features stay available.

ID	Profile	Requirement
FR-SEC-001	CORE	Password hashes only; no plain-text passwords.
FR-SEC-002	CORE	Per-module permissions: View, Create, Edit, Delete/Void, Print, Export, Approve.
FR-SEC-003	CORE	Sensitive actions need explicit permission: price override, discount override, sale cancellation, purchase cancellation, stock adjustment, ledger adjustment, backdated transaction, restore backup, credit-limit override, return without invoice.
FR-SEC-004	CORE	Audit log records who, what, when and the affected record for creates, edits, voids, payments, adjustments and restores. Example: user, Stock Adjustment, Article A, 10 units, date and time.
FR-SEC-005	CORE	Unauthorised users cannot open restricted screens or call restricted actions.

6. Functional Requirements

Profile tags: **CORE** applies to every profile. **CLOTH** applies to the Cloth Wholesale profile. **COSM** applies to the Cosmetics profile (Client B). **FUT** means schema reserved only.

6.1 Business setup and settings

ID	Profile	Requirement
FR-BUS-001	CORE	Business name, owner, contact, address, city, logo, invoice header and footer.
FR-BUS-002	CORE	Currency, date and time settings.
FR-BUS-003	CORE	Configurable numbering for invoices, purchases, receipts, returns.
FR-BUS-004	CORE	Configurable payment methods; cash and bank accounts.
FR-BUS-005	CORE	Configurable product companies, categories, units, colours, custom attributes and expense categories.
FR-BUS-006	CORE	Configurable discount, price, credit sale and return rules.

ID	Profile	Requirement
FR-BUS-007	CORE	No tax calculation, tax fields or tax settings in V1.
FR-BUS-008	CORE	Settings groups: Business, Product, Features, Sales, Finance, Printing, Backup.

6.2 Products and master data

ID	Profile	Requirement
FR-PRO-001	CORE	Primary structure: Company/Brand, Item, Variant.
FR-PRO-002	CORE	Category and Subcategory are optional classification attached to items for filtering and reports. They may be left empty.
FR-PRO-003	CLOTH	Company, then Article, then Variant. Variant attributes: colour, design, than size label.
FR-PRO-004	CLOTH	Than size is a free-text label typed when the variant is created (for example, 40 meter). No calculation is performed on it. It prints on invoices.
FR-PRO-005	CLOTH	Settings keeps a list of common than sizes as typing suggestions only. The user may enter any value.
FR-PRO-006	CLOTH	The same article and colour in two than sizes is two variants, because rate and stock differ. (ASSUMPTION, to confirm)
FR-PRO-007	CORE	Each variant has purchase price, sale price, optional wholesale price and minimum stock.
FR-PRO-008	CORE	Quantity is a whole number in both V1 profiles. In Cosmetics, size and unit (ml, g, kg) are variant attributes, not the sale quantity. Decimal quantities are reserved for future profiles.
FR-PRO-009	CORE	Barcode is optional per variant. Where present, scanning adds the item to the cart. Items without barcode are fully supported through search.
FR-PRO-010	CORE	Search by name, code, SKU and barcode.
FR-PRO-011	COSM	Variants with size and unit (ml, g, kg), optional batch number, manufacturing date and expiry date.
FR-PRO-012	FUT	Serial number and warranty fields reserved in the schema. No V1 UI.

6.3 Inventory and stock

ID	Profile	Requirement
FR-INV-001	CORE	Stock is held per variant. A default warehouse exists in the database and is not shown in the UI.
FR-INV-002	CORE	Stock quantity is never edited directly. Every change is a stock movement linked to its source record.
FR-INV-003	CORE	Stock increases: purchase, sale return, purchase-return reversal, positive adjustment, opening stock.
FR-INV-004	CORE	Stock decreases: sale, purchase return, damage or loss, negative adjustment.
FR-INV-005	CORE	Opening stock is entered through a fast manual entry screen and creates opening movements.
FR-INV-006	CORE	Physical stock count with controlled reconciliation, reason, permission and audit.
FR-INV-007	CORE	Reports: current stock, stock movement, valuation, low stock, out of stock, adjustments.
FR-INV-008	CORE	Costing is weighted average per variant. For cloth, cost is per than. Inventory cost stays separate from selling price.
FR-INV-009	COSM	Expiry alert: the admin sets a warning period (default 30 days). Dashboard widget and reports list near-expiry and expired items. Sales are never blocked.
FR-INV-010	COSM	Batch-wise and expiry-wise stock reports.

6.4 Sales and POS

ID	Profile	Requirement
FR-SAL-001	CORE	Fast POS: product search and filter on the left; cart and checkout on the right.
FR-SAL-002	CORE	Select an existing party, create one during the sale, or use the default Walk-in customer for cash sales.
FR-SAL-003	CORE	Cart lines show item, quantity, rate, discount and total. Footer shows subtotal, discount, grand total, paid and remaining.
FR-SAL-004	CLOTH	Quantity is entered in thans and the rate is per than. The than size label is shown on the line.
FR-SAL-005	CORE	Default rate is the sale price, or the wholesale price when enabled. A manual rate needs permission.
FR-SAL-006	CORE	Line and invoice discounts. Discounts above a configured limit need permission.
FR-SAL-007	CORE	Payment by cash, bank, card, other configured methods, credit, or partial.
FR-SAL-008	CORE	Sale value and payment are separate. Example: sale 100,000 with 30,000 paid leaves 70,000 receivable on the party.
FR-SAL-009	CORE	Credit limit setting: Off, Warn, or Block. A block can be overridden only by a user with permission.
FR-SAL-010	CORE	A completed sale updates the sale, stock, party ledger, payment account, COGS and audit log as one database transaction.
FR-SAL-011	CORE	Printable invoice in A4 and thermal formats; sale history with search.
FR-SAL-012	CORE	Void or cancel instead of delete, with reason, permission and reversal entries.
FR-SAL-013	CORE	Backdated sales need permission and are audited.

6.5 Returns and exchange (PROPOSED)

The customer has not specified return rules. The following is the proposed design and must be confirmed.

ID	Profile	Requirement
FR-RET-001	CORE	A sale return is linked to its original invoice. Only the remaining returnable quantity can be returned.
FR-RET-002	CORE	Stock increases. COGS is reversed at the cost recorded on the original sale.
FR-RET-003	CORE	Settlement options: reduce party balance, refund from a cash or bank account, or hold as credit on the party account.
FR-RET-004	CORE	Return of a credit sale reduces the party outstanding by default. Return of a cash sale refunds cash or credits the khata.
FR-RET-005	CORE	Exchange is a return plus a new linked sale. The difference is collected or refunded.
FR-RET-006	CORE	Return without an original invoice is allowed only with admin permission.
FR-RET-007	CORE	Returned goods can be marked damaged and booked to damage instead of sellable stock.
FR-RET-008	CORE	Return approval and time-limit rules are configurable.
FR-RET-009	CORE	Purchase return decreases stock and adjusts the supplier payable.

6.6 Parties, khata and city-wise analysis

ID	Profile	Requirement
FR-CUS-001	CORE	Party record: name, code, contact person, phone, WhatsApp, city, area, address, notes, status.
FR-CUS-002	CORE	Opening balance, credit limit and payment terms.
FR-CUS-003	CORE	Continuous running ledger with columns Date, Description, Debit, Credit, Balance. Balance is derived from ledger entries and is never a stored number that can be edited.
FR-CUS-004	CORE	Sales create debit entries. Payments and returns create credit entries.
FR-CUS-005	CORE	Payments may be partial and installment-style over many transactions, and are not tied to a specific invoice. The ledger uses balance-forward.

ID	Profile	Requirement
FR-CUS-006	CORE	Printable and exportable party statement (A4).
FR-CUS-007	CORE	Overdue and aging analysis. Payments are applied against the oldest charges first when computing aging.
FR-CUS-008	CORE	Ledger adjustments need permission and are audited.
FR-CITY-001	CLOTH	City is held on each party. Cities are added by the admin without code changes.
FR-CITY-002	CLOTH	City-wise report: party count, total sales, total recovery, outstanding.
FR-CITY-003	CLOTH	Drill-down: city, party, ledger, transaction. Filter parties by city.

6.7 Daily recovery

ID	Profile	Requirement
FR-REC-001	CLOTH	Recovery screen fields: date, party, city, amount, payment method, cash or bank account, reference, notes, received by.
FR-REC-002	CLOTH	Recovery credits the party ledger and the selected account. It is not a sale and not income.
FR-REC-003	CLOTH	Receipt printable in A4 and thermal.
FR-REC-004	CLOTH	Dashboard shows today's recovery. Reports: daily, monthly, party-wise, city-wise, user-wise.

6.8 Suppliers and purchases

ID	Profile	Requirement
FR-SUP-001	CORE	Supplier profile: name, contact, city, address, opening payable, payment terms, notes.
FR-PUR-001	CORE	Purchase record: supplier, date, supplier invoice number, items, than size label, quantity, rate, discount.
FR-PUR-002	CORE	A purchase increases stock, creates a supplier payable and updates weighted average cost. If paid, the chosen account decreases.
FR-PUR-003	CORE	Supplier payments, partial or full, are separate transactions.
FR-PUR-004	CORE	Supplier ledger with running balance covering purchases, payments and purchase returns.
FR-PUR-005	CORE	Supplier statements, outstanding and aging reports.
FR-PUR-006	CORE	Purchase void with permission, reason and reversal entries.

6.9 Finance, expenses, cash and bank

ID	Profile	Requirement
FR-FIN-001	CORE	Multiple financial accounts: Main Cash, Bank 1, Bank 2 and more.
FR-FIN-002	CORE	Receipts and payments are recorded separately from the underlying sale or purchase.
FR-FIN-003	CORE	Expenses: date, category, amount, payment account, description, optional reference.
FR-FIN-004	CORE	Transfers between accounts are never counted as income or expense.
FR-FIN-005	CORE	Opening balances for accounts and parties through manual entry screens.
FR-FIN-006	CORE	Daily cash closing with expected and counted cash and a recorded variance.
FR-FIN-007	CORE	Setting: warn when a payment would take an account below zero.

6.10 Profitability

ID	Profile	Requirement
FR-PRF-001	CORE	Net Sales = Sales minus Returns.
FR-PRF-002	CORE	COGS from weighted average inventory cost.

ID	Profile	Requirement
FR-PRF-003	CORE	Gross Profit = Net Sales minus COGS.
FR-PRF-004	CORE	Net Profit = Gross Profit minus operating expenses. Transfers and recoveries are excluded.
FR-PRF-005	CORE	Daily, monthly and custom-period reports, by company, item, party and city where data permits.

6.11 Dashboard and reports

Cloth dashboard (Client A)	Cosmetics dashboard (Client B)
Today's sales, recovery, purchase, expenses Outstanding, supplier payable, stock value Profit, low stock City performance, recent transactions	Today's sales, purchase, profit Receivables, stock value, low stock Near expiry, expired Top companies, top items, recent transactions

ID	Profile	Requirement
FR-RPT-001	CORE	Sales: daily, monthly, product-wise, company-wise, party-wise, city-wise, user-wise.
FR-RPT-002	CORE	Purchases: supplier-wise, product-wise, company-wise, date-wise.
FR-RPT-003	CORE	Party: statement, outstanding, aging, recovery. Supplier: statement, outstanding, payments.
FR-RPT-004	CORE	Inventory: current stock, movement, valuation, low stock, adjustments.
FR-RPT-005	COSM	Batch, expiry, near expiry, expired.
FR-RPT-006	CORE	Finance: cash book, bank book, expenses, profit and loss.
FR-RPT-007	CORE	All reports printable and exportable.

6.12 Backup and restore

ID	Profile	Requirement
FR-BKP-001	CORE	Manual backup and scheduled automatic backup.
FR-BKP-002	CORE	Backup to local and removable storage.
FR-BKP-003	CORE	Backup validated before restore. A safety backup is created before the current database is replaced.
FR-BKP-004	CORE	Data can be restored on another compatible PC.
FR-BKP-005	CORE	Backup reliability rules are in section 9.2 (FR-REL-006 and FR-REL-007).

6.13 Printing

ID	Profile	Requirement
FR-PRT-001	CORE	Invoice, receipt, party statement, supplier statement, purchase document and reports are print-ready.
FR-PRT-002	CORE	A4 and thermal formats both supported, produced from the same document data.
FR-PRT-003	CORE	Thermal paper width (58 mm or 80 mm), printer and final invoice layout are confirmed before template finalisation.

7. Core Business Workflows

Workflow	Flow
Sale	Party (or walk-in), item, than size shown, quantity in thans, rate and discount, payment, save, invoice. Stock, khata, cash and profit update together.
Recovery	Party, outstanding, amount, method and account, save, receipt. Ledger and account update. Not a sale.

Workflow	Flow
Purchase	Supplier, items, quantity in thans, rate, payment, save. Stock and supplier payable update, cost recalculated.
Supplier payment	Supplier, amount, account, save. Supplier ledger and account update.
Expense	Category, amount, account, date, save. Expense and account update.
Sale return	Find invoice, select items and quantity, choose settlement, confirm. Stock up, party or account adjusted, COGS reversed.
Exchange	Return of old items plus new sale, difference collected or refunded.
Purchase return	Find purchase, select items, confirm. Stock down, supplier payable adjusted.
Stock adjustment	Item, quantity, reason, authorisation. Stock movement and audit record.
Transfer	From account, to account, amount. Neither income nor expense.

8. Data Model Overview

Normalised transactional design. Transactions are the source of truth. Balances and reports are derived from them.

- Business, Settings, Feature Flags, Branch and Warehouse (hidden default).
- Users, Roles, Permissions, Audit Log.
- Companies, Items, Variants (than size label, colour, design, barcode, prices), Categories, Subcategories, Attributes.
- Stock Movements (source-linked); Batches and expiry dates (Cosmetics profile).
- Parties and Party Ledger; Suppliers and Supplier Ledger.
- Sales, Sale Lines, Sale Returns, Exchanges; Purchases, Purchase Lines, Purchase Returns.
- Payments and Receipts, Financial Accounts, Account Transfers, Expenses and Expense Categories, Cash Closings.
- Backups and Future Sync Metadata (record identifiers and change tracking so sync can be added later).

Money is stored as exact decimal or integer values, never floating point. All stock and money changes occur in database transactions with rollback on failure.

9. Technical Architecture, Reliability and Environment

9.1 Architecture

Layer	Choice
Desktop shell	Electron (Windows)
Frontend	React + TypeScript
UI	Tailwind CSS with a reusable component system (approved design is preserved)
Business logic	TypeScript service layer in the application's main process, exposed to the UI through typed, validated calls
Database	SQLite, local, with write-ahead logging
Data layer	Typed query layer with versioned SQL migrations
Packaging	Windows installer (one-click); no manual dependency installation
Future cloud	API reusing the same TypeScript domain code, PostgreSQL, sync queue

- Sales, purchases, inventory, khata, recovery, expenses, reports, printing and backup all work without internet.
- Search and history remain available offline.
- No operation is blocked because a cloud service is unavailable.
- UI, business logic and database layers remain separate. The UI never writes to the database directly.

9.2 Reliability and data protection

ID	Profile	Requirement
FR-REL-001	CORE	Database runs in write-ahead logging mode with full synchronisation so a power cut cannot corrupt committed data.
FR-REL-002	CORE	Every business operation (sale, purchase, payment, return, adjustment) is a single database transaction. A failure or power loss leaves no partial record.
FR-REL-003	CORE	Database integrity is checked at every start. On failure the user is guided to restore the latest valid backup.
FR-REL-004	CORE	Business data is stored in the user data directory, outside the install folder, so reinstalling or upgrading the application never deletes it.
FR-REL-005	CORE	Only one instance of the application can run at a time.
FR-REL-006	CORE	Automatic backup: daily and on application close, with retention of recent copies and an additional copy to a second location (for example a USB drive) when configured.
FR-REL-007	CORE	Upgrade installs create a backup first, then migrate the database. If migration fails, the previous data is restored automatically.
FR-REL-008	CORE	No forced auto-update. Updates are delivered as an installer chosen by the administrator.
FR-REL-009	CORE	Application log file with an export option for support.
FR-REL-010	CORE	Warning on low disk space and when the system clock is earlier than the latest recorded transaction.
FR-REL-011	CORE	Money is stored as integer minor units, never floating point.

9.3 Deployment environment (recommended for new PC purchase)

Both customers are purchasing new computers. The following specification is recommended so the system runs reliably.

Item	Minimum	Recommended
Operating system	Windows 10 64-bit	Windows 11 64-bit (Pro or Home)
Processor	Intel Core i3 or equivalent	Intel Core i5 or equivalent
Memory	4 GB	8 GB
Storage	128 GB SSD	256 GB SSD or larger. HDD is not recommended
Display	1366 x 768	1920 x 1080
Power protection	None	UPS giving at least 15 minutes, to allow a safe shutdown
Backup storage	One external USB drive	USB drive kept separate from the PC, plus an optional second copy
Printers	A4 printer	A4 printer and an 80 mm thermal receipt printer (model to be confirmed)
Barcode scanner (optional)	USB scanner working in keyboard mode	Same

10. Non-Functional Requirements

ID	Category	Requirement
NFR-001	Performance	Navigation, search and data entry feel responsive on a normal business PC, including POS with large item lists.
NFR-002	Reliability	Critical operations are atomic and roll back on failure.
NFR-003	Offline	All V1 functions work with no internet.
NFR-004	Security	Hashed passwords, permissions, audit logs.

ID	Category	Requirement
NFR-005	Usability	Simple for non-technical users; keyboard shortcuts for POS (for example F2 for sales).
NFR-006	Maintainability	Layers separated; schema changes through migrations.
NFR-007	Scalability	Schema allows future branches, sync and extra clients.
NFR-008	Auditability	Money and stock changes trace to user and timestamp.
NFR-009	Data integrity	Ledger and stock balances are derived from transactions and reconcile at all times.

11. UI / UX Requirements

- Fixed vertical sidebar: Dashboard, Sales, Parties, Recovery, Purchases, Suppliers, Inventory, Returns, Expenses, Cash and Bank, Reports, Users, Settings. Menu items of disabled features are hidden.
- POS uses a split flow: product area plus cart and checkout.
- Data-heavy screens use a modular workspace: tables, filters, summary cards, actions.
- Searchable, sortable, filterable tables with pagination.
- Clear validation before saving. Confirmation and authorisation for destructive or sensitive actions.
- Customer reviews the final UI mockups before the UI is considered approved.

12. Decision Log

Topic	Decision	Source
Tax	No tax calculation	Customer
Than size	Manual free-text label when adding the item; sold and stocked in thans; rate per than	Customer
Expiry	Admin alert only, never blocks sales	Customer
Invoice format	A4 and thermal both	Customer
Excel import	Not in V1; manual entry screens for opening data	Customer
Barcode	Optional per item; many shops do not use barcodes	Customer
Credit limit	On or off in settings; Warn or Block	Customer
Warehouse	Not requested; hidden default, schema-ready	Customer
Desktop stack	Electron, TypeScript and SQLite (replaces Tauri and Python/FastAPI): simpler packaging, reliable printing, one language	Owner
Hardware	Customers are purchasing new PCs; recommended specification in section 9.3	Owner
Delivery model	One codebase and one system; two clients (cloth, cosmetics), each configured and installed separately	Owner
Costing	Weighted average	Proposed
Payment matching	Balance-forward, not invoice-by-invoice	Proposed
Refund and exchange rules	Section 6.5 design	Proposed, not requested
Walk-in customer	Default party for anonymous cash sales	Proposed

13. Open Items and Assumptions to Confirm

Both clients:

- New PC purchased to the recommended specification (section 9.3) before installation; UPS strongly advised.
- Return and exchange rules in section 6.5 (time limit, approval, refund method).
- Final invoice layout, printer model, thermal width and paper size.

- Whether one article in several than sizes should be separate variants (FR-PRO-006).
- Whether walk-in cash sales are used by the cloth client.
- Default credit-limit mode (Off, Warn or Block).
- Whether UI and printed documents need Urdu text in addition to English.
- Weighted average costing approval.

Client B (Cosmetics) to confirm:

- Retail, distributor or both. This decides walk-in sales, party khata and credit sales.
- Whether credit sales and party khata are needed at all.
- Whether barcode scanners are used, and whether manufacturer barcodes or software-generated ones.
- Whether batch and manufacturing date are recorded, or expiry date only.
- Expiry warning period (default 30 days).
- Thermal printer model and paper width; A4 use.
- Return and exchange practice for cosmetics.

14. Exclusions

- Mandatory cloud subscription or mobile app for V1.
- Online storefront, manufacturing or MRP, full HR and payroll.
- Tax or government fiscal integration.
- Complex enterprise accounting beyond the defined workflows.
- Integrations not approved in writing.
- Per-than length tracking or meter-based sale for cloth.

Additional requirements follow a documented change request and scope review.

15. Acceptance Criteria

15.1 Both clients

- Installs on a supported Windows PC without development tools.
- Business information, feature profile and Owner/Admin account configured.
- Opening stock and opening balances entered manually.
- Purchases and supplier payments update stock, payable and account.
- Returns and exchange follow the confirmed rules.
- Expenses, transfers and daily cash closing work; transfers are not income.
- Sales, stock, expense and profit reports are correct and exportable.
- Credit limit setting behaves as configured.
- Backup and restore succeed, including on another PC.
- Restricted actions are blocked for unauthorised users and appear in the audit log.
- Disabled features do not appear anywhere in the UI.
- Power switched off during a sale leaves no partial record, and the application starts normally afterwards.
- Upgrading the application keeps all existing data.

15.2 Client A, Cloth Wholesale

- Companies, articles, variants and than size labels created manually.
- A wholesale sale in thans completes offline, prints in A4 and thermal, and correctly updates stock, khata and cash.
- Partial and installment payments and daily recovery update the ledger and account; aging is correct.
- City-wise report and drill-down work.

15.3 Client B, Cosmetics

- Brands, items and variants (size, unit, optional barcode, optional batch and expiry) created manually.
- A barcode scan adds the item to the cart; items without barcode are added by search; sale prints in A4 and thermal.
- Near-expiry and expired items appear on the dashboard and reports using the configured warning period; sales are not blocked.
- Batch and expiry stock reports are correct.
- Cloth-only features (than, recovery, city-wise) do not appear.

16. Proposed Development Order

Phase	Scope
1	Foundation: Electron shell, SQLite with migrations, backup engine, configuration and feature flags, users, permissions and audit hooks
2	Companies, items, variants, categories, attributes
3	Inventory and stock movements
4	Parties and suppliers
5	Early end-to-end slice: sale, stock, ledger and cash, to prove the core logic
6	Purchases
7	Party khata, supplier ledger, payments
8	Recovery, expenses, cash and bank
9	Returns and exchange
10	Profit, reports, dashboard
11	Backup and restore, A4 and thermal printing
12	Cloth profile (Client A) testing and acceptance
13	Cosmetics profile (Client B): barcode POS, batch, expiry alerts, dashboard, reports, then testing
14	Windows installers for both clients, final QA, data migration check
Later	Excel import, cloud and mobile

Phases 1 to 11 are shared core and serve both clients. Cosmetics-specific work is kept small because the core is common.

17. Customer Approval

Each client approves the Core scope plus its own profile. Minor UI, wording and implementation details may be refined during development. Material scope changes are documented separately.

Client A, Cloth Wholesale

Customer name	
Business name	
Signature	
Date	

Client B, Cosmetics

Customer name	
Business name	

Signature	
Date	