Making a Box_plot with Lettering

RwithAammar

11/20/2021

1- Install the required packages by using install.packages(""package_name);for ggpubfig use this: (devtools::install_github("JLSteenwyk/ggpubfigs") and the library these:

```
library(readxl)
library(tidyverse)
## -- Attaching packages --
                                                      ----- tidyverse 1.3.1 --
## v ggplot2 3.3.5 v purrr 0.3.4
## v tibble 3.1.6 v dplyr 1.0.7
## v tidyr 1.1.4 v stringr 1.4.0
## v readr 2.1.0 v forcats 0.5.1
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                     masks stats::lag()
library(agricolae)
library(devtools)
## Loading required package: usethis
library(ggpubfigs)
##
## Attaching package: 'ggpubfigs'
## The following object is masked from 'package:ggplot2':
##
##
       theme_grey
```

- 2- set your r directory in a folder where your data is present, (Ctrl+shift+h)
- 3- import your dataset into R

```
inp_data <- read_excel("rice_growth.xlsx",</pre>
                         col_types = c("text", "text", "numeric"))
print(inp_data)
## # A tibble: 21 x 3
      inoculation variable
##
                                   value
##
      <chr>
                 <chr>
                                   <dbl>
##
  1 Ctrl
                 Shoot Length (cm)
                                     4.7
## 2 T-1
                 Shoot Length (cm)
                                     7.7
## 3 T-2
                 Shoot Length (cm)
                                    12.9
## 4 T-3
                 Shoot Length (cm) 14.4
## 5 T-4
                 Shoot Length (cm) 13.5
## 6 T-5
                 Shoot Length (cm) 10.8
## 7 T-6
                 Shoot Length (cm)
                                    7.9
                 Shoot Length (cm)
## 8 Ctrl
                                    6.2
## 9 T-1
                 Shoot Length (cm)
                                     3.5
## 10 T-2
                 Shoot Length (cm) 16.4
## # ... with 11 more rows
```

4- Statitical analysis of your data to get lettering. Here I have used LSD.test to calculate the multiple comparison of means on my data sets:


```
value_max = inp_data %>% group_by(inoculation) %>% summarize(max_value = max(value))
lsd=LSD.test(aov(value ~ inoculation, data=inp_data), trt = "inoculation", group = T)
sig.letters <- lsd$groups[order(row.names(lsd$groups)), ]</pre>
```

This will also give you the significant letters along the group of treatments (inoculation).

5- you can also change the order of your treatments to appear on the x-axis:


6- Plot the simple boxplot using ggplot2

```
ggplot(data = inp_data, aes(x = inoculation, y = value, fill=inoculation))+
geom_boxplot()
```




7- Adding caps to the error bars:


```
ggplot(data = inp_data, aes(x = inoculation, y = value, fill=inoculation))+
  geom_boxplot()+
  stat_boxplot(geom = 'errorbar', width = 0.1)
```




8- Adding significant letters got in step 4



9- Adding axis labels:




10- publication ready theme using ggpubfig package:



You can explore more themes and figure types in the following website for ggpubfig: https://github.com/JLSteenwyk/ggpubfigs/blob/master/README.md#install


11- Removing legends:



12- Saving high quality plots as tiff file in your working directory choosen in step-2

$$\begin{split} & \operatorname{ggplot}(\operatorname{data} = \operatorname{inp_data}, \operatorname{aes}(x = \operatorname{inoculation}, y = \operatorname{value}, \operatorname{fill} = \operatorname{inoculation})) + \operatorname{geom_boxplot}() + \operatorname{stat_boxplot}(\operatorname{geom} = \operatorname{cerrorbar'}, \operatorname{width} = 0.1) + \operatorname{geom_text}(\operatorname{data} = \operatorname{value_max}, \operatorname{aes}(x = \operatorname{inoculation}, y = 0.15 + \operatorname{max_value}, \operatorname{label} = \operatorname{sig.letters\$groups}), \ \operatorname{vjust=0}) + \operatorname{ggtitle}("") + \operatorname{xlab}("\operatorname{Strains"}) + \operatorname{ylab}("\operatorname{Shoot_Length} \ \operatorname{(cm)"}) + \operatorname{scale_fill_manual}(\operatorname{values} = \operatorname{friendly_pal}("\operatorname{bright_seven"})) + \operatorname{theme_big_grid}() + \operatorname{theme}(\operatorname{legend.position} = "\operatorname{none"}) + \operatorname{ggsave}("\operatorname{shoot_length.tiff"}, \operatorname{units="in"}, \operatorname{width=8}, \operatorname{height=8}, \operatorname{dpi=300}, \operatorname{compression} = '\operatorname{lzw'}) \end{split}$$

13- Change the theme:



Here is the full course about datascience with Aammar #RwithAammar in Urdu and Hindi: https://www.youtube.com/watch?v=rPAyZJ_4X70&list=PL9XvIvvVL50E8HimtAnVL8N70MqImYOLS