<u>Faisalabad Institute of Cardiology</u> Serena Hotel Road, Opposite Chenab Club, Faisalabad.

List of Cardiac Surgical / Disposable Items

OR MAIN MEDICINE STORE & MODEL PHARMACY (General User / Paying & Se **FOR THE YEAR 2022-2023 (RE-TENDER)**

200 490
10
0
10
0
1
•
}
Demand Pharm.(G.U

15988150					Total Cost	
190000	10	0	0	10	ENVIROMENTAL DISINFACTANT Contains Peracetic Acid more than 750 mg/I or Equivalent (1 Kg/Pkt)	39
6570	100	70	0	30	Y CONNECTOR (WITHOUT LUER LOCK) ALL SIZES (3/8* 3/8 * 3/8, 3/8 * 3/8 * 1/4, 3/8 * 3/8/ * 1/2, 3/8 * 1/4 * 1/4, 1/ 4* 1/4 * 1/4,)	38
0	6	0	6	0	VO2 CONNECTER FOR PEADS CIRCUIT 3/8" X 3/8"	37
0	100	0	100	0	VO2 CONNECTER FOR ADULT CIRCUIT 1/2" X 1/2"	36
47700	60	7	50	3	TEMPORARY PACEMAKER (LEADS ONLY) COMPATIBLE WITH TPM MACHINE	35
306000	400	210	100	90	TEFLONE PLEDGET	34
120000	250	140	50	60	SUCKER NOZZLE PEADS	33
6750	100	70	0	30	STRAIGHT CONNECTORS (WITHOUT LUER LOCK) ALL SIZES (3/8X1/2, 3/8X3/8, 3/8X1/4, 1/4X1/4, 1/2X1/2)	32
4500	30	21	0	9	STERNAL POLYESTER	31
21000	220	14	200	6	PTFE SUTURE 4/0,5/0	30
207000	20	14	0	6	PTFE PATCH (0.1mm)	29
80580	600	70	500	30	PRESURE INFUSION BAG 1000ML	28
69300	1950	540	150	1260	POLYTHENE GOWN ADULT SIZE	27
123750	25	10	10	5	PER-CUTANEOUS TRACHESTOMY TUBES	26
76500	350	210	50	90	LEVEL SENSOR (Compatible with Maquet Machine or Equalivent)	25
1824500	1300	0	800	500	ONE WAY VENT VALVE (SUCTION SAFETY DEVICE)	24
850000	30	20	0	10	* OXYGENATOR-MEMBRANE WITH LOW PRIMING VOLUME FDA/CE APPROVED, WITH CUSTOM PACK FOR NEONATES	23
5004000	250	140	50	60	* OXYGENATOR-MEMBRANE WITH LOW PRIMING VOLUME FDA/CE APPROVED , WITH CUSTOM PACK FOR PEADS	22

* If the oxegenator does not have built in Arterial Filter, Separate Arterial Filter should be provided with custom pack.

Quantities mentioned can be increased or decreased as per requirement or availability of budget and no query from the supplier in this regard will be

Contractors will be bound for size replacement as well as near expiry stock of all items as per consumption and need for the whole tender.

Samples of all quoted brands should be provided at the time of tender submission.

Faisalabad Institute Executive Faisalabad. Director,