LabCorp OTS Web Services Get Account Details Use Case

Revision: 1.6

Date: 2/1/18

<u>Implementation Copy – The requirements in this document are the basis for implementation</u>





Information Systems Get Account Details Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

Revision History							
Revision	Date	Author	Description				
1.0	12/29/06	Mohan Koday	Initial Draft				
1.1	01/23/07	Mohan Koday	Changed 'labcorpPays' element data type to Boolean in Get Account Details response.				
1.2	01/30/07	Mohan Koday	Added elements 'accountNumber' & 'accountLocationCode' in Get Account Details Response.				
1.3	03/07/07	Mohan Koday	Added elements countryCode, areaCode, exchange, station, and extension under 'phone', 'fax', and 'mroPhone' elements in Get Account Details Response.				
1.4	03/15/07	Mohan Koday	Below fields are added to GetAccountDetails Response: accountLocationCodeOptionality clinicInfoOptionality deptIdRandomTestCodeOptionality donorDateOfBirthOptionality donorHackNumberOptionality donorIdOptionality donorLicenseExpirationDateOptionality donorNameOptionality donorPhoneOptionality donorSexOptionality donorSSNOptionality paroleOfficerOptionality physicianIdOptionality				
1.5	03/23/07	Mohan Koday	Added a note saying LCLS accounts defaultPanelId shall not be available in this release in Get Account Details Response.				
1.6	2/1/18	Peter Gucwa	Added MRO fax number				

System: OTS Web Services	Title: Get Account Details Use Case					
Filename: OTS_WS_Get_Account_Details.doc		Revision: 1.5	Date: 03/23/07	Page: 2 of 5		



Information Systems Get Account Details Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

Get Account Details

Use Case Summary

<i>U</i>	
Goal	To obtain detailed account information.
Frequency	Multiple times per day.

Success Scenarios

Step	Action
1	The client creates a Get Account Details Request and sends it to the system.
2	The system validates the request, obtains the account details, and sends a Get Account Details Response.
3	The client receives and processes the response.

Exception Scenarios

Step	Action
	The system determines that one or more elements of the submitted data are invalid.
2	1. The system sends an Error Response to the client.
	2. The use case resumes at step 3.

System: OTS Web Services	Title: Get Account Details Use Case					
Filename: OTS_WS_Get_Account_Details.doc		Revision: 1.5	Date: 03/23/07	Page: 3 of 5		



Information Systems Get Account Details Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

Get Account Details Request:							
Element	Optionality	Data Type	Size	Notes			
userId	R	String	1-30				
password	R	String	7-32				
Get Account Details Reque	st details:						
Element	Optionality	Data Type	Size	Notes			
accountNumber	R	String	6 or 8				
accountLocationCode	AD	String	0-30				

Get Account Details Re	Get Account Details Response:							
Element	Populated	Data Type	Size	Notes				
accountNumber	A	String	6 or 8					
accountLocationCode	C	String	0-30					
accountName	С	String	0-60					
address1	С	String	0-60					
address2	С	String	0-60					
city	С	String	0-30					
defaultPanelId	С	String	1-50	defaultPanelId shall be sent in the response for LCTS Accounts (6 digit accounts) only. defaultPanelId for LCLS (8 digit accounts) shall be added in a future release.				
fax	С							
countryCode	С	String	0-3					
areaCode	С	String	0 or 3					
exchange	С	String	0 or 3					
station	С	String	0 or 4					
extension	С	String	0-7					
formTypeId	A	Integer		Please see <i>Section 4.5</i> in Supplemental Specifications document for Valid Form Type Id numbers and their meaning.				
labcorpPays	A	Boolean		The collection fee				
locationCodeLength	С	Integer		Values from 0-30				
mroAddress1	С	String	0-60					
mroAddress2	С	String	0-60					
mroCity	С	String	0-30					
mroName	С	String	0-60					
mroPhone	С							
countryCode	С	String	0-3					
areaCode	С	String	0 or 3					
exchange	С	String	0 or 3					
station	С	String	0 or 4					
extension	С	String	0-7					

System: OTS Web Services	Title: Get Account Details Use Case					
Filename: OTS_WS_Get_Account_Details.doc		Revision: 1.5	Date: 03/23/07	Page: 4 of 5		



Information Systems Get Account Details Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

Element	Populated	Data Type	Size	Notes
mroFax	C	V 1		
countryCode	С	String	0-3	
areaCode	С	String	0 or 3	
exchange	С	String	0 or 3	
station	С	String	0 or 4	
extension	C	String	0-7	
mroState	C	String	0 or 2	
mroZip	С	String	0 or 5	
panelId	A	Array of String	1-50	
phone	С			
countryCode	С	String	0-3	
areaCode	С	String	0 or 3	
exchange	С	String	0 or 3	
station	С	String	0 or 4	
extension	С	String	0-7	
state	С	String	0 or 2	
zip	С	String	0 or 5	
accountLocationCodeOptionality	A	String	1	
clinicInfoOptionality	A	String	1	
deptIdRandomTestCodeOptionality	A	String	1	
donorDateOfBirthOptionality	A	String	1	
donorHackNumberOptionality	A	String	1	
donorIdOptionality	A	String	1	Valid Values: "O" "R" or "D" (O=Optional,
donorLicenseExpirationDateOptionality	A	String	1	R=Required, D=Denied)
donorNameOptionality	A	String	1	K-Required, D-Deffied)
donorPhoneOptionality	A	String	1	
donorSexOptionality	A	String	1	
donorSSNOptionality	A	String	1	
paroleOfficerOptionality	A	String	1	
physicianIdOptionality	A	String	1	

Note: The Get Account Details Error Response contains an array of the following.

Get Account Details Error Response:							
Element	Populated	Data Type	Size	Notes			
errorCode	A	Integer		Please see Section 4.2 in Supplemental Specifications			
errorDescription	A	String	1-100	document for errorCodes and errorDescriptions.			
errorElement	С	String	0-50	For global errors, errorElement shall be null.			

System: OTS Web Services	Title: Get Account Details Use Case					
Filename: OTS_WS_Get_Account_Details.doc		Revision: 1.5	Date: 03/23/07	Page: 5 of 5		