LabCorp OTS Web Services Register Donor Use Case

Revision: 1.11

March 3, 2008

<u>Implementation Copy – The requirements in this document are the basis for implementation</u>





Information Systems Register Donor Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

Revision History							
Revision	Date	Author	Description				
1.0	12/05/06	Mohan Koday	Initial Draft				
1.1	12/08/06	Mohan Koday	Added a note to 'donorReasonForTest' element. Removed Use Case diagram.				
1.2	12/13/06	Mohan Koday	Added element 'errorCode' in error response.				
1.3	12/29/06	Mohan Koday	Renamed column 'Optionality' to 'Populated' for service responses. And changed the Populated column values in service response tables.				
1.4	01/08/07	Mohan Koday	Changed 'splitSpecimenRequested' & 'observedCollectionRequested' elements optionality to Boolean in Register Donor request details.				
1.5	01/19/07	Mohan Koday	Changed 'donorReasonForTest' data type to String and Size as 2				
1.6	02/20/07	Mohan Koday	Changed element 'donorSex' optionality to 'AD' in Register Donor Request Details. All the 'date' data types are changed to 'dateTime' data type. 'registrationTime' element in Register Donor Response has changed to 'registrationDateTime'				
1.7	03/01/07	Mohan Koday	Added elements countryCode, areaCode, exchange, station, and extension under 'donorDayPhone' and 'donorEvePhone' elements in Register Donor Request details.				
1.8	03/22/07	Mohan Koday	Changed Eastern Time Zone to GMT Time Zone in the Notes section of Response where Time is significant. Added note saying panelId is required for LCLS registrations in Register Donor Request.				
1.9	09/18/07	Mike Murphy	Changed donorId field length to 0-12.				
1.10	12/13/07	Greg Matthews	Changed "only the date is significant" to "both date and hour are significant." and added "All times are GMT time zone." in the Notes field for the registrationExpirationDate element.				
1.11	3/3/2008	Mike Murphy	Updated notes for donorID field and splitSpecimenRequested field.				
1.12	5/1/2018	Peter Gucwa	Changed registrationExpirationDate – added minutes				

System: OTS Web Services	Title: Register Donor Use Case					
Filename: OTS_WS_Register_Donor.doc		Revision: 1.11	Date: 10/21/19	Page: 2 of 6		



Information Systems Register Donor Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

Register Donor

Use Case Summary

Goal	Register a single donor for a single drug screening.
Frequency	Multiple times per day.

Success Scenarios

St	tep	Action
]	1	The client creates a Register Donor Request and sends it to the system.
2	2	The system validates the request, creates a registration, and sends a Register Donor Response.
3	3	The client receives and processes the response.

Exception Scenarios

Step	Action
	The system determines that one or more elements of the submitted data are invalid.
2	1. The system sends an Error Response to the client.
	2. The use case resumes at step 3.

System: OTS Web Services	Title: Register Donor Use Case					
Filename: OTS_WS_Register_Donor.doc		Revision: 1.11	Date: 10/21/19	Page: 3 of 6		



Information Systems
Register Donor Use Case
Implementation Copy – The requirements in this document are the basis for implementation.

Register Donor Request:								
Element	Optionality	Data Type	Size	Notes				
userId	R	String	1-30					
password	R	String	7-32					
Register Donor Request do	Register Donor Request details:							
Element	Optionality	Data Type	Size	Notes				
accountLocationCode	AD	String	0-30	Please see <i>Section 4.1</i> in Supplemental Specifications document for more details.				
accountNumber	R	String	6 or 8					
clientRegistrationId	О	String	0-50	If received in the request, shall be returned in the response.				
clinicInfo	AD	String	0-26					
deptIdRandomTestCode	AD	String	0-7					
donorAdditionalIdentifier	0	String	0-50					
donorDateOfBirth	AD	DateTime		Passing time zone in the SOAP message may cause problems. So better is not to do it.				
donorDayPhone	AD							
countryCode	О	String	0-3					
areaCode	AD	String	3					
exchange	AD	String	3					
station	AD	String	4					
extension	О	String	0-7					
donorEvePhone	AD							
countryCode	О	String	0-3					
areaCode	AD	String	3					
exchange	AD	String	3					
station	AD	String	4					
extension	О	String	0-7					
donorHackNumber	AD	String	6 or 7					
donorId	AD	String	0-12	Size is 0-10 for LCLS accounts.				
cdl_state	О	String	2	Commercial driver license state				
cdl_number	О	String	19	Commercial driver license number				
donorLicenseExpirationDate	AD	DateTime		Only the date is significant				
donorNameFirst	AD	String	0-25	If a name is automad both the first and last areas				
donorNameLast	AD	String	0-35	If a name is entered, both the first and last names are required and the Middle Initial is optional.				
donorNameMiddleInitial	AD	String	0-1					
donorReasonForTest	R	String	2	Please see <i>Section 4.4</i> in Supplemental Specifications document for valid Reason for test Ids and their meanings.				
donorSex	AD	String	0 or 1	Valid Values: "M" - Male or "F" - Female or Empty				
donorSSN	AD	String	0 or 9	Digits only. No hyphens allowed				

System: OTS Web Services	Title: Register Donor Use Case				
Filename: OTS_WS_Register_Donor.doc		Revision: 1.11	Date: 10/21/19	Page: 4 of 6	



Information Systems Register Donor Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

Register Donor Request details:							
Element	Optionality	Data Type	Size	Notes			
donorStateOfResidence	R	String	2	Please see <i>Section 4.3</i> in Supplemental Specifications document for more details.			
panelId	O	Array of String	0-50	Enter Catalog Id for POCT accounts, Profile Id for Non POCT LCTS accounts and Test Ids for 8 digit accounts (LCLS). Panel Id is required for 8 digit accounts. If none specified, for 6 digit accounts (LCTS), the account's default will be applied by the system.			
observedCollectionRequested	О	Boolean		Required for Urine test and excluded for other tests. If not specified, the account's default value false will be applied by the system.			
paroleOfficer	AD	String	0-10				
physicianId	AD	String	0-10				
registrationExpirationDate	R	DateTime		Only the current or future date allowed, date, hour and minutes are significant. All times are GMT time zone.			
splitSpecimenRequested	О	Boolean		If not specified, the default value false will be applied by the system. Specimens for hair, oral fluids, and POCT tests are never split, regardless of this field's value.			
testingAuthority	О	String	3-5	Testing Authority required for DOT specimens HHS, NRC, FMCSA, FAA, FRA, FTA, PHMSA, USCG			

Register Donor Response:							
Element	Populated	Data Type	Size	Notes			
clientRegistrationId	С	String	0-50	If received in the request, shall be returned in the response.			
labcorpRegistrationNumber	A	Integer					
registrationDateTime	A	DateTime		Both date and time are significant. All times are GMT time zone.			

Note: The Register Donor Error Response contains an array of errors.

Register Donor Error Response:							
Element	Populated	Data Type	Size	Notes			
errorCode	A	Integer		Please see Section 4.2 in Supplemental Specifications			
errorDescription	A	String	1-100	document for errorCodes and errorDescriptions.			
errorElement	С	String	0-50	For Global Errors, errorElement shall be null.			

Additional Information:

None.

System: OTS Web Services	Title: Register Donor Use Case			
Filename: OTS_WS_Register_Donor.doc		Revision: 1.11	Date: 10/21/19	Page: 5 of 6



Information Systems Register Donor Use Case

Implementation Copy – The requirements in this document are the basis for implementation.

 System: OTS Web Services
 Title: Register Donor Use Case

 Filename: OTS_WS_Register_Donor.doc
 Revision: 1.11
 Date: 10/21/19
 Page: 6 of 6