Week 2 Test

Total points 47/60

User Details

Email *

dsp.tandintshewang@gmail.com

0 of 0 points

Name *

Tandin Tshewang

DID *

DS(42)20-14991

MCQ
47 of 60 points

Questions

The CSS property used to make the rounded borders, or rounded corners around an element is

1/1

none of above

border-collapse

border-spacing

border-radius

where in an HTML document is the correct place to refer to an external style sheet

1/1

At the end of the document

above <HTML>

In the <body> section

in the <head> section

The <head> element is a container for metadata and placed between the _____tag and the _____ tags

1/1

<html> and <body>

<html> and <title>

<title> and <body>

<title> and <html>

Which of the following attributes of text box control allow to limit the maximum character?

1/1

maxlength

all of these

size

len

____ is a set of instruction or statement which are used to perform specific task.

1/1

all above

program

language

software

which properties is used to change the font of an element?

1/1

- text-family
- text-style
- font-family
- font-style

one tag that is present within another tag is referred to as _____.

1/1

- insert tag
- paired tag
- unpaired tag
- Nested tag

_____ are basically used to provide additional information to a particular tag.

1/1

element

attributes

Case

All above

Which of the following is not true

0/1

Text area is used to select one or more text in the form

Password attribute is used to encrypt text

place holder is used to provide a water mark inside the input box.

radio is used to select only one option from given set of entities.

how do you display hyperlinks without an underline?

1/1

a{decoration:no-underline;}

a{text-decoration:no-underline;}

a{underline:none;}

a{text-decoration:none;}

which HTML attribute specifies an alternate text for an image, if the image cannot be displayed?

1/1

alt

src

longdesc

herf

Which CSS property controls the text size?

0/1

font-style

text-size

text-style

font-size

Correct answer

font-size

Iframe is used to display a webpage within a web page

1/1

false

true

how do you make a list that lists its items with squares?

0/1

list-type:square;

list-style-type:square;

list-style:square;

list:square;

Correct answer

list-style-type:square;

Which of the following syntax is correct in CSS to make each word of a sentence start with a capital letter?

1/1

text-style : capital;

text-transform : capital;

transform : capitalize;

text-transform : capitalize;

The content that has to be displayed on the web page should be enclosed within ___ tags

1/1

body

head

meta

title

Which of the following property specifies a shorthand property for setting the margin properties in one declaration?

1/1

margin

margin-top

margin-bottom

margin-left

Here are the different input types you can use in HTML except

1/1

<input type="text">

<input type="name">

<input type="radio">

<input type="password">

Inbox in Gmail Account is example of _____ response

1/1

dynamic

all answers are wrong

static

Both static and dynamic

Browsers automatically add an _____ before and after a paragraph

1/1

underline

None of these

empty line

empty space

What is the correct HTML for referring to an external style sheet?

1/1

.<style mystyle.css">

<link rel="stylesheet" type="text/css" herf="mystyle.css">

<style src="mystyle.css">

<stylesheet>mystyle.css</stylesheet>

when using the padding property are you allowed to use negative values?

0/1

no

yes

Correct answer

no

Markup tags tell the web browser

0/1

How to display the page

None of these

How to organise the page

How to display message box on page

Correct answer

How to display the page

Name the section at the top of the document used to place the name, page number etc.

1/1

Footer

Hyperlink

Web Layout

Header

Which of the following are features of HTML

1/1

Portable Language

loosely coupled language

not case sensetive

all above

HTML is considered as _____ .

1/1

Markup Language

Programming Language

OOP Language

Higher Level Language

In CSS what dose a font-size can be called as

0/1

Property-Name

Rule

attribute

Selector

_____selector is used to group multiple HTML elements to provide CSS properties

1/1

ID

Both Class and ID

None of Above

Class

Following are CSS text properties Except

1/1

color

text-align

text-decoration

text-size

Following are different File path used while linking to external files except

1/1

web pages

Style sheet

images

name

If we don't want to allow a floating div to the left side of an element, which css property will we use ?

0/1

Clear

float

padding

Margin

Correct answer

Clear

Which of the following CSS property is used to specify whether the table cells share the common or separate border?

border-spacing

border-radius

border-collapse

None of the above

Correct answer

border-collapse

Choose the correct HTML element to define important text

<strong>

<important>

<i>

<d>

The common element which describe the web page, is ?

0/1

All of these

paragraph

list

heading

Correct answer

All of these

. _____ properties is used to provide the space between the lines by defaults the direction of the text is left to right.

1/1

number spacing

word spacing

letter spacing

line height

the default direction of the text is _____

up to down

right to left

down to up

left to right

Choose the correct HTML element to define emphasized text

1/1

<em>

<emphasized>

<i>

<italic>

How can you make a number list?

1/1

<dl>

<list>

Which is the correct HTML for making a text area?

1/1

<input type="textbox">

<input textarea="text">

<input type="textarea">

<textarea>

Those tags which are used to modify a particular text or regular text such as bold, italic, strong is called

1/1

Structure tag

title tags

formatting tag

control tag

How do you add a background color for all <h1> element?

1/1

h1{background:#FFFFFF;}

all.h1{background:#FFFFFF;}

all.h1.all{background:#FFFFFF;}

h1.all{background:#FFFFFF;}

Which of the following selector matches a element based on its id?

1/1

The Universal Selector

The Descendent Selector

The Id Selector

The Class Selector

An HTML document can contain ___

0/1

All above

Tags

Attributes

Raw text

Correct answer

All above

h6 is the most important heading and has smaller in size

1/1

true

False

Which is the correct CSS syntax?

1/1

body{color:black;}

d.{body;color:black;}

body:color=black

{body:color=black;}

What dose CSS stands for?

1/1

CS Style sheets

Cascading Style sheets

Creative style sheets

colorful Style Sheets

Which type of CSS is used in the code? <p style = "border:2px solid red;">

1/1

None of the above

Internal CSS

Inline CSS

External CSS

If we want define style for an unique element, then which CSS selector will we use ?

1/1

name

class

text

id

The _____ property is used to specify the space between the words in a text

1/1

text-spacing

font-spacing

word-spacing

none of above

_____ attribute is used to specify , where to open the linked document.

0/1

co-ords

rel

pos

target

Correct answer

target

Following are block-level element in HTML except

1/1

<div>

<footer>

<hr>

<a>

Following are three different ways of adding CSS properties Except

1/1

    Inline CSS

    Internal CSS

    External CSS

    Document CSS

In order to change the default value of order list and unordered list, we must make use of "_____" attributes

0/1

    name

    change

    type

    value

Correct answer

    type

how do you insert comment in a CSS file?

0/1

/*this is a comment*/

'this is a comment'

//this is a comment//

<!--this is a comment-->

Correct answer

/*this is a comment*/

Default attribute value of "target" is _____ in HTML.

1/1

_top

_self

_blank

_parent

HTML is basically used to design

1/1

Web-page

Tables and Frames

Graphics

Database

Which of the following property specifies the width of a border?

1/1

border-bottom-color

border-width

border-style

border-color

when using the margin property, are you allowed to use negative values?

1/1

No

yes

Which of the following is correct way of specifying red color in HTML

1/1

rgb(0,255,0)

rgb(255,0,0)

rgb(255,0,255,)

rgb(255,255,255)

Which of the Style is applied to the H1 heading by default ?

1/1

Underline

Bold and Underline

Italic

Bold