Ethiopian Airlines Agentforce – Solution Design Document

Project Name:	**Ethiopian Airlines Corporate Travel Agentforce POC**
Version Number:	**1.0**
Date:	**14 October 2026**

Document Revision History

Version Number	Update Date	Update Author	Revisions
1.0	14/10/2026	John Galvin	Initial Draft

1. Introduction **4**
2. Project Background **4**
3. Overall Solution Architecture **5**
4. Scope **6**
5. Access & Security **7**
5.1 Lightning App — Ethiopian Airlines Corporate Travel 7
5.2 Permission Sets 7
5.2.2 Document AI Admin Access 8
5.2.3 Access_Corporate_Rate_Contract_Generation 8
5.2.4 CLT Upload Access (Guest User Only) 8
5.2.5 Travel Agency RFP Access 9
5.2.6 Corporate_Travel_RFP_Agent Permissions (System-Generated) 9
5.3 Embedded Service Deployment 9
5.4 Connected App & Named Credential — Document AI 9
5.5 Messaging Channel - Corporate Travel Chat 10
5.6 Data 360 (Data Cloud) 10
6. User Story 1 — Corporate Travel Intake **11**
6.1 Experience Cloud Site 11
6.2 Customer Intake Service Agent 12
6.3 Document AI Extraction 12
6.4 Business Licence Validation 13
6.4.1 Business Licence Validation Prompt Template 13
6.5 LWC Components — RFP Record Page 14
6.5.1 rfpSummaryCard 14
6.5.2 businessLicenceViewer 14
6.5.3 licenceAnalystNotes 14
6.5.4 rfpNegotiationBriefRenderer 14
6.6 LWC Components — Experience Cloud Site 15
6.7 Lightning Type Bundles (CLTs) — Intake 15
6.7.1 rfpUploadClt 15
6.7.2 businessLicenceUploadClt 15
6.7.3 corporateTravelRfpWizard 15
6.8 RFP Submission Confirmation Email 16
6.9 Apex Classes — User Story 1 16
6.10 Standard Object Record Creation 17
6.10.1 Account 17
6.10.2 Contact 17
6.10.3 Opportunity 17

6.10.4 OpportunityContactRole 17
6.10.5 Document Links 18
7. User Story 2 — Employee Rate & Contract Agent 18
7.1 Agent Overview 18
7.2 Pricing Matrix Logic 18
7.3 Rule 2 Non-Commissionable Uplift 19
7.4 Approval Workflow 19
7.5 Lightning Type Bundles (CLTs) — Employee Agent 20
7.5.1 ContractEmailDraft (c__ContractEmailDraft) 20
7.5.2 RfpNegotiationBrief (c__RfpNegotiationBrief) 20
7.6 Contract Generation (DocGen) 20
7.7 Contract Email Send 21
7.8 Apex Classes — User Story 2 21
8. Custom Objects & Key Fields 22
8.1 Corporate_Travel_RFP__c 22
8.2 ET_Discount_Tier__c 23
8.3 ET_Soft_Benefit_Tier__c 23
8.4 ET_RFP_Extract__c 23
8.5 Travel_Agency__c 24
8.6 Travel_Route__c 24
9. Flows & Automations 24
9.1 Record-Triggered and Business Logic Flows 24
9.2 Agent Output Flows (CLT Wrappers) 24
10. Maintenance Guide 25
10.1 Adding a New Org User 25
10.2 Updating the Contract Template 25
10.3 Updating the Pricing Matrix 26
10.4 Managing the Approval Queue 26
10.5 Updating the Email Domain Allowlist 26

1. Introduction

This document provides a technical reference for the Ethiopian Airlines Corporate Travel Agentforce Proof of Concept (POC). It describes every Salesforce component built during the engagement – how they interact, how to administer them, and how to maintain them after handover.

The intended audience is the Ethiopian Airlines administrator and IT team. Familiarity with Salesforce administration, Lightning App Builder, and basic Salesforce metadata concepts is assumed.

2. Project Background

Ethiopian Airlines Global Corporate Sales manages inbound requests for corporate travel programmes from small-to-medium business (SMB) customers. The POC was commissioned to demonstrate that Salesforce Agentforce could streamline the end-to-end process from initial enquiry through to a signed corporate rate agreement.

Two user stories were defined in the Project Blueprint:

User Story 1 (US1) – Customer Facing Corporate Travel Program Intake Agent: A conversational Service Agent handles inbound SMB enquiries via an Experience Cloud site, capturing requirements via a guided wizard or document upload, validating business licences, and creating an RFP record in Salesforce without manual data entry.

User Story 2 (US2) – Employee Agent – Corporate Rate & Contract Generation: An internal Employee Agent supports sales reps by summarising RFP data, presenting discount tier recommendations from the pricing matrix, managing manager approval for non-standard rates, generating the .docx corporate rate agreement, and sending it to the prospect.

3. Overall Solution Architecture




Figure 1: Ethiopian Airlines Agentforce Solution Architecture

The Ethiopian Airlines Corporate Travel Agentforce solution consists of the following Salesforce components:

- Agentforce (Service Agent – US1 intake; Employee Agent – US2 rate & contract)
- Data 360 (Data Cloud) – platform prerequisite enabling Document AI and Session Tracing
- Document AI
- Prompt Builder
- Experience Cloud (Embedded Service Deployment)

- Apex
- Flows (Record-Triggered, Async After Commit, Agent Output Wrappers)
- Lightning Web Components (LWC)
- Lightning Type Bundles (Custom Lightning Types / CLTs)
- Salesforce DocGen (Document Generation)
- Approval Process
- Custom Objects (6)
- Permission Sets
- Connected App & Named Credential
- Messaging Channel
- Static Resources

The solution is a two-stage pipeline. In the intake stage (US1), an SMB prospect engages with a Service Agent on an Experience Cloud site. They either complete an RFP wizard form or upload their own RFP document. Uploaded documents are processed by Salesforce Document AI using the ET_Corporate_RFP extraction schema. An uploaded business licence is separately analysed by a prompt template running on Gemini 2.5 Flash, which returns a structured confidence assessment. All extracted and validated data is written to a Corporate Travel RFP record.

In the employee stage (US2), a sales rep opens the Corporate Travel Lightning App, reviews incoming RFP records, and engages the Agentforce Employee Agent. The agent retrieves the RFP and pricing matrix, presents a recommended discount offer, and guides the rep through acceptance. Rows requiring manager approval trigger a Salesforce approval process. Once approved, the agent generates the .docx contract via Salesforce DocGen and sends it to the prospect from the ET No Reply Email Address inbox.

4. Scope

The following components were delivered against the two Blueprint user stories.

US1 – Corporate Travel Intake

- **Self-service RFP intake via conversational agent: Delivered** – Experience Cloud embedded Service Agent with guided wizard and document upload paths.
- **Document AI extraction from uploaded RFP: Delivered** – ET_Corporate_RFP schema, DocumentAI_NC Named Credential, DocumentAiRfpExtractor Apex class.
- **Business licence validation: Delivered** – Business_Licence_Validation prompt template v27 (Gemini 2.5 Flash), LicenceValidationParser, triggered async on RFP create.

- **RFP record creation with confirmation email: Delivered** – CorporateTravelRfpSave writes record and sends acknowledgement email to the SMB contact.

US2 – Employee Rate & Contract Agent

- **RFP summarisation and pricing recommendation: Delivered** – Employee Agent retrieves RFP + matrix data and presents structured pricing offer card (CLT).
- **Rule 2 non-commissionable uplift: Delivered** – Extension beyond Blueprint. Adds 1–4% uplift to all discount classes for non-commissionable agreements; triggers same approval path as Rows 2–5.
- **Manager approval workflow: Delivered** – Salesforce Approval Process routing to Corporate Travel Pricing Approvers queue.
- **Contract draft generation (.docx): Delivered** – Salesforce DocGen with ET Standard Corporate Agreement template; contract attached to RFP record.
- **Contract email dispatch: Delivered** – Email sent from ET No Reply Email Address inbox with contract attached; restricted to @salesforce.com and @ethiopianairlines.com domains.

5. Access & Security

5.1 Lightning App – Ethiopian Airlines Corporate Travel

A Lightning App named Ethiopian Airlines Corporate Travel provides sales reps and administrators with a focused workspace. It is accessible via the App Launcher (nine-dot grid) in the top Lightning navigation bar.
API name: Ethiopian_Airlines_Corporate_Travel
Tabs included in the app:

- Home
- Corporate Travel RFP (Corporate_Travel_RFP__c)
- Discount Tiers (ET_Discount_Tier__c)
- Soft Benefit Tiers (ET_Soft_Benefit_Tier__c)

5.2 Permission Sets

The following permission sets control access to the Corporate Travel solution.

5.2.1 Corporate Travel RFP Admin Permissions

API name: Corporate_Travel_RFP_Admin_Permissions

Grants full Create, Read, Edit, Delete access to all six custom objects:

- **Corporate_Travel_RFP__c**
- **ET_Discount_Tier__c**
- **ET_Soft_Benefit_Tier__c**
- **ET_RFP_Extract__c**
- **Travel_Agency__c**
- **Travel_Route__c**

Must be assigned to any user who will work with RFP records or pricing data.

5.2.2 Document AI Admin Access

API name: DocumentAI_Admin_Access
Grants access to the Salesforce Document AI feature and the DocumentAI_NC Named Credential used to make AI extraction callouts. Without this permission set, Document AI extraction will fail silently when the agent attempts to process an uploaded document.

Assign to **administrators only.** Sales reps do not require this permission set – extraction runs under the agent user context, not the rep's session.

5.2.3 Access_Corporate_Rate_Contract_Generation

API name: Access_Corporate_Rate_Contract_Generation
Grants access to the Corporate Rate Contract Generation Employee Agent. Includes a SetupEntityAccess record linking the BotDefinition to the permission set – this is what makes the Agentforce icon appear in the Lightning navigation bar. Must be present for the agent to be visible and usable. See Section 10.1 for the script to apply this if the icon does not appear after assignment.

5.2.4 CLT Upload Access (Guest User Only)

API name: CLT_Upload_Access
Assigned to the Experience Cloud guest user profile. Grants the minimum Apex class access required for the public-facing intake form to operate:

- **CorporateTravelRfpSave**
- **RfpUploadController**
- **DocumentAiRfpExtractor**
- **BusinessLicenceUploadCltData**

Do not assign this permission set to internal users.

5.2.5 Travel Agency RFP Access

API name: Travel_Agency_RFP_Access
Grants Read/Write access to

- **Corporate_Travel_RFP__c**
- **Travel_Agency__c**

Intended for users who need visibility of RFPs and their associated agency data without requiring full admin rights over the complete object set.

5.2.6 Corporate_Travel_RFP_Agent Permissions (System-Generated)

API name: Corporate_Travel_RFP_Agent720123580_Permissions
Automatically generated by Salesforce when the Customer Intake Service Agent was published. Grants the agent runtime user context access to the objects and Apex classes it requires. Do not modify or delete this permission set – changes may break the intake agent.

5.3 Embedded Service Deployment

The customer-facing intake surface is delivered via an Embedded Service Deployment hosted on an Experience Cloud site. The site (master label: ESW_Corporate_Travel_Chat_1788949000639) hosts the Corporate Travel RFP Service Agent and is accessible to unauthenticated guest users.
Key configuration:

- **Site type:** ChatterNetwork (Experience Cloud)
- **Guest user permissions:** CLT_Upload_Access permission set
- **Embedded agent:** Corporate_Travel_RFP_Agent (Service Agent, US1)
- **iFrame allowlist:** the sandbox domain (etcrm--etagentai.sandbox.my.salesforce.com)

5.4 Connected App & Named Credential – Document AI

A Connected App and Named Credential were created to authenticate Salesforce Document AI callouts from within the org.
Connected App: Document AI App
API name: DocumentAI_App.
OAuth 2.0 Client Credentials flow. Used to obtain access tokens for Document AI API calls. The app is admin-approved and grants the Api OAuth scope. Consumer Key and Consumer

Secret must be configured in the corresponding External Credential (DocumentAI_EC) in Setup.
External Credential: DocumentAI_EC. Configured manually in Setup → Named Credentials → External Credentials. Type: OAuth 2.0 Client Credentials. The Scope field must be left blank. The Principal must have a credential parameter mapping the Authorization header. This component is not deployable via CLI – it must be configured in each target org's Setup UI.

DocumentAI_NC (Named Credential):
API name: DocumentAI_NC**.**
Type: Secured Endpoint.
URL: the org's sandbox endpoint (https://etcrm--etagentai.sandbox.my.salesforce.com). References DocumentAI_EC as its authentication source. Used by DocumentAiRfpExtractor for all Document AI callouts. Note: when deploying to a new org or production, update the URL in the Named Credential to match the target org's domain.

5.5 Messaging Channel - Corporate Travel Chat

API name: Corporate_Travel_Chat
Type: EmbeddedMessaging.
The Messaging Channel is the Salesforce component that connects the Embedded Service Deployment (Section 5.3) to the Corporate_Travel_RFP_Agent Service Agent. When a visitor initiates a chat session on the Experience Cloud site, the channel routes the incoming session to the agent for handling.
Key configuration:

- **Session handler**: Corporate_Travel_RFP_Agent (type: AgentforceServiceAgent)
- **Channel type**: EmbeddedMessaging (web chat – not SMS or WhatsApp)
- **Opt-out keywords configured**: STOP, CANCEL, END, QUIT, UNSUBSCRIBE

The Messaging Channel must be active and linked to the Embedded Service Deployment for the agent chat widget to appear on the Experience Cloud site. If the chat widget does not load, verify that the channel is active in Setup → Messaging → Messaging Settings.

5.6 Data 360 (Data Cloud)

Salesforce Data 360 must be provisioned and active in the org as a platform prerequisite for Agentforce. Data 360 must be active within the Production environment before it can be provisioned within the Sandbox. Two capabilities in this solution depend directly on Data 360 being present.

Document AI
Document AI, which powers RFP document data extraction in User Story 1 (Section 6.3), is a feature built on top of Data 360. The ET_Corporate_RFP extraction schema and the Document AI configuration UI are only accessible when Data 360 is active. Without it, Document AI schemas cannot be created or managed, and extraction callouts from DocumentAiRfpExtractor will fail. The Named Credential (DocumentAI_NC) and External Credential (DocumentAI_EC) described in Section 5.4 handle the authentication layer for these callouts, but Data 360 must be provisioned before those components become meaningful.

Agentforce Session Tracing Data Model
Data 360 provides the Session Tracing Data Model for Agentforce. When an agent session runs, interaction data – session turns, action invocations, LLM reasoning traces, and outcomes – is written to Data 360 data model objects. This data powers the Agentforce Testing Center (used for evaluation and regression testing of both agents) and provides observability of agent behaviour in production. Administrators and developers can review session traces to understand exactly how the agent responded to a given input, which actions were invoked, and what the LLM reasoning was at each step. This is the primary diagnostic tool for ongoing agent maintenance and quality assurance after handover.

6. User Story 1 – Corporate Travel Intake

6.1 Experience Cloud Site

The customer-facing intake surface is an Experience Cloud site hosted on the Ethiopian Airlines Agentforce sandbox org.

Site URL: https://etcrm--etagentai.sandbox.my.site.com/etcorporatetravel/
Status: Active (guest access enabled – no login required)

The site is accessible to unauthenticated SMB visitors and serves as the public entry point for all inbound corporate travel enquiries. It uses the Salesforce Embedded Service framework to surface the Corporate Travel RFP Service Agent (Section 6.2) directly in the page via a chat widget.

The landing page is composed of branded LWC components (Section 6.6) that introduce the Ethiopian Airlines corporate travel programme and direct visitors into the intake conversation. Once a visitor initiates a chat, the Embedded Service Deployment routes the

session through the Corporate Travel Chat Messaging Channel (Section 5.5) to the Service Agent.

Administration note: When deploying to a new org or production, the site URL will change to reflect the new org domain. Update the siteIframeWhiteListUrls in the site metadata and the DocumentAI_NC Named Credential URL (Section 5.4) to match.

6.2 Customer Intake Service Agent

API name: Corporate_Travel_RFP_Agent
A Salesforce Service Agent deployed on the Experience Cloud site that guides the SMB prospect through one of two intake paths:

- **Conversational wizard**: The prospect completes a multi-step RFP form (corporateTravelRfpWizard CLT) directly in the agent chat window. The form covers company details, travel requirements (routes, staff count, budget), and contact information.
- **Document upload**: The prospect uploads their own RFP document (PDF or DOCX) via the rfpUploadClt CLT. The agent calls Document AI to extract structured data from the file.

In both paths the agent also prompts the prospect to upload a business licence document (businessLicenceUploadClt CLT). On completion the agent creates the RFP record and sends an acknowledgement email (see Section 6.8).

6.3 Document AI Extraction

Salesforce Document AI extracts structured field data from uploaded RFP documents using the ET_Corporate_RFP schema. The extraction runs via the DocumentAI_NC Named Credential, which authenticates the callout to the Document AI service.
The Apex class DocumentAiRfpExtractor reads the ContentVersion body directly via Named Credential and returns extracted fields plus a summary of what was found and what was missing. Extraction latency: approximately 9–31 seconds depending on warm/cold state.

6.4 Business Licence Validation

When an RFP record is saved with a Licence_Document_Id__c value, the flow Business_Licence_Validation_on_RFP_Create fires asynchronously after commit. The flow invokes the Business Licence Validation prompt template (version 27, Gemini 2.5 Flash), which analyses the uploaded document and returns a structured JSON assessment. The LicenceValidationParser Apex class parses the JSON and writes all results back to Corporate_Travel_RFP__c.
Fields assessed: Confidence level (High/Medium/Low), Company name match vs. RFP name, Registered company name, Issuing country, Licence renewal/expiry date, Stated capital and currency, Official marker and seal characteristics.

6.4.1 Business Licence Validation Prompt Template

The business licence analysis is powered by a Salesforce Prompt Builder prompt template
API name: Business_Licence_Validation
Active version: v27
Model: Gemini 2.5 Flash (IlmgatewayVertexAIGemini25Flash)

The template receives the raw text content of the uploaded licence document and instructs the model to return a structured JSON object. It is invoked by the Business_Licence_Validation_on_RFP_Create flow, which passes the document content via the DocumentContent input variable.

The template is authored and maintained in Salesforce Prompt Builder (Setup → Einstein → Prompt Builder). Published versions are immutable – any change requires incrementing the version identifier suffix (e.g. _27 → _28), updating the activeVersionIdentifier in the metadata, and redeploying.

The JSON response assessed by the template includes:

- **Confidence level** – High, Medium, or Low overall assessment of the licence's authenticity
- **Company name match** – comparison of the registered name on the licence against the RFP company name (Match, Partial, or No Match)
- **Registered company name** – the legal name as it appears on the licence
- **Issuing country** – jurisdiction in which the licence was issued

- **Licence renewal / expiry date** – extracted expiry or renewal date
- **Stated capital** – registered capital amount and currency, if present
- **Official marker** – assessment of whether the document bears official government seals or markers

LicenceValidationParser parses this JSON and writes each field to the corresponding field on Corporate_Travel_RFP__c. The results are displayed to sales reps via the businessLicenceViewer LWC (Section 6.5.2).

6.5 LWC Components – RFP Record Page

The following LWC components are placed on the Corporate Travel RFP record page via Lightning App Builder.

6.5.1 rfpSummaryCard

Displays the RFP commercial profile for the sales rep: NFR Tier, Number of Travelling Staff, Economy Discount %, Business Discount %, and a computed RFP Value Score (0–100). Score weighting: NFR tier (40 pts), licence confidence (25 pts), company name match (20 pts), licence validity period (15 pts). Ratings: 80+ = High Value, 60–79 = Good Prospect, 40–59 = Moderate, below 40 = Needs Review.

6.5.2 businessLicenceViewer

Displays the full output of the business licence validation analysis: confidence level, registered name, issuing country, expiry date, and official marker assessment. Allows the sales rep to assess licence quality without navigating to a separate record.

6.5.3 licenceAnalystNotes

Displays the free-text analyst notes field (Licence_Analyst_Notes__c) from the licence validation. Intended for qualitative AI commentary that does not fit a structured field.

6.5.4 rfpNegotiationBriefRenderer

Renders the negotiation brief generated by the Employee Agent. Contains key negotiation factors: NFR tier, competitive context, and recommended approach points. Displayed on the RFP record for rep reference.

6.6 LWC Components – Experience Cloud Site

The following LWC components form the landing page of the Experience Cloud intake site:

- **etCorpHero**: Full-width hero banner with Ethiopian Airlines branding and primary call-to-action
- **etCorpIntro**: Introduction section describing the corporate travel programme
- **etCorpCtaBanner**: Call-to-action banner prompting SMBs to start their enquiry
- **etCorpServiceCards**: Cards showcasing corporate programme benefits
- **etCorpNetwork**: Global route network highlights section
- **etCorpFaq**: Frequently asked questions accordion for SMB visitors

6.7 Lightning Type Bundles (CLTs) – Intake

Custom Lightning Type Bundles enable the intake Service Agent to render rich interactive forms within the Agentforce chat window.

6.7.1 rfpUploadClt

A file upload CLT rendered in the agent conversation. Allows the SMB prospect to upload their RFP document (PDF or DOCX). Backing Apex: RfpUploadCltData provides output data; RfpUploadController handles file storage and ContentDocumentId tracking.

6.7.2 businessLicenceUploadClt

A file upload CLT for the business licence document. Rendered after the RFP upload step. Backed by BusinessLicenceUploadCltData. The uploaded ContentDocumentId is written to Licence_Document_Id__c on the RFP record, which triggers the async Business Licence Validation flow.

6.7.3 corporateTravelRfpWizard

A multi-step wizard CLT that guides the prospect through entering their RFP data conversationally. Backed by CorporateTravelRfpWizardData. Covers: company details, routes, staff count, travel budget, and contact information. On completion, CorporateTravelRfpSave creates the RFP record.

6.8 RFP Submission Confirmation Email

When a new Corporate Travel RFP is saved via CorporateTravelRfpSave, a confirmation email is automatically sent to the SMB contact email address. The email is sent via Salesforce SingleEmailMessage and:

- Is sent from the org's default no-reply address
- Is addressed to the Contact record associated with the RFP
- Includes a confirmation message acknowledging receipt of the enquiry and indicating that the sales team will be in touch
- Creates an Activity record linked to the Contact (setSaveAsActivity = true)
- The email is triggered from the CorporateTravelRfpSave Apex class and is sent synchronously as part of the RFP save transaction.

6.9 Apex Classes – User Story 1

- **CorporateTravelRfpSave** – Invocable. Saves completed RFP wizard data to Salesforce (creates Corporate_Travel_RFP__c, Travel_Route__c, Travel_Agency__c records) and sends the submission confirmation email.
- **RfpUploadController** – AuraEnabled. Handles file uploads for RFP and business licence documents. Stores files as ContentVersions and writes ContentDocumentIds to staging records.
- **DocumentAiRfpExtractor** – Invocable. Reads the uploaded document via Named Credential and calls Salesforce Document AI with the ET_Corporate_RFP schema. Returns extracted field JSON and a summary.
- **LicenceValidationParser** – Invocable. Parses the JSON response from the Business Licence Validation prompt template and writes structured fields back to the RFP record.
- **BusinessLicencePreviewController** – AuraEnabled. Controller for the businessLicenceViewer LWC.
- **BusinessLicenceUploadCltData** – CLT data provider for the businessLicenceUploadClt Lightning Type Bundle.
- **CorporateTravelRfpWizardData** – CLT data provider for the corporateTravelRfpWizard Lightning Type Bundle.
- **RfpUploadCltData** – CLT data provider for the rfpUploadClt Lightning Type Bundle.

6.10 Standard Object Record Creation

When an RFP is submitted through the Experience Cloud intake form, CorporateTravelRfpSave orchestrates the creation of linked standard Salesforce records alongside the Corporate_Travel_RFP__c record. The full sequence and matching rules for each record type are described below.

6.10.1 Account

The class extracts the domain from the submitted website URL by stripping the protocol (https://, http://), the www. prefix, and any trailing path segments. It then queries for an existing Account whose Website field contains that domain (WHERE Website LIKE '%domain%'). If a match is found the existing Account is reused without modification. If no match is found, or no website was submitted, a new Account record is created with: Name (company name), Website, full Billing Address (street, city, state, postal code, country), and Description (primary line of business).

6.10.2 Contact

Contact matching runs in two steps. First, an email + account query looks for a Contact with the submitted email address whose AccountId matches the resolved Account. Second, if no account-scoped match is found, an org-wide fallback query searches for any Contact with that email address anywhere in the org. If either query returns a result the existing Contact is reused without updating any of its fields. If neither returns a result a new Contact is created: the full name is split at the first space into FirstName and LastName, and Email, Phone, and AccountId are populated from the submission data.

6.10.3 Opportunity

A new Opportunity is always created on each RFP submission – no deduplication logic is applied. Fields set at creation: Name is formatted as Company Name – Corporate Travel RFP; StageName is set to Qualification for Renewal request types, or Prospecting for all other request types; CloseDate is set to 90 days from the submission date; Amount is populated from the Annual NFR Target (USD); Description is populated from the NFR Justification text.

6.10.4 OpportunityContactRole

An OpportunityContactRole record is inserted linking the resolved Contact to the new Opportunity with Role = Decision Maker and IsPrimary = true. This insert is wrapped in a try/catch – any failure is caught silently and does not block the overall RFP save transaction.

6.10.5 Document Links

ContentDocumentLink records are created to attach the uploaded business licence and RFP source document to both the Corporate_Travel_RFP__c record and the Opportunity. This ensures that uploaded files are accessible from both record pages without any manual file sharing steps.

7. User Story 2 – Employee Rate & Contract Agent

7.1 Agent Overview

API name: Corporate_Rate_Contract_Generation. Current version: 112. The agent is a Salesforce Agentforce Employee Agent running on Claude Sonnet 4.5 (model: sfdc_ai__DefaultBedrockAnthropicClaude45Sonnet). It is accessible to authenticated sales reps via the Agentforce panel within the Corporate Travel Lightning App.
The agent orchestrates the full rate negotiation and contract generation workflow in sequence:

1. Retrieves RFP data and the pricing matrix via GetRfpWithMatrixData
2. Presents a recommended discount offer via a pricing CLT card
3. Manages soft benefit entitlement selection (free tickets, date changes, hotel discount)
4. Routes non-standard offers or Rule 2 uplifts through the manager approval workflow
5. Collects the ET signatory name from the rep for inclusion in the contract
6. Generates the .docx contract draft via Salesforce DocGen
7. Prepares the email draft in a CLT card (ContractEmailDraft) for rep review
8. Sends the contract email on rep confirmation

7.2 Pricing Matrix Logic

The pricing matrix is stored as data records in ET_Discount_Tier__c and ET_Soft_Benefit_Tier__c. Each ET_Discount_Tier__c record is one pricing row with discount percentages across five booking classes (Economy Lower, Economy Higher, J/Business, C, D), an NFR tier range, and a routing scope. Soft benefit entitlements per tier are stored in ET_Soft_Benefit_Tier__c.
The agent retrieves both objects via GetRfpWithMatrixData and presents the applicable rows. Row 1 is the default standard offer requiring no approval. Rows 2–5 offer progressively higher discounts and require manager approval. The flow

Pricing_Recommendation_on_NFR_Change auto-populates the Row 1 offer on the RFP whenever the Annual NFR Target changes.

7.3 Rule 2 Non-Commissionable Uplift

For agreements where flights must be issued through non-commissionable channels, Rule 2 uplift adds a rep-specified percentage (1–4%) to all five discount classes to maintain commercial equivalence. When a rep requests elevated discounts, the agent asks whether the agreement is non-commissionable. If yes, the rep provides the uplift %. The agent calls WriteApprovedRates with applyRule2Uplift = true. The uplift is recorded in Offer_Rule2_Uplift_Applied__c and Offer_Rule2_Uplift_Pct__c and triggers the same approval workflow as Rows 2–5.

7.4 Approval Workflow

Any pricing offer on Rows 2–5, or any Row 1 offer with Rule 2 uplift applied, sets **Escalation_Required__c = true** on the RFP record, which triggers the Corporate Travel Pricing Approval process.

Corporate Travel Pricing Approvers Queue

- **API name**: Corporate_Travel_Pricing_Approvers.
- **Object scope:** Corporate_Travel_RFP__c.
- **Email to members**: Enabled – queue members receive an email when a new approval request is submitted.
- **Current members:** The two sandbox users. To add or remove approvers see Section 10.4.

Corporate Travel Pricing Approval Process

- **API name**: Corporate_Travel_Pricing_Approval.
- **Object**: Corporate_Travel_RFP__c. Active.
- **Entry criteria**: Escalation_Required__c = true. The agent sets this field via WriteApprovedRates when a Row 2–5 offer or Rule 2 uplift is accepted.
- **Approval page fields shown to approvers**: Company Name, Annual NFR Target, Offer Matrix Tier, Offer Matrix Row, Routing Scope, all five discount percentages, Escalation Type, and Escalation Justification.
- **Submission action**: sets Pricing_Approval_Status__c = Pending (Set_Pricing_Status_Pending workflow field update).

- **Step – Pricing Approval (Pricing_Approval_Step)**: routes to the Corporate_Travel_Pricing_Approvers queue. First response wins – any single queue member can approve or reject; delegation is not permitted.
- **On approval:** sets Pricing_Approval_Status__c = Approved (Set_Pricing_Status_Approved field update). The agent detects this on its next status check and proceeds to contract generation.
- **On rejection:** sets Pricing_Approval_Status__c = Rejected (Set_Pricing_Status_Rejected field update). The agent returns the rep to the offer selection step.
- **Submitters:** all internal users. Recall is permitted.

7.5 Lightning Type Bundles (CLTs) – Employee Agent

7.5.1 ContractEmailDraft (c__ContractEmailDraft)

Rendered by PrepareEmailDraft in the agent chat window. Displays the draft email – subject, body, and recipient – for rep review before sending. The rep can request wording changes or confirm. Backed by ContractEmailDraftData.

7.5.2 RfpNegotiationBrief (c__RfpNegotiationBrief)

Renders a structured negotiation brief summarising the RFP. Contains NFR tier, competitive context, and recommended approach points. Displayed during the pricing review step. Backed by RfpNegotiationBriefData.

7.6 Contract Generation (DocGen)

Once an offer is accepted or approved, the agent generates the corporate rate agreement as a .docx file using Salesforce Document Generation (DocGen).
Template location: The contract template is stored as a Salesforce File (ContentDocument). Navigate to:
https://etcrm--etagentai.sandbox.lightning.force.com/lightning/r/ContentDocument/069im0000002KqfAAE/view or search for 'ET Standard Corporate Agreement' in Salesforce Files.

The currently active file is ET Standard Corporate Agreement v8.docx. Always update the template via Upload New Version on this same ContentDocument record –

GenerateContractDraft.cls fetches the LatestPublishedVersionId automatically at runtime. See Section 10.2 for full update steps.

The GenerateContractDraft Apex class builds a token map from the RFP record, offer fields, agency data, routes, and tiers. It serialises the map as JSON and passes it to a DocumentGenerationProcess record via the RfpDocGenTokenProvider custom token provider class (implements ind_docgen_api.OpenInterface). The output .docx is attached to the RFP record and the ContentDocumentId is stored in Offer_Contract_Content_Id__c. Key merge token categories:

- **Company details**: CompanyName, ContactName, Address, City, Country, Website, ContactEmail
- **ET signatory**: ETSignatoryName (captured from rep during conversation), SigningDate
- **Offer rates**: RouteJ, RouteC, RouteD, RouteEcoHigher, RouteEcoLower (per route, repeating section)
- **Soft benefits**: IncludeFreeDateChanges, IncludeFreeTickets, IncludeHotelDiscount (conditional Annex I clauses)
- **Programme identifiers**: CorporateId, AnnualNFRTarget, AnnualNFRQuarterly
- **Agency**: IATAName, IATANumber, PCC, GDS (per agency, repeating section)

7.7 Contract Email Send

After the rep approves the email draft in the ContractEmailDraft CLT card, the agent calls SendContractEmail. The email is sent from the 'ET No Reply Email Address' with the generated .docx contract attached.

Domain restriction: For security, the email send is restricted to only two allowed recipient domains: @salesforce.com and @ethiopianairlines.com. Attempts to send to any other domain are blocked by SendContractEmail.cls. To change the allowed domains, update the domain allowlist in the Apex class and redeploy (see Section 10.5).

7.8 Apex Classes – User Story 2

- **GetRfpWithMatrixData** – Invocable. Retrieves the RFP record with pricing matrix (ET_Discount_Tier__c, ET_Soft_Benefit_Tier__c), travel routes, agencies, and current offer state. The agent's primary data fetch on session start.

- **PricingRecommendationService** – Invocable. Calculates the Row 1 (default) pricing recommendation from the NFR tier. Also triggered by the Pricing_Recommendation_on_NFR_Change flow.
- **AcceptPricingRow** – Invocable. Writes the rep-selected pricing row to the RFP offer fields. Sets Pricing_Approval_Status__c to Approved (Row 1) or Pending (Rows 2–5).
- **WriteApprovedRates** – Invocable. Writes the final approved discount rates to the RFP. Handles Rule 2 uplift when applyRule2Uplift = true; sets Offer_Rule2_Uplift_Applied__c and Offer_Rule2_Uplift_Pct__c.
- **GenerateContractDraft** – Invocable. Builds the DocGen token map, serialises as JSON, and inserts the DocumentGenerationProcess record. The generated .docx is stored and linked to the RFP.
- **RfpDocGenTokenProvider** – DocGen custom class (ind_docgen_api.OpenInterface). Pass-through relay: receives the token JSON from GenerateContractDraft and returns it to the DocGen engine unchanged.
- **ContractGenPoller** – Queueable Apex. Polls for the DocumentGenerationProcess output after the async DocGen job completes. Attaches the .docx to the RFP and stores the ContentDocumentId.
- **PrepareEmailDraft** – Invocable. Packages the agent-drafted email into the ContractEmailDraft CLT data format for display in the agent chat window.
- **SendContractEmail** – Invocable. Sends the rep-approved email from the ET No Reply Email Address inbox with the contract attached. Enforces the @salesforce.com / @ethiopianairlines.com domain allowlist.
- **ContractEmailDraftData** – CLT data provider for the ContractEmailDraft Lightning Type Bundle.
- **RfpNegotiationBriefData** – CLT data provider for the RfpNegotiationBrief Lightning Type Bundle.
- **GetRfpOfferData** – AuraEnabled. Reads current offer fields for CLT display on the record page.

8. Custom Objects & Key Fields

8.1 Corporate_Travel_RFP__c

The primary record for all corporate travel enquiries. Created by the intake agent on completion of the wizard or document extraction. The Employee Agent and approval workflow operate on this object.
Key fields:

- **Company_Name__c, Contact_Name__c, Contact_Email__c, Contact_Phone__c** – Prospect company and contact details.

- **Annual_NFR_Target_USD__c** – ET-specific annual spend; used to determine pricing tier.
- **Number_of_Travelling_Staff__c** – Estimated travelling headcount.
- **RFP_Document_Id__c, Licence_Document_Id__c** – ContentDocumentIds for uploaded files.
- **Licence_Confidence_Level__c, Licence_Company_Name_Match__c, Licence_Renewal_Expiry_Date__c** – Licence validation results.
- **Offer_Matrix_Row__c, Offer_Matrix_Tier__c** – Accepted pricing row and tier.
- **Offer_J_Class_Pct__c, Offer_C_Class_Pct__c, Offer_D_Class_Pct__c, Offer_Economy_Higher_Pct__c, Offer_Economy_Lower_Pct__c** – Accepted discount percentages.
- **Offer_Rule2_Uplift_Applied__c, Offer_Rule2_Uplift_Pct__c – Rule 2 uplift tracking. Pricing_Approval_Status__c** – Approval lifecycle state.
- **Offer_Contract_Content_Id__c, Offer_Contract_Generated_Date__c** – Contract file reference.

8.2 ET_Discount_Tier__c

Stores the pricing matrix rows. Each record is one pricing row: discount percentages across five booking classes (J, C, D, Economy Higher, Economy Lower), NFR tier range (lower/upper USD), routing scope, and soft options count. Administered via the Discount Tiers tab.

8.3 ET_Soft_Benefit_Tier__c

Stores soft benefit entitlements per NFR tier. Each record defines which benefits are active (free tickets, date changes, Skylight Hotel discount, lounge, upgrades) and their parameters for a given NFR range. Administered via the Soft Benefit Tiers tab.

8.4 ET_RFP_Extract__c

Staging object for the Document AI pipeline. A record is created when the intake agent receives a document upload, containing the ContentDocumentId. DocumentAiRfpExtractor reads this record to run extraction. Not intended for direct administration; records may be deleted after extraction completes.
Fields:

- **ContentDocumentId__c**
- **ExtractedJSON__c**

- **ExtractionSummary__c**
- **Success__c**

8.5 Travel_Agency__c

Child records of Corporate_Travel_RFP__c. Stores travel agency details: IATA Name, IATA Number, PCC (pseudo-city code), GDS type.

8.6 Travel_Route__c

Child records of Corporate_Travel_RFP__c. Stores individual route records: Origin and Destination airport codes.

9. Flows & Automations

9.1 Record-Triggered and Business Logic Flows

- **Business_Licence_Validation_on_RFP_Create (AutoLaunchedFlow – AsyncAfterCommit)**: Fires when a Corporate Travel RFP is created/updated with a Licence_Document_Id__c value. Invokes the Business Licence Validation prompt template (v27, Gemini 2.5 Flash) and calls LicenceValidationParser to write results back to the RFP.
- **Pricing_Recommendation_on_NFR_Change (AutoLaunchedFlow)**: Fires when Annual_NFR_Target_USD__c changes on an RFP. Auto-calculates Row 1 pricing via PricingRecommendationService and populates Offer fields. Resets escalation state.
- **corporateTravelRfpNewSubmission (AutoLaunchedFlow)**: Creates an internal Salesforce Task linked to the RFP when a new submission arrives, for manual review routing.

9.2 Agent Output Flows (CLT Wrappers)

These AutoLaunchedFlows serve as invocable action targets for the intake Service Agent, wrapping CLT data providers to return structured output the agent can render:

- **businessLicenceUploadCIt_Output**: Passes Details JSON into BusinessLicenceUploadCItData.
- **corporateTravelRfpSave_Output**: Invokes CorporateTravelRfpSave and returns the RFP record ID and confirmation message.
- **corporateTravelRfpWizard_Output**: Invokes CorporateTravelRfpWizardData and returns the wizard CLT for display.
- **extractRfpFromDocument_Output**: Calls DocumentAiRfpExtractor and returns extracted JSON and summary.
- **getLatestRfpExtract_Output**: Reads the most recent ET_RFP_Extract__c record and calls DocumentAiRfpExtractor with the ContentDocumentId.
- **rfpUploadCIt_Output**: Passes Details JSON into RfpUploadCItData.

10. Maintenance Guide

10.1 Adding a New Org User

To grant a new sales rep or administrator full access to the Corporate Travel solution:

1. Create or locate the user in Setup → Users.
2. Assign all three permission sets: Corporate_Travel_RFP_Admin_Permissions, DocumentAI_Admin_Access, Access_Corporate_Rate_Contract_Generation.
3. Ask the user to log in and open the Corporate Travel app via the App Launcher to verify that they can access the app and Agentforce successfully .

10.2 Updating the Contract Template

The contract template is stored as a versioned Salesforce File. To update:

1. Navigate to: /lightning/r/ContentDocument/069im0000002KqfAAE/view (or search 'ET Standard Corporate Agreement' in Salesforce Files).
2. Download the current .docx file.
3. Edit in Microsoft Word – update clauses, boilerplate, formatting, or the logo.
4. Constraint: {{Token}} merge field names in the Word document must exactly match the token names in GenerateContractDraft.cls → buildTokenData(). Cosmetic edits need no code changes. Adding or renaming tokens requires a matching Apex update.
5. On the ContentDocument record, click Upload New Version and select the revised .docx.

6. No code changes or redeployment needed. GenerateContractDraft.cls automatically uses LatestPublishedVersionId.

10.3 Updating the Pricing Matrix

Discount tiers and soft benefit tiers are maintained as data records – no code or deployment required.

1. Open the Corporate Travel app.
2. Navigate to the Discount Tiers tab to edit row percentages, NFR ranges, or routing scope.
3. Navigate to the Soft Benefit Tiers tab to adjust soft benefit entitlements per tier.
4. Changes take effect immediately – GetRfpWithMatrixData reads matrix data live on every agent session start.

10.4 Managing the Approval Queue

Approval requests for Rows 2–5 and Rule 2 uplifts route to the Corporate Travel Pricing Approvers queue. To add or remove approvers:

1. Go to Setup → Queues.
2. Find Corporate Travel Pricing Approvers.
3. Add or remove queue members (users or public groups).

10.5 Updating the Email Domain Allowlist

The contract email is restricted to @salesforce.com and @ethiopianairlines.com recipient domains. To change:

1. Open force-app/main/default/classes/SendContractEmail.cls in the source repository.
2. Locate the domain allowlist Set<String> near the top of the class.
3. Add or remove domain strings as required.
4. Deploy: sf project deploy start --metadata ApexClass:SendContractEmail