



**SYNC.LAND**  
peer to peer music synchronization

REST API DOCUMENTATION  
Project Catalyst Fund 11 - Milestone 3



## Sync.Land API (1.1.0)

Download OpenAPI specification: [Download](#)

URL: <https://sync.land>

REST API for Sync.Land music licensing platform.

### Authentication

#### API Key (Recommended for External Apps)

Include your API key in the `X-API-Key` header:

```
X-API-Key: fml_your_api_key_here
```

#### WordPress Nonce (Internal)

For same-origin requests, use the `_wpnonce` parameter or `X-WP-Nonce` header.

#### JWT Authentication (Alternative)

Install the **JWT Authentication for WP REST API** plugin for Bearer token auth:

- Plugin: <https://wordpress.org/plugins/jwt-authentication-for-wp-rest-api/>

# Rate Limiting

- Default: 100 requests per hour
- Headers: `X-RateLimit-Limit`, `X-RateLimit-Remaining`

# Pods REST API (Alternative)

WordPress Pods plugin provides a built-in REST API for standard CRUD:

- **Songs:** `/wp-json/pods/v1/song/`
- **Artists:** `/wp-json/pods/v1/artist/`
- **Albums:** `/wp-json/pods/v1/album/`
- **Licenses:** `/wp-json/pods/v1/license/`
- **Playlists:** `/wp-json/pods/v1/playlist/`

# Songs

Song search and management

# Search songs

Search for songs with various filters

AUTHORIZATIONS: >      None

QUERY PARAMETERS

|                                    |                                                          |
|------------------------------------|----------------------------------------------------------|
| <div><div></div><div>q</div></div> | <div>string</div> <div>Search query for song title</div> |
|------------------------------------|----------------------------------------------------------|

|          |                                                           |
|----------|-----------------------------------------------------------|
| genre    | string                                                    |
| mood     | string                                                    |
| bpm_min  | integer                                                   |
| bpm_max  | integer                                                   |
| page     | integer<br>Default: 1                                     |
| per_page | integer <input type="text" value="≤ 100"/><br>Default: 20 |

## Responses

> 200 Successful response

> 429 Rate limit exceeded

GET /songs



### Response samples

200

429

#### Content type

application/json

Copy

Expand all

Collapse all

```
{
  "success": true,
  "songs": [
    + { ... }
  ],
}
```

```
- "pagination": {
  "page": 0,
  "per_page": 0,
  "total": 0,
  "total_pages": 0
}
```

## Get song by ID

AUTHORIZATIONS: > None

### PATH PARAMETERS

→ id  
required integer

## Responses

> 200 Successful response

> 404 Resource not found

GET /songs/{id}

## Response samples

200

404

Content type  
application/json

Copy Expand all Collapse all

```
{
  "success": true,
  - "song": {
    "id": 0,
    "title": "string",
    + "artist": { ... },
    + "album": { ... },
    "audio_url": "string",
    "duration": "string",
    "bpm": 0,
    "key": "string",
    "genre": "string",
    "mood": "string",
    "permalink": "string",
    "created_at": "2019-08-24T14:15:22Z"
  }
}
```

## Get licenses for a song

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

PATH PARAMETERS

→ id  
required integer

## Responses

> 200 Successful response

GET /songs/{id}/licenses



## Response samples

200

#### Content type

application/json

Copy

Expand all

Collapse all

```
{
  "success": true,
  "song_id": 0,
  - "licenses": [
    + { ... }
  ]
}
```

## Get songs by artist

AUTHORIZATIONS: >

None

PATH PARAMETERS

→ id

required

integer

## Responses

> 200 Successful response

GET

/artists/{id}/songs



## Response samples

200

#### Content type

application/json

Copy Expand all Collapse all

```
{
  "success": true,
  - "artist": {
    "id": 0,
    "name": "string",
    "bio": "string",
    "website": "string",
    "permalink": "string",
    "created_at": "2019-08-24T14:15:22Z"
  },
  - "songs": [
    + { ... }
  ]
}
```

## Get songs in album

AUTHORIZATIONS: > None

#### PATH PARAMETERS

→ id  
required integer

## Responses

> 200 Successful response

GET /albums/{id}/songs



# Response samples

200

## Content type

application/json

Copy    Expand all    Collapse all

```
{
  "success": true,
  - "album": {
    "id": 0,
    "title": "string",
    + "artist": { ... },
    "release_date": "string",
    "cover_art": "string",
    "permalink": "string",
    "created_at": "2019-08-24T14:15:22Z"
  },
  - "songs": [
    + { ... }
  ]
}
```

## Search songs (legacy)

Deprecated

Use /songs instead

AUTHORIZATIONS: >    *ApiKeyAuth* or *WordPressNonce*

### QUERY PARAMETERS

|          |        |
|----------|--------|
| q        | string |
| required |        |
| _wpnonce | string |
| required |        |



# Responses

— 200 Successful response

GET /song-search



# Artists

Artist information

## Get artist by ID

AUTHORIZATIONS: > None

PATH PARAMETERS

id  
required integer

# Responses

> 200 Successful response

> 404 Resource not found

GET /artists/{id}



## Response samples

200

404

### Content type

application/json

Copy

Expand all

Collapse all

```
{
  "success": true,
  - "artist": {
    "id": 0,
    "name": "string",
    "bio": "string",
    "website": "string",
    "permalink": "string",
    "created_at": "2019-08-24T14:15:22Z"
  }
}
```

## Get songs by artist

AUTHORIZATIONS: >

None

PATH PARAMETERS

→ id  
required

integer

## Responses

> 200 Successful response

GET /artists/{id}/songs



## Response samples

200

### Content type

application/json

Copy Expand all Collapse all

```
{
  "success": true,
  - "artist": {
    "id": 0,
    "name": "string",
    "bio": "string",
    "website": "string",
    "permalink": "string",
    "created_at": "2019-08-24T14:15:22Z"
  },
  - "songs": [
    + { ... }
  ]
}
```

## Albums

Album information

## Get album by ID

AUTHORIZATIONS: > None

PATH PARAMETERS

→ id  
required

integer

## Responses

> 200 Successful response

> 404 Resource not found

GET /albums/{id}



### Response samples

200

404

#### Content type

application/json

Copy Expand all Collapse all

```
{
  "success": true,
  - "album": {
    "id": 0,
    "title": "string",
    + "artist": { ... },
    "release_date": "string",
    "cover_art": "string",
    "permalink": "string",
    "created_at": "2019-08-24T14:15:22Z"
  }
}
```

# Get songs in album

AUTHORIZATIONS: >      None

## PATH PARAMETERS

→ id      integer  
    required

## Responses

> 200 Successful response

GET /albums/{id}/songs

## Response samples

200

### Content type

application/json

Copy    Expand all    Collapse all

```
{
  "success": true,
  - "album": {
    "id": 0,
    "title": "string",
    + "artist": { ... },
    "release_date": "string",
    "cover_art": "string",
    "permalink": "string",
    "created_at": "2019-08-24T14:15:22Z"
  },
}
```

```
- "songs": [  
  + { ... }  
]  
}
```

## Licensing

License generation and management

### Get licenses for a song

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

PATH PARAMETERS

→ id integer  
required

### Responses

> 200 Successful response

GET /songs/{id}/licenses



### Response samples

200

Content type  
application/json

Copy Expand all Collapse all

```
{
  "success": true,
  "song_id": 0,
  - "licenses": [
    + { ... }
  ]
}
```

## Get license by ID

Requires authentication. Users can only view their own licenses.

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

### PATH PARAMETERS

— id  
required integer

## Responses

> **200** Successful response

> **403** Not authorized

> **404** Resource not found

GET /licenses/{id}



### Response samples

200

403

404

### Content type

application/json

Copy

Expand all

Collapse all

```
{
  "success": true,
  - "license": {
    "id": 0,
    + "song": { ... },
    "license_type": "cc_by",
    "licensee": "string",
    "project": "string",
    "license_url": "string",
    + "nft": { ... },
    + "payment": { ... },
    "created_at": "2019-08-24T14:15:22Z"
  }
}
```

## Request a CC-BY license

Create a new Creative Commons Attribution 4.0 license with optional NFT minting

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

REQUEST BODY SCHEMA: application/json

required

song\_id  
required integer

licensee\_name  
required string

project\_name  
required string

mint\_nft  
boolean  
Default: false

wallet\_address  
string



Required if mint\_nft is true

---

## Responses

> **201** License created

**POST** /licenses/request



### Request samples

#### Payload

##### Content type

application/json

Copy

```
{
  "song_id": 0,
  "licensee_name": "string",
  "project_name": "string",
  "mint_nft": false,
  "wallet_address": "string"
}
```

### Response samples

**201**

##### Content type

application/json

Copy Expand all Collapse all

```
{
  "success": true,
  "license_id": 0,
  "license_url": "string",
}
```

```
"message": "string",  
- "nft": {  
  "status": "pending",  
  "message": "string"  
}  
}
```

## Get current user's licenses

Requires WordPress session authentication

AUTHORIZATIONS: >     *ApiKeyAuth* or *WordPressNonce*

### Responses

> **200** Successful response

GET /licenses/my



### Response samples

200

**Content type**  
application/json

Copy   Expand all   Collapse all

```
{
  "success": true,
  - "licenses": [
    + { ... }
  ]
}
```

## Get license payment status

AUTHORIZATIONS: > *ApiKeyAuth* or *WordPressNonce*

### PATH PARAMETERS

→ id  
required integer

## Responses

> 200 Successful response

GET /licenses/{id}/payment-status

### Response samples

200

Content type  
application/json

Copy

```
{
  "success": true,
  "license_id": 0,
  "license_type": "cc_by",
}
```

```
"payment_status": "pending",  
"payment_amount": 0,  
"payment_currency": "string"  
}
```

## Mint license as NFT

Mint a CC-BY license as an NFT on Cardano blockchain

AUTHORIZATIONS: > *ApiKeyAuth* or *WordPressNonce*

### PATH PARAMETERS

→ id  
required integer

REQUEST BODY SCHEMA: application/json  
required

→ wallet\_address  
required string  
Cardano wallet address (addr1... or addr\_test1...)

## Responses

> 200 NFT minting initiated

POST /licenses/{id}/mint-nft

### Request samples

Payload

Content type  
application/json

Copy

```
{  
  "wallet_address": "string"  
}
```

## Response samples

200

### Content type

application/json

Copy

```
{  
  "success": true,  
  "message": "string",  
  "nft_status": "string",  
  "transaction_hash": "string"  
}
```

## Get NFT status for license

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

PATH PARAMETERS

→ id  
required integer

## Responses

> 200 Successful response

GET /licenses/{id}/nft-status



## Response samples

200

### Content type

application/json

Copy

```
{
  "success": true,
  "license_id": 0,
  "nft_status": "pending",
  "nft_asset_id": "string",
  "nft_transaction_hash": "string",
  "nft_minted_at": "string"
}
```

## Generate CC-BY license PDF (legacy) Deprecated

Use /licenses/request instead

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

### QUERY PARAMETERS

|                                                              |        |
|--------------------------------------------------------------|--------|
| <div><div></div><div>_wpnonce</div><div>required</div></div> | string |
|--------------------------------------------------------------|--------|

REQUEST BODY SCHEMA: application/x-www-form-urlencoded  
required

|                                                              |         |
|--------------------------------------------------------------|---------|
| <div><div></div><div>songID</div><div>required</div></div>   | integer |
| <div><div></div><div>licensor</div><div>required</div></div> | string  |

projectname  
required string

## Responses

— 200 License generated

POST /PDF\_license\_generator/

## NFT

NFT minting for licenses

## Mint license as NFT

Mint a CC-BY license as an NFT on Cardano blockchain

AUTHORIZATIONS: > ApiKeyAuth or WordPressNonce

### PATH PARAMETERS

id  
required integer

REQUEST BODY SCHEMA: application/json  
required

wallet\_address  
required string  
Cardano wallet address (addr1... or addr\_test1...)

## Responses

> 200 NFT minting initiated

POST /licenses/{id}/mint-nft



### Request samples

#### Payload

##### Content type

application/json

Copy

```
{
  "wallet_address": "string"
}
```

### Response samples

200

##### Content type

application/json

Copy

```
{
  "success": true,
  "message": "string",
  "nft_status": "string",
  "transaction_hash": "string"
}
```

Get NFT status for license



AUTHORIZATIONS: >

*ApiKeyAuth* or *WordPressNonce*

PATH PARAMETERS

→ id  
required integer

## Responses

> 200 Successful response

GET /licenses/{id}/nft-status



### Response samples

200

Content type

application/json

Copy

```
{
  "success": true,
  "license_id": 0,
  "nft_status": "pending",
  "nft_asset_id": "string",
  "nft_transaction_hash": "string",
  "nft_minted_at": "string"
}
```

# Payments

Stripe payment integration

## Get license payment status

AUTHORIZATIONS: > *ApiKeyAuth* or *WordPressNonce*

PATH PARAMETERS

→ id  
required integer

## Responses

> 200 Successful response

GET /licenses/{id}/payment-status

### Response samples

200

Content type  
application/json

Copy

```
{
  "success": true,
  "license_id": 0,
  "license_type": "cc_by",
  "payment_status": "pending",
```

```
"payment_amount": 0,  
"payment_currency": "string"  
}
```

## Create Stripe checkout session

Create a Stripe Checkout session for purchasing a non-exclusive sync license. Requires WordPress session authentication.

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

REQUEST BODY SCHEMA: application/json  
**required**

|                               |         |
|-------------------------------|---------|
| └─ song_id<br><b>required</b> | integer |
| └─ licensee_name              | string  |
| └─ project_name               | string  |
| └─ usage_description          | string  |

## Responses

> **200** Checkout session created

**POST** /stripe/create-checkout



## Request samples

Payload

**Content type**

application/json

Copy

```
{
  "song_id": 0,
  "licensee_name": "string",
  "project_name": "string",
  "usage_description": "string"
}
```

**Response samples****200****Content type**

application/json

Copy

```
{
  "success": true,
  "checkout_url": "string",
  "session_id": "string"
}
```

## Stripe webhook handler

Handles Stripe webhook events. Called by Stripe, not external applications. Requires valid Stripe signature.

### Responses

> **200** Webhook processed

POST /stripe/webhook



## Response samples

200

### Content type

application/json

Copy

```
{  
  "received": true  
}
```

## Playlists

User playlist management

## Get user playlists

AUTHORIZATIONS: > *ApiKeyAuth* or *WordPressNonce*

### QUERY PARAMETERS

|          |         |
|----------|---------|
| — userID | integer |
| required |         |

## Responses

— 200 Successful response

GET /playlists/



## Create new playlist

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

### QUERY PARAMETERS

→ `_wpnonce` string  
*required*

REQUEST BODY SCHEMA: `application/x-www-form-urlencoded`  
*required*

→ `playlist_name` string  
*required*

→ `isprivate` string

## Responses

— 200 Playlist created

POST /playlists/add



# System

API status and management

## List API keys

Admin only

AUTHORIZATIONS: >     *ApiKeyAuth* or *WordPressNonce*

## Responses

> 200 List of API keys

GET /api-keys

### Response samples

200

**Content type**  
application/json

Copy    Expand all    Collapse all

```
{
  "success": true,
  - "keys": [
    + { ... }
  ]
}
```

## Create API key

Admin only

AUTHORIZATIONS: > *ApiKeyAuth or WordPressNonce*

REQUEST BODY SCHEMA: application/json  
required

→ app\_name  
required string

## Responses

> **201** API key created

POST /api-keys

## Request samples

Payload

Content type  
application/json

Copy



```
{
  "app_name": "string"
}
```

## Response samples

201

### Content type

application/json

Copy

```
{
  "success": true,
  "key_id": "string",
  "api_key": "string"
}
```

## Revoke API key

Admin only

AUTHORIZATIONS: > *ApiKeyAuth* or *WordPressNonce*

PATH PARAMETERS

→ key\_id  
required string

## Responses

— 200 API key revoked

DELETE /api-keys/{key\_id}



## API health check

### Responses

> 200 API status

GET /status



### Response samples

200

#### Content type

application/json

Copy Expand all Collapse all

```
{
  "status": "string",
  "version": "string",
  "timestamp": "string",
  "auth": { },
  "rate_limit": { }
}
```