

## Title : Asp.net project (Online Quiz)

Code :

Home.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/MasterPage.master"
AutoEventWireup="true" Debug="true" CodeFile="Home.aspx.cs"
Inherits="Home" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">
        .style11
        {
        }
        .style14
        {
            height: 5px;
            width: 201px;
        }
        .style15
        {
            width: 201px;
        }
    </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
Runat="Server">
    <div style = "background-position: right; background-image :
url('Images/loginimg.jpg'); background-repeat :no-repeat">

        <br />
        <br />
        <br />
        <table class="style10" align="left" style="width: 419px; height: 142px">
            <tr>
                <td class="style11" align="center">
```

```

        &nbsp;</td>
<td align="center" colspan="4">

        <asp:Label ID="Label3" runat="server" Font-Size="19px"
ForeColor="#2A76A8"
        Text="Account Login"></asp:Label>
</td>
<td class="style14" align="center">

        &nbsp;</td>
</tr>
<tr>
<td class="style11">

        &nbsp;</td>
<td class="style11">

        &nbsp;</td>
<td class="style19" colspan="2">

        &nbsp;</td>
<td class="style18">

        &nbsp;</td>
<td class="style15">

        &nbsp;</td>
</tr>
<tr>
<td class="style11" align="right">

        &nbsp;</td>
<td class="style11" align="right">

        <asp:Label ID="Label1" runat="server" Font-Names="Microsoft Sans
Serif"

```

```

        Font-Size="10pt" Text="User Name "></asp:Label>
</td>
<td class="style19" colspan="2">

        &nbsp;</td>
<td class="style18">

        <asp:TextBox ID="txtUsername" runat="server"></asp:TextBox>
</td>
<td class="style15">

        <asp:RequiredFieldValidator ID="RequiredFieldValidator1"
runat="server"
        ControlToValidate="txtUsername" ErrorMessage="Enter UserName"
Font-Size="12px"></asp:RequiredFieldValidator>
</td>
</tr>
<tr>
<td class="style11" align="right">

        &nbsp;</td>
<td class="style11" align="right">

        <asp:Label ID="Label2" runat="server" Font-Names="Microsoft Sans
Serif"
        Font-Size="10pt" Text="Password "></asp:Label>
</td>
<td class="style19" colspan="2">

        &nbsp;</td>
<td class="style18">

        <asp:TextBox ID="txtPassword" runat="server"
TextMode="Password"></asp:TextBox>
</td>
<td class="style15">

```

```

        <asp:RequiredFieldValidator ID="RequiredFieldValidator2"
runat="server"
        ControlToValidate="txtPassword" ErrorMessage="Enter Password"
Font-Size="12px"></asp:RequiredFieldValidator>
    </td>
</tr>
<tr>
    <td class="style20" align="center">

        &nbsp;</td>
    <td class="style20" align="center" colspan="4">

        &nbsp;</td>
    <td class="style15" align="center">

        &nbsp;</td>
</tr>
<tr>
    <td class="style20" align="center">

        &nbsp;</td>
    <td class="style20" align="left" colspan="2" nowrap="nowrap">

        <asp:LinkButton ID="lnkForgot" CssClass="textdecor" runat="server"
        onclick="lnkForgot_Click" ForeColor="#2A75A8"
CausesValidation="False">Forgot Password</asp:LinkButton>

    </td>
    <td class="style20" align="left" colspan="2">

        <asp:ImageButton ID="btnSignin" runat="server"
        ImageUrl="~/Images/submit.png" OnClick="btnSign_Click"
Height="20px" />
    </td>
    <td class="style15" align="center">

        &nbsp;</td>

```

```

</tr>
<tr>
  <td class="style20" align="center">

    &nbsp;</td>
    <td class="style20" align="center" colspan="4">

      &nbsp;</td>
      <td class="style15" align="center">

        &nbsp;</td>
</tr>
<tr>
  <td class="style20" align="center">

    &nbsp;</td>
    <td class="style20" align="center" colspan="4">

      <asp:Label ID="lblComments" runat="server"
ForeColor="Red"></asp:Label>
    </td>
    <td class="style15" align="center">

      &nbsp;</td>
</tr>
<tr>
  <td class="style20" align="center">

    &nbsp;</td>
    <td class="style20" align="center" colspan="4">

      &nbsp;</td>
      <td class="style15" align="center">

        &nbsp;</td>
</tr>
<tr>

```

```

<td class="style20" align="center">

    &nbsp;</td>
<td class="style20" align="center" colspan="4">

    &nbsp;</td>
<td class="style15" align="center">

    &nbsp;</td>
</tr>
<tr>
    <td class="style20" align="center">

        &nbsp;</td>
        <td class="style20" align="center" colspan="4">

            &nbsp;</td>
            <td class="style15" align="center">

                &nbsp;</td>
            </tr>
            <tr>
                <td class="style20" align="center">

                    &nbsp;</td>
                    <td class="style20" align="center" colspan="4">

                        &nbsp;</td>
                        <td class="style15" align="center">

                            &nbsp;</td>
                        </tr>
                        <tr>
                            <td class="style20" align="center">

                                &nbsp;</td>
                                <td class="style20" align="center" colspan="4">

```

```

        &nbsp;</td>
<td class="style15" align="center">

        &nbsp;</td>
</tr>
<tr>
<td class="style20" align="center">

        &nbsp;</td>
<td class="style20" align="center" colspan="4">

        &nbsp;</td>
<td class="style15" align="center">

        &nbsp;</td>
</tr>
</table>
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />

```

```
<br />

<br />
</div>
</asp:Content>
```

## Home.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Configuration;

public partial class Home : System.Web.UI.Page
{
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["teststring"].Connection
String);

    SqlCommand command;
    SqlDataReader reader;
    String VerifyUser;
    String VerifyAdmin;
    String username;
    String SecurityQus;
    String SecurityAns;
    protected void Page_Load(object sender, EventArgs e)
    {
        if (Session["Username"] != null)
        {
            Session.Abandon();
        }
    }
}
```



```

    }

    VerifyUser = "Select Username from tblUserDetails where Username='" +
txtUsername.Text + "' and Password='" + txtPassword.Text + "'";
    VerifyAdmin = "Select AdminName from tblAdminDetails where
AdminName='" + txtUsername.Text + "' and Password='" + txtPassword.Text + "'";

}

```

```

protected void lnkForgotPassword_Click(object sender, EventArgs e)
{

}

```

```

protected void btnSign_Click(object sender, ImageClickEventArgs e)
{
    try
    {
        con.Open();
        command = new SqlCommand(VerifyAdmin, con);
        reader = command.ExecuteReader();
        if (reader.HasRows)
        {

            while (reader.Read())
            {
                username = reader[0].ToString();
                if ((username == txtUsername.Text.Trim()))
                {
                    Session["Username"] = username;
                    Session["Usertype"] = "Admin";
                    Response.Redirect("AdminHome.aspx");
                }
            }
            else
            {

```

```

        reader.Close();
        lblComments.Text = "empty";
    }
}

else
{
    reader.Close();
    command = new SqlCommand(VerifyUser, con);
    username = (String)command.ExecuteScalar();

    if (username.Trim() == txtUsername.Text.Trim())
    {
        Session["Username"] = username;
        Session["Usertype"] = "User";
        Response.Redirect("Skilltest.aspx");
    }
    else
    {
        lblComments.Text = "Check Username or Password";
    }
}

}
catch (Exception exe)
{
    lblComments.Text = "Invalid Username and Password";
}
finally
{
    // reader.Close();
    con.Close();
}
}

protected void lnkForgot_Click(object sender, EventArgs e)

```

```
{
    Response.Redirect("Forgotpass.aspx");
}
```

# Admin.master

```
<%@ Master Language="C#" AutoEventWireup="true"  
CodeFile="Admin.master.cs" Inherits="Admin" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">  
<head runat="server">  
    <title></title>  
    <asp:ContentPlaceHolder id="head" runat="server">  
        </asp:ContentPlaceHolder>  
        <style type="text/css">  
            .style1  
            {  
  
                width:100%;  
                height: 165px;  
            }  
            .style2  
            {  
  
                margin-left:70px;  
                margin-right:75px;  
            }  
            .style3  
            {  
                width: 100%;  
                height: 506px;  
            }
```

```
.style5
{
    height: 414px;
}
.style6
{
    height: 32px;
    width: 796px;
}
.style9
{
    width: 100%;
    height: 35px;
}
#con
{

    border-radius : 20px;
    border-top : 15px solid #C8C7CC;
    border-bottom : 15px solid #C8C7CC;
    border-left : 1px solid #C8C7CC;
    border-right: 1px solid #C8C7CC;

}
.style11
{
    width: 159px;
}
.style12
{
    width: 157px;
}
.style13
{
    width: 100px;
}
.style14
{
```

```

        width: 129px;
    }
    .textdecor
    {
        text-decoration: none;
    }
</style>
</head>
<body class="style2">
    <form id="form1" runat="server">
        <table class="style1">
            <tr>
                <td>
                    <table class="style1">
                        <tr>
                            <td style="background-color: white; background-image:
url('/ExamOnline/Images/banner.jpg'); background-repeat: no-repeat;">
                                &nbsp;  </td>
                            </tr>
                        </table>

                    </td>
                </tr>
            </table>
            <table class="style6">
                <tr>
                    <td class="style13" align="left">
                        <asp:ImageButton ID="ImageButton2" runat="server"
                            ImageUrl="~/Images/add_questions.png"
                            PostBackUrl="~/AdminHome.aspx"
                            CausesValidation="False" Width="100px" />
                    </td>
                    <td class="style13" align="left">
                        <asp:ImageButton ID="ImageButton1" runat="server"
                            ImageUrl="~/Images/add_subject.png"
                            PostBackUrl="~/AddSubject.aspx"
                            CausesValidation="False" Width="100px" />
                    </td>
                </tr>
            </table>
        </form>
    </body>
</html>

```

```

</td>
<td class="style13" align="left">
    <asp:ImageButton ID="ImageButton3" runat="server"
        ImageUrl="~/Images/deletequestion.png"
PostBackUrl="~/Deletequestion.aspx"
        CausesValidation="False" Width="125px" />
</td>
<td class="style13" align="left">
    <asp:ImageButton ID="ImageButton4" runat="server"
        ImageUrl="~/Images/report.png"
        PostBackUrl="~/Reporttest.aspx" CausesValidation="False"
Width="100px" />
</td>
<td class="style14" align="left">
    <asp:ImageButton ID="ImageButton5" runat="server"
        ImageUrl="~/Images/test_settings.png"
PostBackUrl="~/TestSettings.aspx"
        CausesValidation="False" Width="100px" />
</td>
<td class="style12" style="width:10px">
    &nbsp;</td>
<td class="style11" align="right">
    <asp:LinkButton ID="InkLogin" CssClass="textdecor" runat="server"
onclick="InkLogin_Click"
        ForeColor="#2A75A8">Login</asp:LinkButton>
    &nbsp;<asp:LinkButton ID="InkLogout" CssClass="textdecor" runat="server"
onclick="InkLogout_Click"
        ForeColor="#2A75A8"
CausesValidation="False">Logout</asp:LinkButton>
    </td>
</tr>
</table>
<table class="style3">
<tr>
<td class="style5">
    <div id= "con">

```

```

        <asp:ContentPlaceholder id="ContentPlaceholder1" runat="server">

        </asp:ContentPlaceholder>
    </div>
    </td>

    </tr>

</table>

<table class="style9">
    <tr>
        <td bgcolor="#C8C7CC"
            style="background-image: url('/OnlineExam/Images/foot.PNG');
background-repeat: no-repeat;">
            &nbsp;  </td>
    </tr>
</table>
</form>
</body>
</html>

```

## Admin.master.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class Admin : System.Web.UI.MasterPage
{
    protected void Page_Load(object sender, EventArgs e)
    {

```

```

    if (Session["Username"] != null)
    {
        InkLogin.Text = "Welcome " + Session["Username"];
        InkLogout.Visible = true;
        InkLogin.Enabled = false;
    }
    else
    {
        InkLogin.Text = "Login";
        InkLogin.Enabled = true;
        InkLogout.Visible = false;
    }
}

protected void InkLogout_Click(object sender, EventArgs e)
{
    Session["Username"] = null;
    Session.Abandon();
    Response.Redirect("Home.aspx");
}

protected void InkLogin_Click(object sender, EventArgs e)
{
    Response.Redirect("Home.aspx");
}
}

```

## MasterPage.master

```

<%@ Master Language="C#" AutoEventWireup="true"
CodeFile="MasterPage.master.cs" Inherits="MasterPage" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">

```



```
<title></title>
<asp:ContentPlaceHolder id="head" runat="server">
</asp:ContentPlaceHolder>
<style type="text/css">
    .style1
    {

        width:100%;
        height: 165px;
    }
    .style2
    {

        margin-left:70px;
        margin-right:75px;

    }
    .style3
    {
        width: 100%;
        height: 506px;
    }
    .style5
    {
        height: 414px;
    }
    .style6
    {
        height:32px;
        width: 796px;
    }
    .style8
    {
        width: 185px;
    }
    .style9
    {
        width: 100%;
```

```

        height:35px;
    }
    #con
    {

        border-radius : 20px;
        border-top : 15px solid #C8C7CC;
        border-bottom : 15px solid #C8C7CC;
        border-left : 1px solid #C8C7CC;
        border-right: 1px solid #C8C7CC;

    }
    .style10
    {
        height: 5px;
        width: 111px;
    }
    .style11
    {
        height: 5px;
        width: 112px;
    }
    .style13
    {
        width: 156px;
    }
    .textdecor
    {
        text-decoration: none;
    }
</style>
</head>
<body class="style2">
    <form id="form1" runat="server">
    <table class="style1">
        <tr>
            <td>

```

```

        <table class="style1">
            <tr>
                <td style="background-color: white; background-image:
url('/ExamOnline/Images/banner.jpg'); background-repeat: no-repeat;">
                    &nbsp;   </td>
            </tr>
        </table>

    </td>
</tr>
</table>
<table class="style6">
    <tr>
        <td class="style10">
            <asp:ImageButton ID="ImageButton2" runat="server"
                ImageUrl="~/Images/home.png" PostBackUrl="~/Home.aspx"
                CausesValidation="False" Width="100px" />
        </td>
        <td class="style10">
            <asp:ImageButton ID="ImageButton1" runat="server"
                ImageUrl="~/Images/skilltest.png" PostBackUrl="~/skilltest.aspx"
                CausesValidation="False" Width="100px" />
        </td>
        <td class="style10">
            <asp:ImageButton ID="ImageButton3" runat="server"
                ImageUrl="~/Images/mystatistics.png"
                PostBackUrl="~/mystaitstics.aspx"
                CausesValidation="False" Width="100px" />
        </td>
        <td class="style11">
            <asp:ImageButton ID="ImageButton4" runat="server"
                ImageUrl="~/Images/register.png"
                PostBackUrl="~/register.aspx" CausesValidation="False"
                Width="100px"
                onclick="ImageButton4_Click" />
        </td>
        <td class="style13" align="center">

```

```

        &nbsp;</td>
        <td class="style8" align="right" nowrap="nowrap">
            <asp:LinkButton ID="lnkLogin" CssClass="textdecor" runat="server"
ForeColor="#2A75A8"
            onclick="lnkLogin_Click">Login</asp:LinkButton>
            &nbsp;<asp:LinkButton ID="lnkLogout" CssClass="textdecor" runat="server"
ForeColor="#2A75A8"
            onclick="lnkLogout_Click"
CausesValidation="False">Logout</asp:LinkButton>
        </td>
    </tr>
</table>
<table class="style3">
    <tr>
        <td class="style5" style="padding: 0px; margin: 0px">
            <div id="con">
                <asp:ContentPlaceHolder id="ContentPlaceHolder1" runat="server">

                </asp:ContentPlaceHolder>
            </div>
        </td>

    </tr>

</table>

<table class="style9">
    <tr>
        <td bgcolor="#C8C7CC"

            style="background-image: url('/OnlineExam/Images/footer.PNG');
background-repeat: no-repeat;">

            &nbsp;</td>

```

```
</tr>
</table>
</form>
</body>
</html>
```

## MasterPage.master.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class MasterPage : System.Web.UI.MasterPage
{
    protected void Page_Load(object sender, EventArgs e)
    {
        if (Session["Username"] != null)
        {
            InkLogin.Text = "Welcome " + Session["Username"];
            InkLogin.Enabled = false;
            InkLogout.Visible = true;
            ImageButton4.Enabled = false;

        }
        else
        {
            InkLogin.Text = "Login";
            InkLogin.Enabled = true;
            InkLogout.Visible = false;

        }
    }
}
```

```

protected void InkLogin_Click(object sender, EventArgs e)
{
    Response.Redirect("Home.aspx");
}

protected void InkLogout_Click(object sender, EventArgs e)
{
    Session["Username"] = null;
    Session.Abandon();
    Response.Redirect("Home.aspx");
}

protected void ImageButton4_Click(object sender, ImageClickEventArgs e)
{
}
}

```

## AdminHome.aspx

```

<%@ Page Title="" Language="C#" MasterPageFile="~/Admin.master"
AutoEventWireup="true" CodeFile="AdminHome.aspx.cs" Inherits="AdminHome"
%>

```

```

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
<style type="text/css">
    .style12
    {
        width: 100%;
    }
    .style13
    {
        width: 9px;
    }
    .style17
    {
        width: 139px;
    }

```

```

    }
    .style15
    {
        width: 8px;
    }
    .style16
    {
        width: 134px;
    }
    .style18
    {
        width: 130px;
    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
Runat="Server">
<table class="style12">
    <tr>
        <td class="style13">
            &nbsp;</td>
        <td class="style17">
            <asp:Label ID="Label1" runat="server" Text="Select
Question"></asp:Label>
        </td>
        <td class="style15">
            &nbsp;</td>
        <td class="style16" colspan="2">
            <asp:DropDownList ID="ddlSubject" runat="server"
DataSourceID="SqlDataSource1"
            DataTextField="SubjectName" DataValueField="SubjectName">
        </asp:DropDownList>
        </td>
        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
    </tr>

```

```

</tr>
<tr>
  <td class="style13">
    &nbsp;</td>
  <td class="style17">
    <asp:Label ID="Label7" runat="server" Text="Question
Number"></asp:Label>
  </td>
  <td class="style15">
    &nbsp;</td>
  <td class="style16" colspan="2">
    <asp:Label ID="lblSno" runat="server"></asp:Label>
  </td>
  <td>
    &nbsp;</td>
  <td>
    &nbsp;</td>
</tr>
<tr>
  <td class="style13">
    &nbsp;</td>
  <td class="style17">
    <asp:Label ID="lblQuestion" runat="server" Text="Question"></asp:Label>
  </td>
  <td class="style15">
    &nbsp;</td>
  <td class="style16" colspan="2">
    <asp:TextBox ID="txtQuestion" runat="server" Height="53px"
    TextMode="MultiLine"
    Width="351px"></asp:TextBox>
  </td>
  <td>
    <asp:RequiredFieldValidator runat="server"
    ControlToValidate="txtQuestion"
    ErrorMessage="*" ID="RequiredFieldValidator2"
    ForeColor="Red"></asp:RequiredFieldValidator></td>
  <td>

```



```

        &nbsp;</td>
</tr>
<tr>
    <td class="style13">
        &nbsp;</td>
    <td class="style17">
        <asp:Label ID="Label2" runat="server" Text="Option A"></asp:Label>
    </td>
    <td class="style15">
        &nbsp;</td>
    <td class="style16" colspan="2">
        <asp:TextBox ID="txtAnswera" runat="server"></asp:TextBox>
    </td>
    <td>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator3" runat="server"
            ControlToValidate="txtAnswera" ErrorMessage="*"
            ForeColor="Red"></asp:RequiredFieldValidator>
    </td>
    <td>
        &nbsp;</td>
</tr>
<tr>
    <td class="style13">
        &nbsp;</td>
    <td class="style17">
        <asp:Label ID="Label3" runat="server" Text="Option B"></asp:Label>
    </td>
    <td class="style15">
        &nbsp;</td>
    <td class="style16" colspan="2">
        <asp:TextBox ID="txtAnswerb" runat="server"></asp:TextBox>
    </td>
    <td>
        <asp:RequiredFieldValidator runat="server"
            ControlToValidate="txtAnswerb"
            ErrorMessage="*" ID="RequiredFieldValidator4"
            ForeColor="Red"></asp:RequiredFieldValidator></td>

```

```

        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style13">
            &nbsp;</td>
        <td class="style17">
            <asp:Label ID="Label4" runat="server" Text="Option C"></asp:Label>
        </td>
        <td class="style15">
            &nbsp;</td>
        <td class="style16" colspan="2">
            <asp:TextBox ID="txtAnswerc" runat="server"></asp:TextBox>
        </td>
        <td>
            <asp:RequiredFieldValidator runat="server"
ControlToValidate="txtAnswerc"
            ErrorMessage="*" ID="RequiredFieldValidator5"
ForeColor="Red"></asp:RequiredFieldValidator></td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style13">
            &nbsp;</td>
        <td class="style17">
            <asp:Label ID="Label5" runat="server" Text="Option D"></asp:Label>
        </td>
        <td class="style15">
            &nbsp;</td>
        <td class="style16" colspan="2">
            <asp:TextBox ID="txtAnswerd" runat="server"></asp:TextBox>
        </td>
        <td>
            <asp:RequiredFieldValidator runat="server"
ControlToValidate="txtAnswerd"

```

```

                ErrorMessage="*" ID="RequiredFieldValidator6"
ForeColor="Red"></asp:RequiredFieldValidator>&nbsp;</td>
            <td>
                &nbsp;</td>
        </tr>
        <tr>
            <td class="style13">
                &nbsp;</td>
            <td class="style17">
                <asp:Label ID="Label6" runat="server" Text="Correct
Answer"></asp:Label>
            </td>
            <td class="style15">
                &nbsp;</td>
            <td class="style16" colspan="2">
                <asp:TextBox ID="txtCorrectAnswer" runat="server"></asp:TextBox>
            </td>
            <td>
                <asp:RequiredFieldValidator runat="server"
ControlToValidate="txtCorrectAnswer"
                ErrorMessage="*" ID="RequiredFieldValidator7"
ForeColor="Red"></asp:RequiredFieldValidator>&nbsp;</td>
            <td>
                &nbsp;</td>
        </tr>
        <tr>
            <td class="style13">
                &nbsp;</td>
            <td class="style17">
                &nbsp;</td>
            <td class="style15">
                &nbsp;</td>
            <td class="style16" colspan="2">
                <asp:RadioButtonList ID="choose" runat="server"
RepeatDirection="Horizontal"
                Width="245px">
                <asp:ListItem Value="Multiple">Multiple Answer</asp:ListItem>

```

```

        <asp:ListItem Value="Single">Single Answer</asp:ListItem>
    </asp:RadioButtonList>
</td>
<td>
    &nbsp;</td>
<td>
    &nbsp;</td>
</tr>
<tr>
    <td class="style13">
        &nbsp;</td>
    <td class="style17">
        &nbsp;</td>
    <td class="style15">
        &nbsp;</td>
    <td class="style16" colspan="2">
        &nbsp;</td>
    <td>
        &nbsp;</td>
    <td>
        &nbsp;</td>
</tr>
<tr>
    <td class="style13">
        &nbsp;</td>
    <td class="style17" align="right">
        <asp:ImageButton ID="ImageButton7" runat="server"
            ImageUrl="~/Images/add_details.png" OnClick="Button1_Click" />
    </td>
    <td class="style15">
        &nbsp;</td>
    <td class="style18">
        &nbsp;</td>
    <td class="style16">
        <asp:ImageButton ID="ImageButton8" runat="server"
            ImageUrl="~/Images/clear.png" onclick="btnClear_Click"
            CausesValidation="False" />
    </td>

```

```

</td>
<td>
    <asp:SqlDataSource ID="SqlDataSource1" runat="server"
        ConnectionString="Data Source=PC-PC;Initial
Catalog=OnlineQuiz;Integrated Security=True"
        ProviderName="System.Data.SqlClient"
        SelectCommand="SELECT [SubjectName] FROM
[tblSubject]"></asp:SqlDataSource>
</td>
<td>
    &nbsp;</td>
</tr>
<tr>
<td class="style13">
    &nbsp;</td>
<td class="style17">
    <br />
    <br />
    <br />
    <br />
    <br />
    <br />
</td>
<td class="style15">
    &nbsp;</td>
<td class="style16" colspan="2">
    &nbsp;</td>
<td>
    &nbsp;</td>
<td>
    &nbsp;</td>
</tr>
</table>
</asp:Content>

```

AdminHome.aspx.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Configuration;
public partial class AdminHome : System.Web.UI.Page
{
    SqlCommand cmd;
    SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["teststring"].Connection
String);

    public int IncrementId(string tblName, string fieldName)
    {
        int val = 0;
        try
        {

            con.Open();
            string sel = "select top 1 " + fieldName + " from " + tblName + " ORDER BY "
+ fieldName + " DESC";

            cmd = new SqlCommand(sel, con);

            val = (Int32)cmd.ExecuteScalar();
            val += 1;
        }
        catch (NullReferenceException)
        {
            return 1;
        }
        catch (Exception)

```

```

    {
        // Response.Write(a);
        Response.Write(@"<script language='javascript'>alert('Error...Cant retrieve
id');</script>");
    }
    finally
    {
        con.Close();
    }

    return val;
}
protected void Page_Load(object sender, EventArgs e)
{
    if ((Session["Username"] != null) && (Session["Usertype"].ToString() ==
"Admin"))
    {
        lblSno.Text = IncrementId("tblQuestions", "SerialNumber").ToString();
    }
    else
    {
        Session.Abandon();
        Response.Redirect("Home.aspx");
    }
}
protected void Button1_Click(object sender, EventArgs e)
{
    int sno = Convert.ToInt32(lblSno.Text);

    try
    {
        con.Open();
        string ins = "insert into tblQuestions values('" + sno + "','" +
ddlSubject.SelectedValue + "','" + txtQuestion.Text + "','" + txtAnswera.Text + "','"

```

```

+ txtAnswerb.Text + "','" + txtAnswerc.Text + "','" + txtAnswerd.Text + "','" +
txtCorrectAnswer.Text + "','" + choose.SelectedValue + "');";
    cmd = new SqlCommand(ins, con);

    cmd.ExecuteNonQuery();
    Response.Write("<script language='javascript'>alert('Questions & Answers
added successfully');</script>");

}
catch (Exception ex)
{
    Response.Write(ex);
    Response.Write("@<script language='javascript'>alert('Error...Not
Added');</script>");
}

finally
{
    con.Close();
}
}

protected void btnClear_Click(object sender, EventArgs e)
{
    txtQuestion.Text = "";
    txtAnswera.Text = "";
    txtAnswerb.Text = "";
    txtAnswerc.Text = "";
    txtAnswerd.Text = "";
    txtCorrectAnswer.Text = "";

}

}

```



## AddSubject.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/Admin.master"
AutoEventWireup="true" CodeFile="AddSubject.aspx.cs" Inherits="AddSubject"
%>
```

```
<%@ Register assembly="AjaxControlToolkit" namespace="AjaxControlToolkit"
tagprefix="asp" %>
```

```
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
```

```
<style type="text/css">
```

```
.style19
```

```
{
```

```
width: 6px;
```

```
}
```

```
.style20
```

```
{
```

```
width: 793px;
```

```
}
```

```
.style21
```

```
{
```

```
width: 569px;
```

```
}
```

```
.style26
```

```
{
```

```
width: 141px;
```

```
}
```

```
.style27
```

```
{
```

```
width: 125px;
```

```
}
```

```
.style37
```

```
{
```

```
width: 95px;
```

```
}
```

```
.style38
```

```
{
```

```
width: 126px;
```

```

    }
    .style39
    {
        width: 1px;
    }
    .style40
    {
        width: 345px;
    }
    .style41
    {
        width: 154px;
    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
Runat="Server">
<table class="style12">
    <tr>
        <td class="style19">
            &nbsp;</td>
        <td class="style20" colspan="4" align="center">

            <asp:ToolkitScriptManager ID="ToolkitScriptManager1" runat="server">
            </asp:ToolkitScriptManager>
        </td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style19">
            &nbsp;</td>
        <td class="style21" colspan="2">
            &nbsp;</td>
        <td class="style41">
            &nbsp;</td>
        <td class="style20">

```

```

        &nbsp;</td>
    <td>
        &nbsp;</td>
</tr>
<tr>
    <td class="style19">
        &nbsp;</td>
    <td class="style40">

        <asp:TabContainer ID="TabContainer1" runat="server"
ActiveTabIndex="0"
        Height="207px" Width="482px">
            <asp:TabPanel runat="server" HeaderText="Add Subject"
ID="TabPanel1">
                <HeaderTemplate>
                    Add Subject
                </HeaderTemplate>
                <ContentTemplate>
                    <asp:Panel ID="pnlAdd" runat="server" Height="139px"
Width="322px">
                        <table class="style12" style="width: 99%; height: 141px;">
                            <tr>
                                <td class="style18" rowspan="5">
                                    &nbsp;</td>
                                <td rowspan="5">
                                    &nbsp;</td>
                                <td class="style27">
                                    &nbsp;</td>
                                <td class="style26">
                                    &nbsp;</td>
                                <td>
                                    &nbsp;</td>
                            </tr>
                            <tr>
                                <td class="style27">
                                    <asp:Label ID="Label1" runat="server" Text="Subject
ID"></asp:Label>

```

```

        </td>
        <td class="style26">
            <asp:TextBox ID="txtID" runat="server"
Enabled="False"></asp:TextBox>
        </td>
        <asp:TextBoxWatermarkExtender
ID="TextBoxWatermarkExtender1" runat="server"
            Enabled="True" TargetControlID="txtSubject"
WatermarkText="Enter Subject">
        </asp:TextBoxWatermarkExtender>
    </tr>
    <tr>
        <td class="style27">
            <asp:Label ID="Label2" runat="server" Text="Enter
Subject Name"></asp:Label>
        </td>
        <td class="style26">
            <asp:TextBox ID="txtSubject"
runat="server"></asp:TextBox>
        </td>
        <td>
            <asp:RequiredFieldValidator
ID="RequiredFieldValidator1" runat="server"
                ControlToValidate="txtSubject"
ErrorMessage="*"></asp:RequiredFieldValidator>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style27">
            &nbsp;</td>
        <td class="style26">
            <asp:ImageButton ID="btnAddsubject" runat="server"
ImageUrl="~/Images/Add.png"
                OnClick="btnAddsubject_Click"
CausesValidation="False" />
        </td>
        <td>

```

```

        &nbsp;</td>
    </tr>
    <tr>
        <td class="style27">
            &nbsp;</td>
        <td class="style26">
            &nbsp;</td>
        <td>
            &nbsp;</td>
    </tr>
</table>
</asp:Panel>
</ContentTemplate>
</asp:TabPanel>
<asp:TabPanel ID="TabPanel2" runat="server" HeaderText="Delete
Subject">
    <HeaderTemplate>
        Delete Subject
    </HeaderTemplate>
    <ContentTemplate>
        <asp:Panel ID="pnlDelete" runat="server" Height="142px"
Width="286px">
            <table class="style12" style="width: 101%; height: 140px">
                <tr>
                    <td class="style39">
                        &nbsp;</td>
                    <td class="style37">
                        &nbsp;</td>
                    <td class="style38">
                        &nbsp;</td>
                    <asp:TextBoxWatermarkExtender
ID="TextBoxWatermarkExtender2" runat="server"
                        Enabled="True" TargetControlID="txtDelete"
WatermarkText="Enter Subject">
                    </asp:TextBoxWatermarkExtender>
                </tr>
                <tr>

```

```

        <td class="style39" rowspan="2">
            &nbsp;</td>
        <td class="style37">
            <asp:Label ID="lblSubjectName" runat="server"
Text="Subject Name"></asp:Label>
        </td>
        <td class="style38">
            <asp:TextBox ID="txtDelete"
runat="server"></asp:TextBox>

        </td>
        <td>
            <asp:RequiredFieldValidator
ID="RequiredFieldValidator2" runat="server"
            ControlToValidate="txtDelete" ErrorMessage="*"
SetFocusOnError="True"></asp:RequiredFieldValidator>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style37">
            &nbsp;</td>
        <td class="style38">
            <asp:ImageButton ID="btnDelete" runat="server"
ImageUrl="~/Images/Delete1.png"
            onclick="btnDelete_Click" CausesValidation="False" />
        </td>
        <td>
            &nbsp;</td>
    </tr>
</table>
</asp:Panel>
</ContentTemplate>
</asp:TabPanel>
</asp:TabContainer>
</td>
<td class="style20" colspan="2">
    &nbsp;</td>

```

```

        <td class="style20">
            <asp:GridView ID="GridView2" runat="server"
AllowPaging="True"
            AllowSorting="True" AutoGenerateColumns="False"
CellPadding="4"
            DataSourceID="SqlDataSource1" ForeColor="#333333"
GridLines="None"
            Width="76px" Height="206px" PageSize="5">
                <RowStyle BackColor="#F7F6F3" ForeColor="#333333" />
                <Columns>
                    <asp:BoundField DataField="SubjectName"
HeaderText="SubjectName"
                        SortExpression="SubjectName" />
                </Columns>
                <FooterStyle BackColor="#5D7B9D" Font-Bold="True"
ForeColor="White" />
                <PagerStyle BackColor="#284775" ForeColor="White"
HorizontalAlign="Center" />
                <SelectedRowStyle BackColor="#E2DED6" Font-Bold="True"
ForeColor="#333333" />
                <HeaderStyle BackColor="#5D7B9D" Font-Bold="True"
ForeColor="White" />
                <EditRowStyle BackColor="#999999" />
                <AlternatingRowStyle BackColor="White"
ForeColor="#284775" />
            </asp:GridView>
        </td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style19">
            &nbsp;</td>
        <td class="style21" colspan="2">
            &nbsp;</td>
        <td class="style20" colspan="2">
            &nbsp;</td>

```

```

        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style19">
            &nbsp;</td>
        <td class="style20" colspan="4" align="center">
            <asp:SqlDataSource ID="SqlDataSource1" runat="server"
                ConnectionString="Data Source=PC-PC;Initial
Catalog=OnlineQuiz;Integrated Security=True"
                ProviderName="System.Data.SqlClient"
                SelectCommand="SELECT [SubjectName] FROM
[tblSubject]"></asp:SqlDataSource>
        </td>
        <td>
            &nbsp;</td>
    </tr>
</table>
<br />
<br />
<br />
</asp:Content>

```

## Mystatistics.aspx

```

<%@ Page Title="" Language="C#" MasterPageFile="~/MasterPage.master"
AutoEventWireup="true" CodeFile="Mystaitstics.aspx.cs" Inherits="Mystaitstics"
%>

```

```

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
Runat="Server">
    <asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False"
        DataSourceID="SqlDataSource1">
        <Columns>

```



```

<asp:BoundField DataField="UserName" HeaderText="UserName"
    SortExpression="UserName" />
<asp:BoundField DataField="SubjectName" HeaderText="SubjectName"
    SortExpression="SubjectName" />
<asp:BoundField DataField="TestDate" HeaderText="TestDate"
    SortExpression="TestDate" />
<asp:BoundField DataField="NumberOfQuestions"
HeaderText="NumberOfQuestions"
    SortExpression="NumberOfQuestions" />
<asp:BoundField DataField="Marks" HeaderText="Marks"
    SortExpression="Marks" />
<asp:BoundField DataField="Status" HeaderText="Status"
    SortExpression="Status" />
</Columns>
</asp:GridView>
<asp:SqlDataSource ID="SqlDataSource1" runat="server"
    ConnectionString="<%$ ConnectionStrings:teststring %>"
    SelectCommand="SELECT [UserName], [SubjectName], [TestDate],
[NumberOfQuestions], [Marks], [Status] FROM [tblResult] WHERE ([UserName] =
@UserName)">
    <SelectParameters>
        <asp:SessionParameter Name="UserName" SessionField="UserName"
Type="String" />
    </SelectParameters>
</asp:SqlDataSource>
</asp:Content>

```

Test.aspx

```

<%@ Page Title="" Language="C#" MasterPageFile="~/MasterPage.master"
AutoEventWireup="true" CodeFile="Test.aspx.cs" Inherits="Test" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
<style type="text/css">

```

.style20

```

    {
        width: 802px;
    }
    .style21
    {
        width: 339px;
    }
    .style19
    {
        width: 400px;
    }
    .style15
    {
        width: 100%;
    }
    .style16
    {
        width: 69px;
    }
    .style17
    {
        width: 206px;
    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
Runat="Server">
<asp:ScriptManager ID="ScriptManager1" runat="server">
</asp:ScriptManager>
<asp:UpdatePanel ID="TimedPanel" runat="server"
updateMode="Conditional">
<ContentTemplate>
<asp:Timer ID="Timer1" runat="server" Enabled="False" Interval="1000"
ontick="Timer1_Tick">
</asp:Timer>
<table class="style20">
<tr>

```







```

    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"
Runat="Server">

<br />
<br />
<br />
<table class="style12">
    <tr>
        <td class="style18">
            &nbsp;</td>
        <td class="style21">
            <asp:Label ID="lblDuration" runat="server" Text="Test
Duration"></asp:Label>
        </td>
        <td class="style20">
            <asp:TextBox ID="txtTime" runat="server"></asp:TextBox>
        </td>
        <td class="style19">
            <asp:RequiredFieldValidator ID="RequiredFieldValidator1"
runat="server"
            ControlToValidate="txtTime" ErrorMessage="*"
ForeColor="Red"></asp:RequiredFieldValidator>
            <asp:RangeValidator ID="RangeValidator1" runat="server"
            ControlToValidate="txtTime" ErrorMessage="Enter Minutes in
Numbers"
            Type="Integer" MaximumValue="180" MinimumValue="10"
ForeColor="Red"></asp:RangeValidator>
        </td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style18">
            &nbsp;</td>

```

```

        <td class="style21">
            <asp:Label ID="lblQuestions" runat="server"
Text="No.Of.Questions"></asp:Label>
        </td>
        <td class="style20">
            <asp:TextBox ID="txtQuestions" runat="server"></asp:TextBox>
        </td>
        <td class="style19">
            <asp:RequiredFieldValidator ID="RequiredFieldValidator2"
runat="server"
            ControlToValidate="txtQuestions" ErrorMessage="*"
ForeColor="Red"></asp:RequiredFieldValidator>
            <asp:RangeValidator ID="RangeValidator2" runat="server"
            ControlToValidate="txtQuestions" ErrorMessage="Enter
No.Of.Questions"
            Type="Integer" MaximumValue="100" MinimumValue="1"
ForeColor="Red"></asp:RangeValidator>
        </td>
    </tr>
    <tr>
        <td class="style18">
            &nbsp;</td>
        <td class="style21">
            &nbsp;</td>
        <td class="style20">
            &nbsp;</td>
        <td class="style19">
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style18">
            &nbsp;</td>
        <td class="style21">

```

```


        &nbsp;</td>
<td class="style20">
    <asp:ImageButton ID="ImageButton7" runat="server"
        ImageUrl="~/Images/confirm.png" onclick="btnTest_Click" />
</td>
<td class="style19">
    &nbsp;</td>
<td>
    &nbsp;</td>
</tr>
</table>
<br />
<br />
<br /><br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
<br />
</asp:Content>


```







Output:

Admin Login:










localhost:50802/ExamOnline/Deletequestion.aspx



# AWESMOSIAN'S QUIZ ... ?

[Add Questions](#)
[Add Subject](#)
[Delete Questions](#)
[Report](#)
[Test Settings](#)

Welcome SAdmin  
Logout


Enter Serial to delete

Delete

SerialNumber	SubjectName	Question	Option1	Option2	Option3	Option4	Answer	ChoiceType
1	History	Who was the 1st President of India ?	Pandit Nehru	Mahatma Gandhi	Rajendra Prasad	Dr. B. R. Ambedkar	Rajendra Prasad	Single
2	History	Who was the 1st PM of India ?	Pandit Nehru	Mahatma Gandhi	Rajendra Prasad	Dr. B. R. Ambedkar	Pandit Nehru	Single
3	History	India became part of UN in which year ?	1945	1947	1950	1949	1945	Single
4	Anime	Who is known as Son Kun in Dragonball ?	Vegita	Goku	Piccolo	Yamcha	Goku	Single
5	Anime	Who is gohan's teacher?	Goku	Piccolo	Yamcha	Master Roshi	Piccolo	Single

1 2

localhost:50802/ExamOnline/Reporttest.aspx



# AWESMOSIAN'S QUIZ ... ?

[Add Questions](#)
[Add Subject](#)
[Delete Questions](#)
[Report](#)
[Test Settings](#)


Welcome SAdmin  
Logout

All Result ☒ By User

ResultId	UserName	SubjectName	TestDate	NumberOfQuestions	Marks	Status
100	Avinash	History	6/5/2020 12:00:00 AM	10	10	success
100	Avinash	Anime	6/5/2020 12:00:00 AM	3	3	success

localhost:50802/ExamOnline/Rep: x

localhost:50802/ExamOnline/Reporttest.aspx



# AWESMOSIAN'S QUIZ ... ?

[Add Questions](#)
[Add Subject](#)
[Delete Questions](#)
[Report](#)
[Test Settings](#)

Welcome SAdmin  
Logout

All Result By User


Username  [Search](#)

ResultId	UserName	SubjectName	TestDate	NumberOfQuestions	Marks	Status
100	Avinash	History	6/5/2020 12:00:00 AM	10	10	success
100	Avinash	Anime	6/5/2020 12:00:00 AM	3	3	success

9:12 PM 6/24/2020

localhost:50802/ExamOnline/Tes: x

localhost:50802/ExamOnline/TestSettings.aspx



# AWESMOSIAN'S QUIZ ... ?

[Add Questions](#)
[Add Subject](#)
[Delete Questions](#)
[Report](#)
[Test Settings](#)

Welcome SAdmin  
Logout



Test Duration

No.Of Questions

[Confirm](#)


9:12 PM 6/24/2020

## User Login:





localhost:50802/ExamOnline/Test.aspx?Subject\_name=History



# AWESMOSIAN'S QUIZ ... ?

[Home](#) [Skill Test](#) [My Statistics](#) [Register](#) [Welcome Avinash](#) [Logout](#)

2 of 3 8:3


Who was the 1st PM of India ?

- ☒ Pandit Nehru
- ☐ Mahatma Gandhi
- ☐ Rajendra Prasad
- ☐ Dr. B. R. Ambedkar

[Next](#)

9:04 PM 6/24/2020

localhost:50802/ExamOnline/Test.aspx?Subject\_name=History



# AWESMOSIAN'S QUIZ ... ?

[Home](#) [Skill Test](#) [My Statistics](#) [Register](#) [Welcome Avinash](#) [Logout](#)

3 of 3 7:43

India became part of UN in which year ?

- ☒ 1945
- ☐ 1947
- ☐ 1950
- ☐ 1949


[Next](#)

9:04 PM 6/24/2020



localhost:50802/ExamOnline/my: x

localhost:50802/ExamOnline/mystaitstics.aspx



# AWESMOSIAN'S QUIZ ... ?

[Home](#) [Skill Test](#) [My Statistics](#) [Register](#)

Welcome Avinash [Logout](#)

UserName	SubjectName	TestDate	NumberOfQuestions	Marks	Status
Avinash	History	6/5/2020 12:00:00 AM	10	10	success
Avinash	Anime	6/5/2020 12:00:00 AM	3	3	success

9:06 PM 6/24/2020