


On the Subject of Maas Cipher

鉗程蠶祿性猿時援溯祿畜啖帽潤獮

- This module contains a keyboard, an input display, a submit button and a display with two CJK Ideographs.
- Using the two ideographs, convert them into two 4 digit hexadecimal values based on their Unicode codepoints.
- Then, split the four digits into two pairs of digits and convert those back into Unicode characters.
- Type the word decrypted from the ideographs into the keyboard and press the submit button to solve the module.
- The module will always encrypt a four letter English word using lowercase letters.



This table is a reference for each lowercase English character's codepoint.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+006x		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+007x	p	q	r	s	t	u	v	w	x	y	z					

This table is a condensed version of the CJK Unified Ideographs Unicode Block that includes every character's codepoint that may appear on the module.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+616x	傲	懨	慢	慣	懿	慥	惄	慧	慨	惢	樞	惥	慬	惢	惢	惢
U+617x	慰	博	惢	慳	惺	惺	惢	慶	慷	惢	惢	惢	惢	惢	惢	憑
U+626x	扠	拋	扠	扣	扠	扠	扠	执	扠	扩	扠	扫	扬	扭	扮	扯
U+627x	扰	扠	扠	扳	扠	扠	扶	扠	扠	批	抵	次	扼	扽	找	承
U+636x	拆	捡	换	捣	搾	惋	捡	捧	捨	捩	搊	捫	捭	据	倒	
U+637x	揲	捱	捲	搵	捺	揲	捶	捷	揅	揤	捺	捺	捲	捽	捲	捲
U+646x	摠	概	擣	擗	揀	搊	搊	摧	揮	摩	搊	搊	攬	摭	擎	擎
U+647x	摯	摸	撕	搵	擣	撼	搏	揅	摸	摹	摺	摻	擰	標	搘	搘
U+656x	斂	斂	敢	散	歎	斂	敦	敲	敵	敦	斂	敷	敬	斂	敲	敲
U+657x	数	鼓	敲	數	整	敵	歛	敷	數	敷	鼓	貟	鼓	敲	數	敲
U+666x	瞷	晡	晬	晰	晤	睩	晦	暭	晨	晚	暭	暭	暭	暭	暭	景
U+667x	晰	啖	睨	晬	晴	睩	晶	晷	最	暭	智	暭	暭	暭	暭	唱
U+676x	杠	条	杔	杔	柅	柅	来	枚	忙	杨	杩	杪	祉	杔	杭	柿
U+677x	杰	東	果	杳	枚	杵	柅	柅	杷	投	柅	杪	杻	杼	杼	板
U+686x	桠	桡	楨	档	桤	桥	桦	桧	桨	桩	桮	杪	柒	柅	梧	程
U+687x	梧	桎	桲	柞	桴	桮	桮	桶	桷	稀	桹	桮	桮	桮	桮	桮
U+696x	楠	榆	楨	楣	櫟	援	檀	模	楨	梗	楪	楫	楫	業	楮	櫚
U+697x	楔	棡	械	楨	禘	極	粢	楷	楸	楹	櫟	櫟	惶	樓	樂	櫚
U+6A6x	檼	橡	楨	櫟	欒	欒	漿	櫟	櫟	櫟	櫟	櫟	櫟	櫟	櫟	櫚
U+6A7x	樟	櫚	櫧	櫧	櫧	櫧	櫧	櫧	櫧	櫧	櫧	櫧	櫧	櫧	櫧	櫧
U+6B6x	歎	歡	止	正	此	步	武	歧	跔	步	歪	跔	疴	時	齒	
U+6B7x	蹠	踵	歲	歲	歷	蹠	嵩	歷	歸	歹	步	死	歼	所	歎	歎
U+6C6x	池	汚	汙	汝	汤	汙	汙	汙	汨	汨	汨	汨	汨	汨	汨	汨
U+6C7x	汰	汎	汲	汎	汎	汎	汎	汎	汎	汎	汎	汎	汎	汎	汎	汎
U+6D6x	浠	淳	涇	浣	浹	浥	浦	涇	涇	浩	浪	涇	涇	涇	涇	涇
U+6D7x	浰	派	浲	涓	浴	浹	涇	涇	涇	浹	涇	涇	涇	涇	涇	涇

