



# UNIT 3

## INPUT/OUTPUT HANDLING IN C++

10TH COMPUTER SCIENCE  
SINDH TEXTBOOK BOARD

<https://awinashgoswami.github.io>



# Agenda

- Basic Structure of C++
- Comment Statement
- Output Function
- Input Function
- Statement Terminator
- Escape Sequence
- Operators

# Basic Structure in C++

| Code                                    | Explanation              |
|-----------------------------------------|--------------------------|
| <code>#include&lt;iostream&gt;</code>   | Header File              |
| <code>using namespace std;</code>       | Namespace declaration    |
| <code>int main()</code>                 | Execution begins at Main |
| <code>{</code>                          | Opening Bracket          |
| <code>cout&lt;&lt;"Hello World";</code> | Print Statement          |
| <code>}</code>                          | Closing Bracket          |

# Comment Statement

- The comment statement are those statement which are ignored by compiler.
- They are used for describing code.
- There are two types of comment statements. Single Line and Multi-line comments
  - Single Line Comment: It covers single line and start from double slash (//). E.g. //this is variable
  - Multiple Line Comment: It covers multiple lines. The text of the comment is placed inside /\* \*/  
e.g. /\*This is multiple line comment\*/

# Output Handling

| Functions | Description                                                                                                                   | Example                                                                                                |
|-----------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| cout      | Cout is a predefined object in C++. It is used to display the output device i.e. monitor. "cout" uses insertion operator (<<) | <pre>#include&lt;iostream&gt; using namespace std; int main() {     cout&lt;&lt;"Hello World"; }</pre> |
| puts()    | The function is used to print the string to the output stream.                                                                | <pre>#include&lt;iostream&gt; using namespace std; int main() {     puts("Hello World"); }</pre>       |

# Input Handling

| Functions | Description                                                                                                             | Example                                                                                                                                  |
|-----------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| cin       | cin is an object that reads data from keyboard with extraction operator (>>).                                           | <pre>#include&lt;iostream&gt; using namespace std; int main() {     int a;     cin&gt;&gt;a; }</pre>                                     |
| getch()   | The function is defined in conio.h (console input/output header file) and used to get a single character from keyboard. | <pre>#include&lt;iostream&gt; #include&lt;conio.h&gt; using namespace std; int main() {     char a = getch();     cout&lt;&lt;a; }</pre> |