



UNIT 1 PROBLEM SOLVING AND ALGORITHM DESIGNING

10TH COMPUTER SCIENCE
SINDH TEXTBOOK BOARD

<https://awinashgoswami.github.io>



Agenda

- Problem Solving
- Algorithm
- Flowchart
- Data Structure

Problem solving

- Problem solving is the process of finding solutions to an issue.
- A computer is not intelligent—it cannot analyze problems on its own. A human (programmer) must:
 - Analyze the problem.
 - Develop instructions.
 - Make the computer carry them out.
- What is a problem? A problem is a situation that prevents something from being achieved.

Problem Solving Process (4 basic steps):



Define the Problem

- This is the first, most difficult, and most important step in problem solving.
- It involves diagnosing the situation so you focus on the real problem.
- You must clearly describe the problem in words.
- A well-described problem helps others understand it too.

Generate Alternative Solutions

- For any problem, there are more solutions than the first one you think of.
- Don't rush – postpone selecting one solution until you have several alternatives.
- Considering multiple options improves the quality of your final solution.
- Make a list of all feasible solutions, then evaluate and choose the best one.
- Use both individual thinking and team problem-solving techniques.

Evaluate and Select an Alternative

- Generate many alternatives before final evaluation.
- Don't settle for the first acceptable one; it may not be the best.
- If you focus only on getting quick results, you may miss chances to learn something new, which is essential for real improvement in problem solving.
- Take time to compare all options carefully, then select the most suitable one.

Implement and Follow Up on the Solution


- The plan should also include what to do if something goes wrong – if the solution doesn't work as expected.
- After implementing the best solution, track and measure the results to answer:
 - *Did it work?*
 - *Was it a good solution?*
 - *Did we learn something that could help with other problems?*
- While choosing the best solution, consider its possible impacts:
 - Will it solve the problem without creating new problem?
 - Is it acceptable to everyone involved?
 - Is it within budget and achievable in the given time?

ALGORITHM

- An algorithm is a set of instructions/steps/rules used to solve a problem.
- In our daily life, we solve multiple problems with step by step such as; making tea, taking direction, completing our study task etc. These can be also taken as algorithm.
- It is a tool for solving a well-specified computational problem.
- In computer problem, algorithm designs can be expressed via pseudocode and flowcharts.

Algorithm Examples in computer science:

- **Search engines** – take keywords as input, search the database, and return relevant web pages.
- **Online ads** – take age, gender, region, and interests as input, then show ads only to matching users.



Other Algorithm Examples: Sum of two numbers

Step 1: Start

Step 2: Declare variables num1, num2 and sum.

Step 3: Read values num1 and num2.

Step 4: Add num1 and num2 and assign the result to sum. `sum = num1 + num2`

Step 5: Display sum




Step 6: Stop

Other Algorithm Examples: Volume of a box


- **Step 1:** Start
- **Step 2:** Declare variables length, width, height and volume.
- **Step 3:** Read values length, width and height.
- **Step 4:** Apply formula. $\text{volume} = \text{length} \times \text{width} \times \text{height}$
- **Step 5:** Display volume
- **Step 6:** Stop

flowchart

- A flowchart is a visual representation of a step-by-step process or algorithm.
- Flowchart is made up of different symbols to represent program and its flow.


Symbol	Name	Function
	Oval	Represents the start or end of a process
	Rectangle	Denotes a process or operation step
	Arrow	Indicates the flow between steps
	Diamond	Signifies a point requiring a yes/no
	Parallelogram	Used for input or output operations

THREE NUMBER SUM & PERCENTAGE FLOWCHART




Data structure

- A data structure is particular way of organizing data in a computer to use data effectively.
- Data structure can be either linear or non-linear.
- Linear Data Structure are sequential and inefficient for memory utilization. They are easy to implement. Example of linear data structures are Stack, Queue, Array etc.
- Non-Linear Data Structure are non-sequential but memory efficient. they are difficult to implement. Examples of non-linear data structures are Trees, Graphs etc.




Data structure – linear: Stack

- A Stack is a linear data structure in which items can be added or removed only at the top of stack.
- The order may be LIFO (Last In First Out) or FILO (First In Last Out).
- Examples of a stack are plates that are stacked or put over one another in the canteen.
- The term push is used to insert a new element into the stack and pop is used to remove an element from the stack.
- Stack is in overflow state when it is completely full and we cannot add an item.
- Stack is in underflow state when it is completely empty and we cannot remove an item from it.
- Example of Stack in Computer: Browser Back Button, Undo/Redo




Data structure – linear: Queue

- A Queue is a linear data structure in which operations are performed in FIFO (First In First Out) method, which means that element inserted first will be removed first.
- Example of a queue is any queue of students in school.
- Deletions take place at one end called front/head and insertions take place only at the other end called rear/tail.
- Once a new element is inserted into the Queue, it cannot be removed until all the elements inserted before it in the queue are removed.
- The process to add an element into queue is called Enqueue and the process to remove an element from queue is called Dequeue.
- Example of Stack in Computer: Printer Spooler, Keyboard Buffer.




Data structure – linear: Array

- An array is a linear data structure, which holds data elements of same data type.
- Each element (*the item stored in the array*) of array can be accessed by an index number (*location of the element in the array*).
- Indexes in an array are consecutive numbers.
- An index of array starts from zero.
- Operations like Traversal, Search, Insertion, Deletion and Sorting can be performed on arrays.
- Example of Array in Computer: Student List, Employee Record.




Data structure – non-linear: Tree

- A tree is a non-linear data structure which is used to represent data containing a hierarchical relationship between elements.
- Tree elements are known as the nodes connected to each other by edges. A root node in tree is a first node.
- In a tree, connected nodes form a parent-child relationship.
- A binary tree is a special type of tree where each node can have at most two children. Some nodes may have one child, two children, or none at all.
- Example of Tree in Computer: Organization of folder and files in OS.




Data structure – non-linear: Graph

- A graph is a non-linear data structure consisting of data elements called nodes/vertices and edges are the lines that connect any two nodes in that graph.
- Each node can contain information like roll number, name of student, marks, etc.
- In graph each node can have any number of edges, there is no any node called root or child.
- Graphs are used to solve network problems.
- Examples of networks include telephone networks, social networks like Facebook, etc.




Data structure – non-linear: Graph cont....

- **Types of graphs:** There are two types of graphs.
 - **Undirected Graph:**
In an undirected graph, nodes are connected by edges that are all bidirectional.
 - **Directed Graph:**
In a directed graph, nodes are connected by directed edges – they only go in one direction.



Undirected



Directed