Priority Queue

An Introduction

Md Awsaf Alam [1]
Ahmed Nafis Fuad[2]

[1]Department of CSE
BUET
[2]Department of CSE
BUET

July 11, 2018

Table of Contents

We are going to see

Sample Frame

A Binary (Max) Heap is a complete binary tree that maintains the Max Heap property.
Binary Heap is one possible data structure to model an efficient Priority Queue (PQ) Abstract Data Type (ADT). In a PQ, each element has a "priority" and an element with higher priority is served before an element with lower priority (ties are broken with standard First-In First-Out (FIFO) rule as with normal Queue). Try clicking ExtractMax() for a sample animation on extracting the max value of random Binary Heap above.
To focus the discussion scope, we design this visualization to show a Binary Max Heap that contains distinct integers only.

We are going to see

Simulation

Another Simulation

Table	X	Y
A	1	0
B	0	1

Another Simulation

Table	X	Y
A	1	0
B	0	1

Another Simulation

Table	X	Y
A	1	0
B	0	1

Another Simulation

Table	X	Y
A	1	0
B	0	1

We are going to see

Use of Columns and Images





Figure: Alternate representation of Pythagorean theorem.

We are going to see

We are going to see

Blocks

Sample Block

This is a sample block.

Sample Alert Block

This is a sample alert block.

Example

Sample example.

Blocks

Sample Block

This is a sample block.

Sample Alert Block

This is a sample **alert block**.

Example

Sample example.

Blocks

Sample Block

This is a sample block.

Sample Alert Block

This is a sample alert block.

Example

Sample example.

We are going to see