

Cucumber Report

Mar 25, 2024, 1:17:58 p.m.

Start : Mar 25, 1:17:51.776 p.m.

End : Mar 25, 1:17:57.781 p.m.

Duration : 6.005 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 3
FAILED - 0
SKIPPED - 0


PASSED - 9
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Users should be able to login</u>	6.005 s	3	3	0	0	9	9	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@wip	3	3	0	0	1	1	0	0
@login	3	3	0	0	1	1	0	0
@invalid	3	3	0	0	1	1	0	0

<i>AUTHOR</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>flora</i>	3	3	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Users should be able to login</u>	3	3	0	0	6.005 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Users should be able to login</u>	<u>unable Login with parameterization</u>	3	3	0	0	2.440 s
2		<u>unable Login with parameterization</u>	3	3	0	0	1.817 s
3		<u>unable Login with parameterization</u>	3	3	0	0	1.729 s

Users should be able to login



PASSED	DURATION - 6.005 s	Scenarios		Steps	
/ 1:17:51.776 p.m. // 1:17:57.781 p.m. /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

unable Login with parameterization

<div>PASSED</div>	<div>DURATION - 2.440 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:17:51.780 p.m. // 1:17:54.220 p.m. /				
Users should be able to login				
@wip @login @invalid				



#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.780 s
1	Given user is on "Login" page	PASSED	0.029 s
2	Given the users logged in with "negative" datatype as "driver" username: userblas password: Abc1	PASSED	0.521 s
3	Then users should get error message	PASSED	0.021 s

unable Login with parameterization

<div>PASSED</div>	<div>DURATION - 1.817 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:17:54.227 p.m. // 1:17:56.044 p.m. /</div>				
<div>Users should be able to login</div>				
<div>@wip @login @invalid</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.221 s
1	Given user is on "Login" page	PASSED	0.012 s
2	Given the users logged in with "negative" datatype as "salesmanager" username: sanejasd password: Aac2	PASSED	0.491 s
3	Then users should get error message	PASSED	0.026 s

unable Login with parameterization

<div>PASSED</div>	<div>DURATION - 1.729 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:17:56.052 p.m. // 1:17:57.781 p.m. /</div>				
<div>Users should be able to login</div>				
<div>@wip @login @invalid</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.206 s
1	Given user is on "Login" page	PASSED	0.009 s
2	Given the users logged in with "negative" datatype as "storemanager" username: manager password: Aac2	PASSED	0.420 s
3	Then users should get error message	PASSED	0.021 s