

Cucumber Report

Mar 25, 2024, 1:17:13 p.m.

Start : Mar 25, 1:16:05.772 p.m.

End : Mar 25, 1:17:12.252 p.m.

Duration : 1 m 6.480 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 4
SKIPPED - 0

PASSED - 32
FAILED - 4
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Users should be able to login</u>	1 m 6.480 s	10	6	4	0	36	32	4	0


#	Feature Name	Scenario Name
1	<u>Users should be able to login</u>	<u>User able to Logout</u>
2		<u>unable Login with parameterization</u>
3		<u>unable Login with parameterization</u>
4		<u>unable Login with parameterization</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@wip	10	6	4	0	1	0	1	0
@login	6	3	3	0	1	0	1	0
@logout	3	2	1	0	1	0	1	0
@remember_me	1	1	0	0	1	0	1	0
@invalid	3	0	3	0	1	0	1	0

<i>AUTHOR</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>awzal</i>	3	3	0	0	1	0	1	0
<i>flora</i>	6	2	4	0	1	0	1	0
<i>halzat</i>	1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Users should be able to login</u>	10	6	4	0	1 m 6.480 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Users should be able to login</u>	<u>Login with parameterization</u>	3	3	0	0	3.072 s
2		<u>Login with parameterization</u>	3	3	0	0	2.749 s
3		<u>Login with parameterization</u>	3	3	0	0	2.574 s
4		<u>User able to Logout</u>	5	5	0	0	2.770 s
5		<u>User able to Logout</u>	5	4	1	0	9.074 s
6		<u>User able to Logout</u>	5	5	0	0	3.215 s
7		<u>remember me functionality on login page</u>	3	3	0	0	6.684 s
8		<u>unable Login with parameterization</u>	3	2	1	0	12.137 s
9		<u>unable Login with parameterization</u>	3	2	1	0	12.097 s
10		<u>unable Login with parameterization</u>	3	2	1	0	12.034 s

Users should be able to login



<div>FAILED</div> <div>DURATION - 1 m 6.480 s</div>		<div>Scenarios</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 4</div> <div>Skip - 0</div>		<div><div></div><div>10</div></div>	<div>Steps</div> <div>Total - 36</div> <div>Pass - 32</div> <div>Fail - 4</div> <div>Skip - 0</div>		<div><div></div><div>36</div></div>
<div>/ 1:16:05.772 p.m. // 1:17:12.252 p.m. /</div>							

Login with parameterization

<div>PASSED</div> <div>DURATION - 3.072 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:16:05.777 p.m. // 1:16:08.849 p.m. /</div>			
<div>Users should be able to login</div>			
<div>@wip @login</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario()	PASSED	1.711 s
	URL successfully launched		
1	Given user is on "Login" page	PASSED	0.036 s
2	Given the user logged in with "positive" datatype as "driver"	PASSED	0.644 s
	username: user1 password: UserUser123		
3	Then user is on "Dashboard" page	PASSED	0.548 s

Login with parameterization

<div>PASSED</div> <div>DURATION - 2.749 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:16:08.855 p.m. // 1:16:11.604 p.m. /</div>			
<div>Users should be able to login</div>			
<div>@wip @login</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.213 s
1	Given user is on "Login" page	PASSED	0.009 s
2	Given the user logged in with "positive" datatype as "salesmanager" username: salesmanager101 password: UserUser123	PASSED	0.913 s
3	Then user is on "Dashboard" page	PASSED	0.527 s

Login with parameterization

<div>PASSED</div> <div>DURATION - 2.574 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:16:11.612 p.m. // 1:16:14.186 p.m. /</div>			
<div>Users should be able to login</div>			
<div>@wip @login</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.189 s
1	Given user is on "Login" page	PASSED	0.009 s
2	Given the user logged in with "positive" datatype as "storemanager" username: storemanager51 password: UserUser123	PASSED	0.771 s
3	Then user is on "Dashboard" page	PASSED	0.521 s

User able to Logout

<div>PASSED</div> <div>DURATION - 2.770 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:16:14.191 p.m. // 1:16:16.961 p.m. /</div>			
<div>Users should be able to login</div>			
<div>@logout @wip</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.138 s
1	Given user is on "Login" page	PASSED	0.009 s
2	Given the user logged in with "positive" datatype as "driver" username: user1 password: UserUser123	PASSED	0.498 s
3	Then user is on "Dashboard" page	PASSED	0.552 s
4	Then user click on "Logout" button	PASSED	0.473 s
5	And user is on "Login" page	PASSED	0.005 s



User able to Logout

<div>FAILED</div>	<div>DURATION - 9.074 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:16:16.967 p.m. // 1:16:26.041 p.m. /				
Users should be able to login				
@logout @wip				

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.095 s
1	Given user is on "Login" page	PASSED	0.007 s

#	Step / Hook Details	Status	Duration
2	Given the user logged in with "positive" datatype as "storemanager" username: storemanager51 password: UserUser123	PASSED	0.761 s
3	Then user is on "Dashboard" page	PASSED	0.522 s
4	Then user click on "Logout" button	PASSED	1.257 s
5	And user is on "Login" page org.openqa.selenium.TimeoutException: Expected condition failed: waiting for title to be "Login". Current title: "Dashboard" (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\afeil\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56297}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56297/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 725b784eb974913a2d160d41a9ea2d3f at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.vytrack.utils.BrowserUtil.titleTobe(BrowserUtil.java:36) at com.vytrack.utils.BrowserUtil.TitleVerification(BrowserUtil.java:40) at com.vytrack.stepdefs.LoginStepDef.user_is_on_page(LoginStepDef.java:20) at ?.user is on "Login" page(file:///C:/Users/afeil/IdeaProjects/Vytrack-front-end/src/test/resources/features/login.feature:23) * Not displayable characters are replaced by '?'. AFTER_STEP - com.vytrack.stepdefs.Hooks.after_step(io.cucumber.java.Scenario)	FAILED	5.200 s
	AFTER_STEP - com.vytrack.stepdefs.Hooks.after_step(io.cucumber.java.Scenario)	FAILED	0.122 s



User able to Logout

PASSED	DURATION - 3.215 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:16:26.049 p.m. // 1:16:29.264 p.m. /				
Users should be able to login				
@logout @wip				

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.245 s



#	Step / Hook Details	Status	Duration
1	Given user is on "Login" page	PASSED	0.008 s
2	Given the user logged in with "positive" datatype as "salesmanager" username: salesmanager101 password: UserUser123	PASSED	0.807 s
3	Then user is on "Dashboard" page	PASSED	0.513 s
4	Then user click on "Logout" button	PASSED	0.535 s
5	And user is on "Login" page	PASSED	0.007 s

remember me functionality on login page

PASSED	DURATION - 6.684 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:16:29.285 p.m. // 1:16:35.969 p.m. /				
Users should be able to login				
@wip @remember_me				

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.227 s
1	Given user is on "Login" page	PASSED	0.009 s
2	When user click on remember me button	PASSED	5.358 s
3	Then then the checkbox should be checked	PASSED	0.012 s



unable Login with parameterization

FAILED	DURATION - 12.137 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 1:16:35.973 p.m. // 1:16:48.110 p.m. /				
Users should be able to login				
@wip @login @invalid				

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.257 s
1	Given user is on "Login" page	PASSED	0.008 s
2	Given the users logged in with "negative" datatype as "driver" username: userblas password: Abc1	PASSED	0.494 s
3	Then users should get error message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[.='Invalid user name or password.']} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6bbe7fe1f006f836075d4b15ab889346, findElement {value=/div[.='Invalid user name or password.'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\afeil\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56371}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56371/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6bbe7fe1f006f836075d4b15ab889346 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at com.vytrack.pages.LoginPage.errorMessageDisplayed(LoginPage.java:88) at com.vytrack.stepdefs.LoginStepDef.usersShouldGetErrorMessage(LoginStepDef.java:46) at ?.users should get error message(file:///C:/Users/afeil/IdeaProjects/Vytrack-front-end/src/test/resources/features/login.feature:38) * Not displayable characters are replaced by '?'.	FAILED	10.047 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.vytrack.stepdefs.Hooks.after_step(io.cucumber.java.Scenario)	FAILED	0.195 s



unable Login with parameterization

FAILED		DURATION - 12.097 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 1:16:48.116 p.m. // 1:17:00.213 p.m. /						
Users should be able to login						
@wip @login @invalid						

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario() URL successfully launched	PASSED	1.284 s
1	Given user is on "Login" page	PASSED	0.008 s
2	Given the users logged in with "negative" datatype as "salesmanager" username: sanejasd password: Aac2	PASSED	0.460 s
3	Then users should get error message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[.='Invalid user name or password.']} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8eac829f36b7cb77ca2d62125173a9c7, findElement {value=/div[.='Invalid user name or password.'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\afeil\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56402}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56402/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8eac829f36b7cb77ca2d62125173a9c7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	10.058 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at com.vytrack.pages.LoginPage.errorMessageDisplayed(LoginPage.java:88) at com.vytrack.stepdefs.LoginStepDef.usersShouldGetErrorMessage(LoginStepDef.java:46) at ?.users should get error message(file:///C:/Users/afeil/IdeaProjects/Vytrack-front-end/src/test/resources/features/login.feature:38) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.vytrack.stepdefs.Hooks.after_step(io.cucumber.java.Scenario)	FAILED	0.187 s

unable Login with parameterization

FAILED	DURATION - 12.034 s	 <table border="1"><thead><tr><th>Step</th><th>Result</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>10</td></tr></tbody></table>	Step	Result	1	0	2	1	3	10	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> 
Step	Result										
1	0										
2	1										
3	10										
/ 1:17:00.218 p.m. // 1:17:12.252 p.m. /											
Users should be able to login											
@wip @login @invalid											

#	Step / Hook Details	Status	Duration
	BEFORE - com.vytrack.stepdefs.Hooks.setupScenario()	PASSED	1.255 s
	URL successfully launched		
1	Given user is on "Login" page	PASSED	0.006 s
2	Given the users logged in with "negative" datatype as "storemanager"	PASSED	0.460 s
	username: manager		
	password: Aac2		
3	Then users should get error message	FAILED	10.039 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[.='Invalid user name or password.']} (Session info: chrome=122.0.6261.131) For documentation on this error, please visit: https://www.selenium.dev/		

#	Step / Hook Details	Status	Duration
	<p>documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [55d33475b903d7f1629587f8a07582c6, findElement {value=/div[.='Invalid user name or password.'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.131, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\afeil\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56430}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56430/devtoo..., se:cdpVersion: 122.0.6261.131, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55d33475b903d7f1629587f8a07582c6</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at com.vytrack.pages.LoginPage.errorMessageDisplayed(LoginPage.java:88) at com.vytrack.stepdefs.LoginStepDef.usersShouldGetErrorMessage(LoginStepDef.java:46) at ?.users should get error message(file:///C:/Users/afeil/IdeaProjects/Vytrack-front-end/src/test/resources/features/login.feature:38)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - com.vytrack.stepdefs.Hooks.after_step(io.cucumber.java.Scenario)	FAILED	0.189 s