

Content Based Image Retrieval

II

Dr. Bassam Kurdy

Tutorial outline

- Lecture 1
 - Introduction
 - Applications
- Lecture 2
 - Performance measurement
 - Visual perception
 - Color features
- Lecture 3
 - Texture features
 - Shape features
 - Fusion methods
- Lecture 4
 - Segmentation
 - Key points detection
- Lecture 5
 - Multidimensional indexing
 - Survey of existing systems

Lecture 2

Performance measurement

Visual perception

Color features

Lecture 2: Outline

- Performance measurement
 - Retrieval effectiveness
- Some facts about human visual perception
- Color features
 - Color fundamentals
 - Color spaces
 - Color features: histograms and moments
 - Comparison

Performance measurement

Performance concerns

- Efficiency
 - Important due to the large data size
- Retrieval effectiveness
 - No similarity metric which exactly conforms to human perception

Effectiveness measurement

- “You can see, that our results are better”



Effectiveness measurement

- “You can see, that our results are better”
- User comparison
- Numerical-valued measures
 - Rank of the best image
 - Average rank of relevant images
 - Percentage of weighted hits
 - Percentage of similarity ranking

$$P = \frac{\sum_{i=1}^n w_i}{\sum_{i=1}^N w_i}$$

$$S(i) = \sum_{k=K_1}^{K_2} Q(i, k), \quad K_1 = P(i) - \sigma(i), \quad K_2 = P(i) + \sigma(i)$$

Effectiveness measurement (2)

- Numerical-valued measures
 - Recall and precision

$$precision = \frac{\text{No. relevant documents retrieved}}{\text{Total No. documents retrieved}},$$

$$recall = \frac{\text{No. relevant documents retrieved}}{\text{Total No. relevant documents in the collection}}$$

- Average recall/precision
- Recall at N, Precision at N
- F-measure

Effectiveness measurement (3)

- Numerical-valued measures

- Target testing
- Error rate



$$\text{Error rate} = \frac{\text{No. non-relevant images retrieved}}{\text{Total No. images retrieved}}$$

- Retrieval efficiency

$$\text{Retrieval efficiency} = \begin{cases} \frac{\text{No. relevant images retrieved}}{\text{Total No. images retrieved}} & \text{if No. retrieved} > \text{No. relevant,} \\ \frac{\text{No. relevant images retrieved}}{\text{Total No. relevant images}} & \text{otherwise.} \end{cases}$$


Effectiveness measurement (3)

- Graphical representations
 - Precision versus Recall graphs
 - Precision at N versus N, Recall at N versus N
 - Retrieval accuracy versus noise graph




Effectiveness measurement (4)

- Different measurement (QBIC versus MMT)



(a)



(b)

Average performance measured using (a) the percentage of similarity ranking method (b) recall and precision pair

Lecture 2: Outline

- Performance measurement
 - Retrieval effectiveness
- Some facts about human visual perception
- Color features
 - Color fundamentals
 - Color spaces
 - Color features: histograms and moments
 - Comparison


Some facts about our visual perception

- We are driven by a desire to make meanings
(We all seem to 'see things' in inkblots, flames, stains, clouds and so on.)
- Human visual perception is self-learning
 - If you are an European, it is hard to recognize Japanese and Chinese faces
 - We are looking for the known objects in the picture



Some facts about our visual perception


- We are looking for the known objects in the picture



Some well known optical illusions


Some facts about our visual perception

- Cultural and environmental factors affects the way we see things



Are these stairs goes up or down?

- Arabs would read this (right to left) as a set of stairs going down



Is left line shorter than the right one?


- Left: *outside* corner of a building
- Right: *inside* corner of a room

Inside corner may appear to be nearer (and therefore larger)

Some facts about our visual perception


- Perceived brightness is not a simple function of intensity

– Mach band effect
(Scalloped effect)




Some facts about our visual perception

- Perceived brightness is not a simple function of intensity



– Simultaneous contrast




Lecture 2: Outline

- Performance measurement
 - Retrieval effectiveness
- Some facts about human visual perception
- Color features
 - Color fundamentals
 - Color spaces
 - Color features: histograms and moments
 - Comparison

Color fundamentals

- Color in the eye



Normalized typical human cone cell responses (S, M, and L types) to monochromatic spectral stimuli


– Varying sensitivity of different cells in the retina (cones) to light of different wavelengths:

- S-cones: short-wavelength (blue);
- M-cones: middle-wavelength (green);
- L-cones: long-wavelength (red).


Cone type	Name	Range	Peak wavelength
S	β	400–500 nm	420–440 nm
M	γ	450–630 nm	534–545 nm
L	ρ	500–700 nm	564–580 nm

Color fundamentals

- Primary and secondary colors



Mixture of lights
(Additive primaries)



Mixture of pigments
(Subtractive primaries)

- Due to different absorption curves of the cones, colors are seen as variable combinations of the so-called primary colors: red, green and blue.
- The primary colors can be added to produce the secondary colors of light: magenta ($R+B$), cyan ($G+B$), and yellow ($R+G$).
- For pigments and colorants, a primary color is the one that subtracts (absorbs) a primary color of light and reflects the other two.

Color fundamentals

- Brightness, hue, and saturation
 - Brightness is a synonym of intensity
 - Hue represents the impression related to the dominant wavelength of the color stimulus
 - Saturation expresses the relative color purity (amount of white light in the color)
 - Hue and Saturation taken together are called the chromaticity coordinates (polar system)

Color fundamentals


- From tristimulus values to chromaticity coordinates
 - The amounts of red, green, and blue needed to form any particular color are called the **tristimulus values** and denoted by **X**, **Y**, and **Z**
 - The chromaticity coordinates x and y (Cartesian system) are obtained as:

$$x = \frac{X}{X + Y + Z}, \quad y = \frac{Y}{X + Y + Z}, \quad z = \frac{Z}{X + Y + Z}$$

$$x + y + z = 1$$

Color fundamentals

• CIE xy Chromaticity Diagram




The CIE 1931 chromaticity diagram.


- Created by the International Commission on Illumination (CIE) in 1931.
- Function of x (red) and y (green) :
 $z = 1 - (x + y)$.
- The outer boundary is the spectral (monochromatic) locus, wavelengths shown in nm.
- $(x,y) = (1/3,1/3)$ is a flat energy spectrum point (point of equal energy).
- Any point on the boundary is completely saturated.
- Boundary \rightarrow point of equal energy : saturation $\rightarrow 0$

Color fundamentals

- Color Gamut



Gamut of the CIE RGB primaries and location of primaries on the CIE 1931 xy chromaticity diagram.



Typical gamuts of a monitor and of a printing device.

Lecture 2: Outline



- Performance measurement
 - Retrieval effectiveness
- Some facts about human visual perception
- Color features
 - Color fundamentals
 - Color spaces
 - Color features: histograms and moments
 - Comparison

Color spaces

- The purpose of a *color space* (or *color model* or *color system*) is to facilitate the specification of colors in some standard way.
- A color model provides a *coordinate system* and a *subspace* in it where each color is represented by a single point.
- Common color spaces:
 - RGB (monitors, video cameras),
 - CMY/CMYK (printers),
 - HSI/HSV/HSL/HSB (image processing),
 - CIE Lab (image processing).

Color spaces


- RGB color space



If R, G, and B are represented with 8 bits (24-bit RGB image), the total number of colors is $(2^8)^3 = 16,777,216$

Color spaces

- Munsell color system



- By Professor Albert H. Munsell in the beginning of the 20th century.
- Specifies colors based on 3 color dimensions, hue, value (lightness), and chroma (color purity or colorfulness).




Munsell hues; value 6 / chroma 6

Color spaces

- HSI/HSL/HSV/HSB color spaces
 - RGB, CMY/CMYK are hardware oriented color spaces (suited for image acquisition and display).
 - The HSI/... (Hue, Saturation, Intensity/Lightness/Value/Brightness) are perceptive color spaces (suited for image description and interpretation).
 - Allow the decoupling of chromatic signals (H+S) from the intensity signal (I).

Color spaces

- HSI/HSL/HSV/HSB color spaces




Graphical depiction of HSV (cylinder and cone)

$$I = \frac{R + G + B}{3}$$

$$L = \frac{\max(R, G, B) + \min(R, G, B)}{2}$$

$$V = \max(R, G, B)$$





Graphical depiction of HSL

<http://www.easyrgb.com/index.php?X=MATH>

Lecture 2: Outline

- Performance measurement
 - Retrieval effectiveness
- Some facts about human visual perception
- Color features
 - Color fundamentals
 - Color spaces
 - Color features: histograms and moments
 - Comparison

Color features



$$F(I) = (h_1^I, h_2^I, \dots, h_N^I)$$

Metrics: L_1, L_2, L_∞

Statistical moments for every color channel

$$F(I) = (E_1^I, E_2^I, E_3^I, \sigma_1^I, \sigma_2^I, \sigma_3^I, s_1^I, s_2^I, s_3^I)$$

Metrics: $\sim L_1$

Stricker M., Orengo M. Similarity of Color Images. Proceedings of the SPIE Conference, vol. 2420, p. 381-392, 1995

Intensity Histogram


Intensity Histogram

- **Example**


a 4x4, 4bits/pixel image →

1	8	6	6
6	3	11	8
8	8	9	10
9	10	10	7




k	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
H(k)	0	1	0	1	0	0	3	1	4	2	3	1	0	0	0	0



Intensity Histogram



Intensity Histogram



Color histograms



- Quantization of color space



- Quantization is important: size of the feature vector.
- When no color similarity function used:
 - Too many bins – similar colors are treated as dissimilar.
 - Too little bins – dissimilar colors are treated as similar.


Color histograms

- Quantization of color space: recall




Color histograms

- Quantization of color space: precision



ImageDB-100





ImageDB-1000

Cumulative Histogram


2	8	9	9
2	3	10	9
8	3	3	11
8	3	10	11

k	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
H(k)	0	0	2	4	0	0	0	0	3	3	2	2	0	0	0	0
Q(k)	0	0	2	6	6	6	6	6	9	12	14	16	16	16	16	16



Color histograms: main disadvantages


1. Colors similarity across histo bins is not considered:



$$d(H_1, H_2) > d(H_1, H_3)$$




- Cumulative histograms



Color histograms: main disadvantages

1. Colors similarity across histo bins is not considered:



$$d(H_1, H_2) > d(H_1, H_3)$$

- Cumulative histograms


- $$d(H_1, H_2) = \sqrt{(H_1 - H_2) \cdot A \cdot (H_1 - H_2)^T}$$

A – matrix with color similarity coefficients

Niblack W., Barber R., et al. The QBIC project: Querying images by content using color, texture and shape. In IS&T/SPIE International Symposium on Electronic Imaging: Science & Technology, Conference 1908, Storage and Retrieval for Image and Video Databases, Feb. 1993

Color histograms: main disadvantages

1. Colors similarity across histo bins is not considered:




$$d(H_1, H_2) > d(H_1, H_3)$$

- Cumulative histograms


- $d(H_1, H_2) = \sqrt{(H_1 - H_2) \cdot A \cdot (H_1 - H_2)^T}$

- Fuzzy histo



Color histograms: main disadvantages

1. Colors similarity across histo bins is not considered:



$$d(H_1, H_2) > d(H_1, H_3)$$

- Cumulative histograms

- $d(H_1, H_2) = \sqrt{(H_1 - H_2) \cdot A \cdot (H_1 - H_2)^T}$

- Fuzzy histo


- Color similarity measure

$$\Delta E_{RGB} = \sqrt{\Delta R^2 + \Delta G^2 + \Delta B^2}$$

$$D_{cyl} = \sqrt{\Delta L^{*2} + C^{*1}_1{}^2 + C^{*2}_2{}^2 - 2C^{*1}_1 C^{*2}_2 \cos(\Delta H)}$$

Color histograms: main disadvantages

2. Spatial color layout is not considered:



$$dist(Q, I) = \sum_{i=1}^N \begin{cases} \alpha |h_i^Q - h_i^I| \sqrt{(x_i^Q - x_i^I)^2 + (y_i^Q - y_i^I)^2}, & h_i^Q \neq 0, h_i^I \neq 0; \\ \beta h_i^Q, & h_i^Q \neq 0, h_i^I = 0; \\ \beta h_i^I, & h_i^I \neq 0, h_i^Q = 0. \end{cases}$$


Color moments

- Average, standard deviation, skewness

$$E_i = \frac{1}{N} \sum_{j=1}^N p_{ij} \quad , \quad \sigma_i = \left(\frac{1}{N} \sum_{j=1}^N (p_{ij} - E_i)^2 \right)^{\frac{1}{2}} \quad \text{and} \quad s_i = \left(\frac{1}{N} \sum_{j=1}^N (p_{ij} - E_i)^3 \right)^{\frac{1}{3}}$$

$$d_{\text{mom}}(H, I) = \sum_{i=1}^r w_{i1} |E_i - F_i| + w_{i2} |\sigma_i - \varsigma_i| + w_{i3} |s_i - t_i|$$

- Average, covariance matrix of the color channels
- Consider spatial layout: fuzzy regions



Stricker M., Dimai A. Spectral Covariance and Fuzzy Regions for Image Indexing. Machine Vision and Applications, vol. 10., p. 66-73, 1997




Lecture 2: Outline

- Performance measurement
 - Retrieval effectiveness
- Some facts about human visual perception
- Color features
 - Color fundamentals
 - Color spaces
 - Color features: histograms and moments
 - Comparison

Histograms or color moments? (1)





Stricker M., Orengo M. Similarity of Color Images. ... (3000 images)


		rank of the image			max.
index	sim. measure				rank
9 moments	W_1	4	5	8	8
	W_2	2	8	6	8
	W_3	4	6	9	9
cum. hist.	8/2/2 L_∞	34	98	79	98
	16/4/4 L_∞	3	57	42	57
	8/2/2 L_1	53	162	30	162
	16/4/4 L_1	33	354	8	354
	8/2/2 L_2	65	158	34	158
	16/4/4 L_2	15	306	11	306
histogram	8/2/2 L_1	138	394	48	394
	16/4/4 L_1	4	132	6	132
	8/2/2 L_2	71	541	102	541
	16/4/4 L_2	10	1358	75	1358

Histograms or color moments? (2)


ImageDB-1000



Histograms or color moments? (3)



Histograms or color moments? (4)



Lecture 2: Resume

- Performance: efficiency and effectiveness
 - Lack of the common benchmark collections and retrieval effectiveness measurement
- Human visual perception is very complex
 - Have to take into account known facts about our perception to reduce the semantic gap
- Color features: histograms and moments
 - On heterogeneous collections moments are slightly better
 - Fusion of histograms and moments can give better results

Lecture 2: Bibliography

- Muller H., Muller W., McG. Squire D., Marchand-Maillet S., Pun T. Performance evaluation in content-based image retrieval: overview and proposals. In Pattern Recognition Letters, vol. 22, pp. 593-601, 2001.
- Lu G. , Sajjanhar A. On performance measurement of multimedia information retrieval systems. In Proc of the International Conference on Computational Intelligence and Multimedia Applications, pp.781-787, 1998.
- Swain M. J., Ballard D. H. Color indexing. In International Journal of Computer Vision, vol. 7, no. 1, pp. 1132, 1991.
- Stricker M., Orengo M. Similarity of Color Images. In Proc. of the SPIE Conference, vol. 2420, pp. 381 – 392, 1995.
- Stricker M., Dimai A. Spectral Covariance and Fuzzy Regions for Image Indexing. In Machine Vision and Applications, vol. 10, pp. 66 – 73, 1997.
- Sarifuddin M., Missaoui R. A new perceptually uniform color space with associated color similarity measure for content based image and video retrieval. In Proc. of the ACM SIGIR Workshop on Multimedia Information Retrieval, 2005.
- Sural S., Qian G., Pramanik S. A histogram with perceptually smooth color transition for image retrieval. In Proc. of the Fourth International Conference on Computer Vision, Pattern Recognition and Image Processing, 2002.