
vs the 1D CNN default (gravity frame)
augmentation: mirror only
augmentation: none
channels: gravity + body frame (12, grip-invariant)
channels: all 17
channels: chiral only (2)
head: global average (no time position)
normalisation: per-trial RMS
normalisation: none (raw units)
normalisation: median/IQR, winsorised at 5
symmetry: antisymmetric g(x) - g(mirror x)
window: fixed 3 s (absolute time, mask channel)
vs the MiniRocket default
channels: chiral only (2)
normalisation: per-trial RMS
symmetry: phi(x) - phi(mirror x)
vs the STFT logistic default
tf model: 2D CNN on the signed planes
tf transform: CWT (Morlet)
body-frame re-checks (vs body CNN)
normalisation (body frame): per-trial RMS
symmetry (body frame): antisymmetric g(x) - g(mirror x)
window (body frame): fixed 3 s (absolute time, mask channel)
nested estimates (vs the 1D CNN default)
deep, grip-invariant configuration chosen in every fold
deep, configuration chosen in every fold
deep, architecture chosen in every fold
grip transfer, rotated grips
body (12) vs gravity frame (8), all-grip training (rotated grips)
body frame upright-only vs gravity frame all-grip (rotated grips)
body frame (12): upright-only vs all-grip training (rotated grips)
device frame (17): upright-only vs all-grip training (rotated grips)
Holm-adjusted verdict
better
worse
no detectable difference
off scale: -35.1 [-45.0, -24.7]
80.4%, Holm p = 1.000
80.4%, Holm p = 1.000
89.1%, Holm p < 0.001
88.3%, Holm p = 0.047
82.3%, Holm p = 1.000
78.9%, Holm p = 0.229
83.1%, Holm p = 1.000
81.8%, Holm p = 1.000
80.3%, Holm p = 1.000
81.1%, Holm p = 1.000
82.8%, Holm p = 1.000
81.8%, Holm p = 1.000
82.8%, Holm p = 1.000
81.4%, Holm p = 1.000
82.8%, Holm p = 0.877
73.1%, Holm p = 0.022
91.0%, Holm p = 0.070
89.5%, Holm p = 1.000
89.3%, Holm p = 1.000
89.1%, Holm p < 0.001
87.8%, Holm p < 0.001
80.8%, Holm p = 0.501
88.8%, Holm p = 1.000
85.3%, Holm p = 1.000
85.3%, Holm p = 0.188
54.3%, Holm p < 0.001
−15
−10
−5
0
5
10
mean per-person accuracy difference (points, 95 % CI)