

Work-Package 7: “Primary tool chain”

## Report on the final choices for the primary toolchain

Decision on the final choice for the means of description (O7.1.4), tools (O7.1.8) and tool platform (O7.1.11)

Marielle Petit-Doche

July 2013



Funded by:


 Federal Ministry  
 of Education  
 and Research

 Région de  
 Bruxelles-  
 Capitale

 GOBIERNO  
 DE ESPAÑA

 MINISTERIO  
 DE INDUSTRIA, ENERGÍA  
 Y TURISMO

This page is intentionally left blank

**Work-Package 7: “Primary tool chain”**

**OETCS/WP7/D7.1 – 00/01**

**July 2013**

# Report on the final choices for the primary toolchain

**Decision on the final choice for the means of description (O7.1.4), tools (O7.1.8) and tool platform (O7.1.11)**

Marielle Petit-Doche

Systerel

Deliverable

Prepared for openETCS@ITEA2 Project

**Abstract:** This document gives a description and the results of the first task of WP7. The objectives of the task are to analyse and recommend, means, tools and platform to develop the primary tool chain of Open ETCS.

**Disclaimer:** This work is licensed under the "openETCS Open License Terms" (oOLT) dual Licensing: European Union Public Licence (EURL v.1.1+) AND Creative Commons Attribution-ShareAlike 3.0 – (cc by-sa 3.0)

THE WORK IS PROVIDED UNDER openETCS OPEN LICENSE TERMS (oOLT) WHICH IS A DUAL LICENSE AGREEMENT INCLUDING THE TERMS OF THE EUROPEAN UNION PUBLIC LICENSE (VERSION 1.1 OR ANY LATER VERSION) AND THE TERMS OF THE CREATIVE COMMONS PUBLIC LICENSE ("CCPL"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS OLT LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

<http://creativecommons.org/licenses/by-sa/3.0/>  
<http://joinup.ec.europa.eu/software/page/eupl/licence-eupl>

# Table of Contents

<b>Figures and Tables.....</b>	<b>iv</b>
<b>1 Introduction.....</b>	<b>1</b>
1.1 T7.1 objective.....	1
1.2 T7.1 activities.....	1
1.3 Glossary .....	1
<b>2 Results on means and tools for primary tool chain .....</b>	<b>4</b>
2.1 Initial list of candidates .....	4
2.2 Evaluation results.....	4
2.3 Short list .....	7
2.4 Results on tool platform .....	7
<b>3 Decision .....</b>	<b>9</b>
3.1 Decision on the tool platform .....	9
3.2 Decisions for high level step .....	9
3.3 Propositions of approach to cover all the design process .....	9
3.4 Conclusion .....	9
<b>References.....</b>	<b>10</b>
<b>Appendix A: SysML and Scade .....</b>	<b>12</b>
A.1 Description of the approach for OpenETCS design process.....	12
A.2 Integration of the approach with SysML/Papyrus .....	12
A.3 Integration of the approach with Eclipse .....	12
A.4 Benefits versus OpenETCS requirements.....	12
A.5 Shortcomings versus OpenETCS requirements.....	12
A.6 On going work for openETCS project.....	12
A.7 Conclusion and other comments.....	12
<b>Appendix B: SysML, ErtmsFormalSpec and Topcased .....</b>	<b>13</b>
B.1 Description of the approach for OpenETCS design process.....	13
B.2 Integration of the approach with SysML/Papyrus .....	13
B.3 Integration of the approach with Eclipse .....	13
B.4 Benefits versus OpenETCS requirements.....	13
B.5 Shortcomings versus OpenETCS requirements.....	13
B.6 On going work for openETCS project.....	13
B.7 Conclusion and other comments.....	13
<b>Appendix C: SysML and ClassicalB.....</b>	<b>14</b>
C.1 Description of the approach for OpenETCS design process.....	14
C.2 Integration of the approach with SysML/Papyrus .....	14
C.3 Integration of the approach with Eclipse .....	14
C.4 Benefits versus OpenETCS requirements.....	14
C.5 Shortcomings versus OpenETCS requirements.....	14
C.6 On going work for openETCS project.....	14
C.7 Conclusion and other comments.....	14

# Figures and Tables

**Figures**

Figure 1. Main OpenETCS process ..... 2

Figure 2. Repository of models ..... 5

Figure 3. Results of candidates ..... 6

Figure 4. Short list of candidates ..... 8

**Tables**

Document information	
Work Package	WP7
Deliverable ID or doc. ref.	D.7.1 (including O7.1.4, O7.1.8, O7.1.11)
Document title	Report on the final choices for the primary toolchain
Document version	00.01
Document authors (org.)	Marielle Petit-Doche (Systerel)

Review information	
Last version reviewed	00.01
Main reviewers	

Approbation			
	Name	Role	Date
Written by	Marielle Petit-Doche	WP7-T7.1 Sub-Task Leader	
Approved by	Michael Jastram	WP7 leader	

Document evolution			
Version	Date	Author(s)	Justification
00.01	08/07/2013	M. Petit-Doche	Document creation





# 1 Introduction

The aim of this document is to report the results of the task T7.1 of WP7 : "Primary tool Chain analyses and recommendations".

## 1.1 T7.1 objective

The objectives of this task are to identify the modelling languages, the tools and the tool platform suitable to define the primary tool chain of OpenETCS project. This primary tool chain shall cover all specification and design activities of the OpenETCS process (part in blue in 1). For more details see D2.3 [1] and D2.6-9 [2]. Means and tools for other activities described on figure 1 (mainly verification, validation and safety activities) are going to be discussed during the task T7.2 of WP7.

## 1.2 T7.1 activities

The activities have started in November 2012, with a proposal of benchmark organisation. After selection of a set of case studies (specified in D2.5 [3]), different approaches have been proposed and models have been stored on a common open github repository. All the methods have been presented during a public meeting in April 2013.

Besides, a set of criteria have been defined according the D2.6-9 requirement document [2]. The results are record in the outputs O7.1.3-O7.1.7 [4] for means and tools and O7.1.9 [5] for tool platform.

A decision meeting took place the 4th of July 2013 to analyse the results of the benchmark and to decide which means and tools will be retained during the process.

Results of the decision are given in this current document.

## 1.3 Glossary

**API** Application Programming Interface

**FIS** Functional Interface Specification

**HW** Hardware

**I/O** Input/Output

**OBU** On-Board Unit

**PHA** Preliminary Hazard Analysis

**SIL** Safety Integrity Level

**SRS** System Requirement Specification

**SSHA** Sub-System Hazard Analysis

**SSRS** Sub-System Requirement Specification




Figure 1. Main OpenETCS process

**SW** Software

**V&V** Verification & Validation

## 2 Results on means and tools for primary tool chain

### 2.1 Initial list of candidates

The initial list of candidates is the following:

- GOPRR
- CORE
- ERTMSFormalSpecs
- SysML with Papyrus
- SysML with Enterprise Architect
- SCADE
- EventB with Rodin
- Classical B with Atelier B
- Petri Nets
- System C
- UPPAAL
- Why3
- GNATprove

For each approach and tool, the initial author of the evaluation is the partner in charge of the modelling. Two assessors, for each approaches, are in charge of the review of the evaluation and can correct it or add comments. For each approaches, the models are available on the public github <https://github.com/openETCS/model-evaluation/tree/master/model> (see 2). Scores of each approaches according the evaluation criteria are record in appendix of the outputs O7.1.3-O7.1.7 [4].

### 2.2 Evaluation results

In the conclusion part of O7.1.3-O7.1.7 [4], the first table show how the evaluated approaches cover the openETCS design process:




Figure 2. Repository of models

	GOPRR	ERTMSFormalSpecs	SysML with Papyrus	SysML with EA	SCADE	EventB	Classical B	System C	Petri Nets	GNATprove
System Analysis	5	1	7	9	3	9	3	2	6(9)	2 (3)
Sub-system formal design	9	9	6	7	9	9	5	5	6(9)	3 (4)
Software design	9	0	6	7	9	6	9	9	6(9)	6(9)
Software code generation	9	0	3	3	9	3	9	6	2 (3)	6(9)

The highest score is 9 and means that the criteria is fully respected, the lowest score is 0. The higher scores for each approach is graphically represented on figure 3.

The second table in the conclusion part of O7.1.3-O7.1.7 [4], shows that all evaluated approaches, except GnatProve, are adapted to modeling and design activities:




Figure 3. Results of candidates

	GOPRR	ERTMS Formal Specs	SysML with Papyrus	SysML with EA	SCADE	EventB	Classical B	System C	Petri Nets	GNATprove
Documentation	3	7	6	7	8	7	0	0	2 (3)	2 (3)
Modeling	9	9	9	9	9	9	9	8	6(9)	2 (3)
Design	6	9	6	7	9	7	8	9	5(7)	3 (4)
Code generation	9	1	3	4	9	3	9	5 *	2 (3)	6(9)
Verification	0	7	6	3	8	9	9	4 *	6(9)	6(9)
Validation	0	9	5	4	8	9	4	7	6(9)	6(9)
Safety analyses	0	0	4 *	6	1	6	3	3 *	5(7)	2(3)

According to this result, GantProve has been proposed to join the evaluation of secondary tools (task T7.2). During the benchmark activities, UPPAAL, which is a tool dedicated to the verification and validation of time-constraints properties, has also been proposed for the benchmark on secondary tools.

## 2.3 Short list

*Todo: MPD: Description of discarded approach and short list of approaches*

## 2.4 Results on tool platform

*Todo: Description of the candidates by Cecile Braunstein*




Figure 4. Short list of candidates



## 3 Decision

### 3.1 Decision on the tool platform

*Todo: MPD: Choice of Eclipse (version Kepler 4.3 RC3 ?)*

### 3.2 Decisions for high level step

*Todo: MPD : Choice of SysML with Papyrus (release 1.2 for SysML and 0.10.0 for papyrus ?)*

### 3.3 Propositions of approach to cover all the design process

*Todo: MPD: list of on going propositions to cover low levels of design process*

### 3.4 Conclusion

## References

- [1] Marielle Petit-Doche and Matthias Güdemann. openETCS process. Technical Report D2.3, OpenETCS, 2013.
- [2] Sylvain Baro and Jan Welte. Requirements for openETCS. Technical Report D2.6, OpenETCS, 2013.
- [3] Guillaume Pottier David Mentre, Stanislas Pinte and WP2 participants. Methods and tools benchmarking methodology. Technical Report D2.5, OpenETCS, 2013.
- [4] Marielle Petit-Doche and WP7 partners. Evaluation of the means and tools against the WP2 requirements. Results O7.1.3-O7.1.7, OpenETCS, 2013.
- [5] Cécile Braunstein and WP7 partners. Evaluation of tool platforms against the WP2 requirements. Results O7.1.9, OpenETCS, 2013.
- [6] Michael Jastram, Marielle Petit-Doche, Jonas Helming, and Jan Peleska. openETCS toolchain WP7 descripton of work. Defin D01, OpenETCS, February 2013.
- [7] Rico Kaseroni. Project quality assurance plan. Technical Report D1.3.1, OpenETCS, 2013.
- [8] Merlin Pokam and Norbert Schäfer. Report on CENELEC standards. Technical Report D2.2, OpenETCS, 2013.
- [9] Jan Welte and Hansjörg Manz. Report on existing methodologies. Technical Report D2.1, OpenETCS, 2013.
- [10] Hardi Hungar. Report on v&v plan and methodology. Technical Report D4.1, openETCS, 2013.
- [11] Jani Welte. Safety plan. Technical Report O 4.4.1, openETCS, October 2013.
- [12] Klaus-Rüdiger Hase. Project outline full project proposal annex openETCS. Technical Report v2.2, openETCS, 2011.
- [13] UNISIG. SUBSET-026 – System Requirements Specification. Technical Report 3.3.0, ERA, March 2012.
- [14] UNISIG. SUBSET-076 – Test related ERTMS documentation (this version is related to version 2.3.y of SUBSET-026). Technical Report 2.3.y, ERA.
- [15] UNISIG. SUBSET-088 2.3.0 - ETCS Application Levels 1 & 2 - Safety Analysis. Technical Report 2.3.0, ERA.
- [16] UNISIG. SUBSET-091 3.2.0 — Safety Requirements for the Technical Interoperability of ETCS in Levels 1 & 2. Technical Report 3.2.0, ERA.
- [17] UNISIG. SUBSET-034 3.0.0 — Train interface FIS. Technical Report 3.0.0, ERA.
- [18] Comission Decision. CCS TSI for HS and CR transeuropean rail. Technical Report 2012/88/EU, EU, January 2012.

- [19] European Standard. *Railway applications-Communication, signalling and processing system- Software for railway control and protection system*. CENELEC EN 50128. DIN, October 2011.
- [20] European Standard. *Railways applications — The specification and demonstration of Reliability, Availability, Maintainability and Safety (RAMS) — Part 1: Basic requirements and generic process*. CENELEC EN 50126\_1. DIN, January 2000.
- [21] European Standard. *Railway applications — Communication, signalling and processing systems — Safety related electronic systems for signalling*. CENELEC EN 50129. DIN, May 2003.

## Appendix A: SysML and Scade

*Todo: Description of the approach by Uwe Steinke.*

### A.1 Description of the approach for OpenETCS design process

*Todo: How the proposed approach covers all "blue" design process ( see 1) ?*

### A.2 Integration of the approach with SysML/Papyrus

*Todo: How the proposed approach can be integrated with the SysML/ Papyrus selected for the high level of design process ?*

### A.3 Integration of the approach with Eclipse

*Todo: How the proposed approach can be integrated with the Eclipse, selected as platform for OpenETCS tool chain ?*

### A.4 Benefits versus OpenETCS requirements

*Todo: Discuss the benefits in regards of OpenETCS requirements and expected results.*

### A.5 Shortcomings versus OpenETCS requirements

*Todo: Discuss the shortcomings in regards of OpenETCS requirements and expected results.*

### A.6 On going work for openETCS project

*Todo: Which are the elements to clarify, to specify or to develop, in order the approach suit the openETCS process ?*

*How can we evaluate and plan this work ?*

*which skills is needed ?*

### A.7 Conclusion and other comments

## Appendix B: SysML, ErtmsFormalSpec and Topcased

*Todo: Description of the approach by Stanislas Pinte.*

### B.1 Description of the approach for OpenETCS design process

*Todo: How the proposed approach covers all "blue" design process ( see 1) ?*

### B.2 Integration of the approach with SysML/Papyrus

*Todo: How the proposed approach can be integrated with the SysML/ Papyrus selected for the high level of design process ?*

### B.3 Integration of the approach with Eclipse

*Todo: How the proposed approach can be integrated with the Eclipse, selected as platform for OpenETCS tool chain ?*

### B.4 Benefits versus OpenETCS requirements

*Todo: Discuss the benefits in regards of OpenETCS requirements and expected results.*

### B.5 Shortcomings versus OpenETCS requirements

*Todo: Discuss the shortcomings in regards of OpenETCS requirements and expected results.*

### B.6 On going work for openETCS project

*Todo: Which are the elements to clarify, to specify or to develop, in order the approach suit the openETCS process ?*

*How can we evaluate and plan this work ?*

*which skills is needed ?*

### B.7 Conclusion and other comments

## Appendix C: SysML and ClassicalB

*Todo: Description of the approach by Alexander Stante.*

### C.1 Description of the approach for OpenETCS design process

*Todo: How the proposed approach covers all "blue" design process ( see 1) ?*

### C.2 Integration of the approach with SysML/Papyrus

*Todo: How the proposed approach can be integrated with the SysML/ Papyrus selected for the high level of design process ?*

### C.3 Integration of the approach with Eclipse

*Todo: How the proposed approach can be integrated with the Eclipse, selected as platform for OpenETCS tool chain ?*

### C.4 Benefits versus OpenETCS requirements

*Todo: Discuss the benefits in regards of OpenETCS requirements and expected results.*

### C.5 Shortcomings versus OpenETCS requirements

*Todo: Discuss the shortcomings in regards of OpenETCS requirements and expected results.*

### C.6 On going work for openETCS project

*Todo: Which are the elements to clarify, to specify or to develop, in order the approach suit the openETCS process ?*

*How can we evaluate and plan this work ?*

*which skills is needed ?*

### C.7 Conclusion and other comments