


ITEA2 Project Call 6 11025 2012 - 2015

Work-Package 7: "Toolchain"

Toolchain Test Plan

Amaia Martija August 2014



Funded by:













This page is intentionally left blank

Work-Package 7: "Toolchain"

OETCS/WP7/D7.3 August 2014

Toolchain Test Plan

Document approbation

Lead author:	Technical assessor:	Quality assessor:	Project lead:
location / date	location / date	location / date	location / date
signature	signature	signature	signature
Amaia Martija	xxxx	Izaskun de la Torre	Klaus-Rüdiger Hase
(SQS)	(xxx)	(SQS)	(DB Netz)

Amaia Martija SQS

Tool chain Test Plan

Prepared for openETCS@ITEA2 Project

Abstract: This document describes the way in which the Open ETCS tool chain will be tested in the validation stage, the test strategy covers, the OpenETCS interface and the plugins it works with.

Disclaimer: This work is licensed under the "openETCS Open License Terms" (oOLT) dual Licensing: European Union Public Licence (EUPL v.1.1+) AND Creative Commons Attribution-ShareAlike 3.0 – (cc by-sa 3.0)

THE WORK IS PROVIDED UNDER OPENETCS OPEN LICENSE TERMS (OOLT) WHICH IS A DUAL LICENSE AGREEMENT INCLUDING THE TERMS OF THE EUROPEAN UNION PUBLIC LICENSE (VERSION 1.1 OR ANY LATER VERSION) AND THE TERMS OF THE CREATIVE COMMONS PUBLIC LICENSE ("CCPL"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS OLT LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

http://creativecommons.org/licenses/by-sa/3.0/

http://joinup.ec.europa.eu/software/page/eupl/licence-eupl

OETCS/WP7/D7.3 iii

Table of Contents

Do	cume	nt Information	IV
1	Intro	duction to Toolchain Test Plan	. 1
	1.1	Introduction	. 1
	1.2	Executive Summary	. 1
	1.3	Intended Audience	. 1
	1.4	Evolution	. 1
	1.5	References, Guidelines and Standards	. 1
2	Ope	nETCS Toolchain Test Plan	. 3
	2.1	Test Strategy	. 3
	2.2	Test Items	. 3
	2.3	Features to be tested	. 4
	2.4	Item Pass / Fail Criteria	. 5
	2.5	Test Environment	. 5
	2.6	Test Deliverables	. 6
	2.7	Schedule	. 6
	2.8	Responsabilities	. 6
Аp	pendi	ces	. 9
	.1	Test Plan Template	10
		.1.1 Introduction	10
		.1.2 Toolchain/Plugin Test Plan	10
	.2	Test Specification Template	11
	.3	Test Results Template	12
		.3.1 Introduction	12
		.3.2 Toolchain or plugins Test Summary	12

Document Information

Document information		
Work Package	WP7	
Deliverable ID or doc. ref.	xxx	
Document title	Toolchain Test Plan	
Document version	00.10	
Document authors (org.)	Amaia Martija (SQS)	

Review information		
Last version reviewed		
Main reviewers		

Approbation				
Name Role Date				
Written by	Amaia Martija	WP7 participant	14.08.2014	
Approved by				

Document evolution			
Version Date Author(s) Justification			
00.10	14.08.2014	Amaia Martija	Document creation

1 Introduction to Toolchain Test Plan

1.1 Introduction

This document describes the way in which the Open ETCS platform will be tested in the validation stage, the test strategy covers, the OpenETCS interface and the plugins it works with.

1.2 Executive Summary

The main objective is to ensure the requirements of the toolchain, are properly provided, such the user functionality and the interoperability between the different plugins involved in the platform. The current document describes the strategy and objectives of the OpenETCS toolchain validation and details the validation test cases to be executed to the platform. The test cases have been design based on the functional specification and user's guides provided into github.

1.3 Intended Audience

The Tool chain Test Plan addresses all the stakeholders who are in the position to interact with OpenETCS tool chain.

- Project Manager
- QA Manager
- Tool chain WP Leader
- Tool chain Development Team
- Tool chain V&V team

1.4 Evolution

This document will be updated regularly with the evolution of the OpenETCS tool chain. The methods and tools to be applied during the development of the OpenETCS toolchain products will be decided based upon the results of the research activities carried out and the needed of the rest of WPs.

The Tool Chain Test Plan document shall be updated whenever:

- tests or the approach for conducting them are changed
- strategies or methodologies used in the Verification and Validation processes are modified
- a new tool is added to the toolchain
- a new tool or technique is incorporated in any of the tasks

1.5 References, Guidelines and Standards

References			
Name	Version/ Date	Edition/	
Tool chain Development Plan			
Tool chain Qualification Process			

Table 1. References

2 OpenETCS Toolchain Test Plan

2.1 Test Strategy

The validation has to demonstrate that the openETCS tool chain covers all the functionality. This test strategy will be divided in four sides, the building test, installation test, functional test and performance test:

- Building testing: The main objective is to check the correct building of the toolchain.
- Installation test objective: The main objective will be to validate that the OpenETCS platform and the plugins, are correctly installed, and their interoperability is correctly working.
- Functional test objective: The main objective will be validating that the user's workflows
 are correctly created and to provide clear evidence that the platform performs as it should in
 every possible environment.
- Performance testing: The main objective is to verify the performance of the tool chain.

2.2 Test Items

IT: Brief introduction to the figure. Explanation about how it will grow -according to new feature requests and the needs of openETCS participants-

The features may be implemented by one or more tools and may also be implemented as plugins.

Currently, openETCS tool chain consists of the following components:

- Eclipse Kepler
- Eclipse Modeling Tools
- Eclipse Papyrus
- Eclipse RMF
- Eclipse EGit
- openETCS documentation
- openETCS DataDictionary
- openETCS tracing

The plugins that are going to be part of the first release of the test plan will be:




Figure 1. Tool Chain overview (20.02.14) – Green Block: Implemented Yellow Block: Work in Progress Red Block: Not started White Block: External Artifacts

- **Data Dictionary**: This plugin contains the data dictionary plugin which contains data structures, variables, messages, etc. from the ETCS System Requirements Specification (SRS). The plugin registers a UML model, which contains the information from the SRS. After registration, the UML model is available as a UML library.
- **Tracing**: The Tracing Features allow the linking of *ProR Requirements* and *SysML Model Elements*. This is realized within the requirements model by using the internal links (SpecRelations) and requirements that act as proxies to the SysML Model element. Note that both, links and proxies, can be extended with additional attributes.
- **Documentation**: The documentation plug-in generates Eclipse Help documentation (a hierarchy of HTML files) and PDF documentation from toolchain wiki pages saved as mediawiki.

2.3 Features to be tested

ProR		
1	Check if the RMF documentation is on Eclipse Help	
2	Check if is possible to import a ProR requirements model	
3	Check if it is possible to import a SysML requirements model	
4	Check if it is possible to create a link between ProR and SysML	

5	Check if it is possible to add extended attributes to the created links	
6	Check how are created the required type of data.	
7	Check if it is possible to delete required type of data	
8	Check the plugin configuration	
9		
Documentation		
1	Check if the documentation is on the eclipse help	
2	Check if the links are correct in Eclipse Help	
3	Check if the links are correct in the github wiki pages	
4	Check if the links are correct in the PDF file	
5		
Data Dictionary		
1		

2.4 Item Pass / Fail Criteria

A test is considered passed when the results obtained are the expected results shown in the Test Case. If any of the expected results are not met, the test is considered failed.

2.5 Test Environment

The environments where is going to be tested the toolchain are based on different operating systems:

- Windows 64
- Windows 32
- Linux 64
- Linux 32
- MacOS 64
- MacOS 32

To perform the testing activities of the toolchain the following tools will be used:

GitHub	Configuration Management tool. This tool will be
	used to maintain under control all the selected config-
	uration items (code, documentation,), their versions
	and historial.

Issue Tracker	Tool for the Bug Management and Tracking. The errors found during testing activities will be reported in this tool
Jenkis	Open source continuous integration tool.
Maven	Build automation tool

2.6 Test Deliverables

Throughout the tool chain testing process a set of documents is created in order to keep track of the activities:

- Test Plans: A master test plan and sub-test plans for each plugin or feature will be developed. These documents will contain information about the scope, approach, objectives, features to be tested, resources, tools and schedule of testing activities. These documents must be prepared in accordance with the EN50128 Standard. A Test Plan Template is provided in Appendices .1
- **Test Specifications**: This document will contain all the information about the tests. For each of them, the ID, name, description and the requirements which the cases validate will be included. In addition, each Test Case will include information about the Entry and Exit specification, a Description of the Event to be performed and other information such as type or Needs Test Environment for conducting the test. The Test Specification Template is provided in the Appendices .2
- Test Results Reports: The results obtained after the Test Cases execution will be collected in a Summary Test Report. For each test performed their unique identifier, the date and time which has been successfully executed or not and whether it is passed or failed state shall be indicated. A Test Results Report Template is provided in the Apendices .3. In case the tests are executed automatically by a tool that creates its own report, this will also be used as Test Result Report. An example of this last condition is the unit test result report which can be found in [Test Report folder].
- **Test Data**: All necessary data identified for use in test should be under configuration management tool.
- Test Incident Report:
- Test Logs:

2.7 Schedule

The plan of tasks related to the activities of the toolchain tests is detailed below:

2.8 Responsabilities

Role	Responsabilities	Person in charge
		0

WP7 Leader	 Review and approval of the toolchain testing strategy, approach, and plans Review of testing results report and defects to determine the impact to overall tool chain and plugins development and implementation schedule 	Michael Jastram
Testing Manager	 Develop Test Strategy and Test Plan Coordinate the development of testing deliverables Review and approve testing deliverables Monitor and report on the status of testing activities Coordinate testing activities Defect management 	
Plugin or Feature Owner	Review test cases and results for completeness	
Tool chain Validation and Verification Team	 Design Test Cases Execute Test Cases Elaborate Test Reports 	

Activity	Start Date	End Date				
Test Plan Elaboration	14/08/2014	05/09/2014				
Test Plan Review	08/09/2014	12/09/2014				
Test Plan Corrections	15/09/2014	18/09/2014				
Test Plan Approval	19/09/2014	19/09/2014				
Test Cases Specifications						
Documentation Plugin Test Cases Specifications	01/09/2014	03/09/2014				
Tracing Plugin Test Cases Specifications						
Data Dictionary Plugin Test Cases Specifications						
Test Cases Review						
Documentation Plugin Test Cases Review						
Tracing Plugin Test Cases Review						
Data Dictionary Plugin Test Cases Review						
Test Cases Execution						
Documentation Plugin Test Cases Execution						
Tracing Plugin Test Cases Execution						
Documentation Plugin Test Cases Execution						
Test Results Report						
Documentation Plugin Test Results Report						
Tracing Plugin Test Results Report						
Data Dictionary Plugin Test Results Report						

Appendices

.1 Test Plan Template

.1.1 Introduction

.1.1.1 Executive Summary

.1.1.2 Intended Audience

This section of the Test Plan should list the audience for which the document has been written. Also mention distribution restrictions and levels of confidentiality

.1.1.3 Evolution

.1.1.4 References, Guidelines and Standards

Provide a complete list of all documents and other sources referenced in the Software Test Plan

.1.1.5 Definitions and Abbreviations

Specify definitions of all terms and acronyms required to properly interpret the Test Results Report

.1.2 Toolchain/Plugin Test Plan

.1.2.1 Test Strategy

.1.2.2 Test Items

.1.2.3 Features to be Tested

Identify all toolchain features and combinations of features to be tested

.1.2.4 Item Pass / Fail Criteria

Specify the criteria to be used to determine whether each item has passed or failed testing

.1.2.5 Test Environment

.1.2.6 Test Deliverables

Identify the deliverable documents from the test process

.1.2.7 Schedule

Identify the high level schedule for each testing task. Establish specific milestones for initiating and completing each type of test activity

.1.2.8 Responsabilities

Identify the groups responsible for managing, designing, preparing, executing, witnessing, checking, and resolving test activities

.2 Test Specification Template

Test Case Identifier:				
Test Objective	Describe the purpose of the test case. Provide a brie description			
Test Items	Describe the items or features (e.g., requirements, code,) to be tested by the test case			
Input Specifications	Identify all inputs required to execute the test case.			
Test Steps	Describe the series of individually numbered steps that are to be completed in sequential order to execute the test.			
Expected Test Results (Output Specifications)	Identify all outputs required to verify the test case. Describe what the system should look like after the test case is run.			
Environmental needs	Identify any environment requirement (e.g. operating system, tools,			
Inter-case Dependencies	List any prerequisite test cases that would create the test environment or input data in order to run this test case. Also, list any post-requisite test cases for which the running of this test case would create the test environment or input data.			

.3 Test Results Template

.3.1 Introduction

.3.1.1 **Purpose**

Provide the purpose of the Test Result Document

.3.1.2 Audience

This section of the Test Results Report should list the audience for which the document has been written. Also mention distribution restrictions and levels of confidentiality

.3.1.3 References

Provide a complete list of all documents and other sources referenced in the Software Test Plan

.3.1.4 Definitions and Abbreviations

Specify definitions of all terms and acronyms required to properly interpret the Test Results Report

.3.2 Toolchain or plugins Test Summary

.3.2.1 Objectives, Scope

In the next section the objectives of the testing activities of the specific iteration are explained

.3.2.2 Methodology

In this section in which way the toolchain, and plugins requirements or features have been proven, the technique and tools that have been used, etc. will be explained

.3.2.3 Results

This section provides a summary of the results of the specific iteration testing of the toolchain and identifies all resolved issues. A list of requirements, test cases and the state, if passed or failed, will be created. In failed case the error number reported shall be identified

Test Identifier	State	Release version	Execution Date	Requirement
				covered
				Identifier

.3.2.4 Evaluation

OETCS/WP7/D7.3 13 This section provides an overall evaluation of the testing process