Pagemark — Package Overview

Version 0.6.0 · for readers outside the project. Three tiers: read the first for the idea, the second for what it does, the third for how it works.

Tier 1 — Simple

What it is. Pagemark is an app for your phone that keeps a diary of the books you read and listen to. For each book you note what you thought, give it a star rating, and track how far you've got. You can look books up by title or by scanning the barcode on the back.

What it's for. Remembering. Which book was that? Did I like it? When did I finish it? It works for any kind of book — fantasy, romance, science, anything — and for audiobooks as well as print.

What makes it different. - It is **private**. Everything stays on your phone. There's no account to make and nobody collects your reading habits. - It has a **hidden shelf** for books you'd rather keep to yourself, locked with a PIN or your fingerprint. - It's **free**, and it uses only free sources for book information.

How you'd use it. Install it, tap *Add book*, scan or search, and start logging. Once a year, glance at the *Stats* tab to see how you did.


Tier 2 — Medium

Purpose. A local-first reading tracker for Android (iOS planned). It replaces cloud services such as Goodreads with a log you fully own, including audiobooks and a private vault.

Main capabilities

Area	What you get
Capture	Search Open Library, look up by ISBN, scan barcodes, add manually; duplicate warning
Logging	Multiple *reads* per book (print / e-book / audio); status, dates, half-star rating, private thoughts, narrator, time
Progress	Current page, progress bars, pages per day, estimated days left
Organise	Shelves (many per book), series with numbers, tags, filters, sort, "Currently reading" strip
Library looks	Classic list, cover wall, bookshelf, book spines, compact — switchable, remembered per library
Insight	Yearly goal ring with pace forecast, books per month, rating spread, top genres/authors, totals
Privacy	Locked library (PIN with attempt limits and recovery code, or device biometrics), auto-relock, screenshot blocking
Quotes & covers	Save passages with pages; save covers on the phone for offline use and backups; author pages; series totals; optional private heat/content fields

Area	What you get
Import	Goodreads, StoryGraph and Pagemark files, with a preview, duplicate handling, a safety copy and Undo
Bulk actions	Multi-select (finish, shelve, lock, trash) and swipe actions, all undoable
Data portability	CSV and JSON export of the main library; whole-database export, optionally passphrase-encrypted
Backup	Scheduled, verified backups to the user's own Google Drive; optional AES-256 encryption; safe restore with automatic safety copy
Care	Trash with 30-day recovery, in-app updates with release notes, offline version history, diagnostics log
Look	Six named themes (Harbor, Midnight Ink, Rosewater, Plum Velvet, Sage, Lamplight), animated transitions



Library | Book page | Stats

Principles. No accounts, no analytics, no ads, no paid services. The network is used for exactly three things: book lookup (Open Library), update checks (GitHub Releases), and — only if configured — Drive backup.

Who it's for. Readers who want a durable, private record; people leaving other tracking sites; anyone who wants their data in a plain file they can open elsewhere.

Distribution. Free APKs on GitHub Releases (MIT-licensed source in a public repository). In-app updates install over the old version and keep your data.

Tier 3 — Advanced

Stack

Flutter (Dart) app; **Drift** over **SQLite** for storage; plain `StatefulWidget`s with database streams (no state-management package); `flutter_secure_storage` for secrets; `cryptography` for PBKDF2 and AES-GCM; `workmanager` for scheduled backup; `google_sign_in` + `googleapis` (Drive v3, `drive.appdata` scope) for backup; `http` for Open Library and GitHub; `mobile_scanner` for barcodes; `local_auth` for biometrics.

Data model (schema 3)

- `books` — catalog entry: title, author, ISBN-13, cover URL, genre, series, `seriesNumber`, publisher, year, pages, description, tags, notes, `locked`, `added`, `deletedAt` (soft delete).
- `reads` — one read-through: format, status, started/finished, rating (0.5–5), thoughts, narrator, minutes, `currentPage`; FK to `books` with cascade.
- `shelves`, `book_shelves` — many-to-many.
- Indexes on `reads.bookId`, `books.locked`, `books.title`. WAL journal, 5 s busy timeout, `foreign_keys=ON` in `beforeOpen`. Versioned migrations (1→2→3) covered by a migration test.

Privacy and security design

- **Vault is a flag, not a second database**, enforced at every read path: library queries, Stats, Trash, duplicate check and CSV/JSON export all filter on `locked`. Full DB exports/backups include it by design and can be encrypted.
- **PIN:** PBKDF2-HMAC-SHA256, 150 000 iterations, random 16-byte salt, constant-time compare, persistent attempt counter with exponential lockout (30 s doubling, cap 1 h). One-time recovery code stored only as a PBKDF2 hash. v0.1.0 hashes upgrade on first successful unlock.
- **Vault lifecycle:** on background/leave the app pops locked routes, empties the locked-cover cache and deletes temporary exports; `FLAG_SECURE` is set while the vault is open and kept until resume so the recents thumbnail is blank.
- **Backups:** container `PGMKENC1 | salt | nonce | AES-256-GCM ciphertext | tag`, key from PBKDF2 (150 k). Drive upload is skipped when the plaintext digest is unchanged, size-verified before older copies (newest 5 kept) are pruned. The passphrase lives in secure storage so the background isolate can encrypt unattended.
- **Restore:** open candidate read-only, `PRAGMA integrity_check`, require `books`/`reads`, reject newer schemas, snapshot current DB (newest 3 kept), close connection, delete `-wal/-shm`, rename staged copy into place; app restarts.
- **Android:** `allowBackup=false` plus data-extraction rules exclude everything; no analytics SDKs.

Networking

Open Library search/ISBN/works endpoints with an identifying User-Agent, retry with backoff on 429/5xx/timeouts, per-record fault tolerance, ISBN-10→13 normalisation and checksum validation. Updates use the unauthenticated GitHub releases API: newest-first release list → APK chosen by ABI → streamed download with size and SHA-256

(from the release asset's digest) verification → system installer via `open_filex`. Same signing key ⇒ in-place upgrade.

Quality and process

- 187 automated tests: database behaviour, migration from v1, restore validation, export safety (formula neutralisation, BOM), encryption round-trip and tamper detection, lock service (lockout, recovery, legacy upgrade), lookup parsing/retries (mock HTTP), updater logic, and widget tests for custom UI.
- GitHub Actions CI: analyze, tests, generated-code check, debug build. Signed release APKs are built locally; the keystore never leaves the owner's machine.
- Release flow: version bump + `CHANGELOG.md` in one commit → tag `vX.Y.Z` → APKs (`arm64`, `armv7`) attached to a GitHub Release. The changelog ships inside the app as an asset.

Known limits (0.6.0)

- Database is not encrypted at rest on the phone (SQLCipher is on the roadmap); saved covers are plain files in app storage.
- Scheduled backups depend on Android's WorkManager timing; OEM battery managers can delay them. No failure notification yet.
- No iOS build yet (project is configured; needs a Mac to build and sign).
- Release builds are not minified (size/safety trade-off pending device testing).

Roadmap highlights

Goodreads/StoryGraph import, grid cover view, quotes and highlights, series entity with total volumes, SQLCipher, backup failure notifications, iOS.