

MediaLedger

User Manual

Every page, dialog and setting, with numbered screenshots

Version	Build date	Document date
2.1.1	2026-09-28	2026-09-29

MediaLedger inventories the video files on a network share, tracks what changes between scans, finds what is missing or weak, and keeps your corrections. It runs as a Windows desktop application and as a web server on a Raspberry Pi; both show the same pages.

The screenshots in this manual show a fictional library generated for the purpose. No title, person or address in them is real.

Contents

Contents	2
1. Installing and first launch	5
1.1 System requirements	5
1.2 Installing the desktop application	5
1.3 Installing the web server on a Raspberry Pi	5
1.4 First launch	6
2. The interface	8
2.1 The sidebar in full	9
2.2 The three ways MediaLedger runs	10
2.3 Colour themes	11
3. Library	12
3.1 Dashboard	12
3.2 Dashboard, edit mode	15
3.3 Add a card dialog	16
3.4 Card options dialog	18
3.5 TV Shows	19
3.6 Poster wall view	21
3.7 Series page (episodes)	22
3.8 Movies	24
3.9 Movie page (versions)	25
3.10 Web videos	26
3.11 Adult library	27
4. Review	29
4.1 Missing episodes	29
4.2 Match dialog	32
4.3 Collect dialog	33
4.4 Issues: Problems	34
4.5 Fix dialog	36
4.6 Issues: Duplicates	37
4.7 Quality	39
4.8 Upgrade candidates	40
4.9 Reclaim space	41
4.10 Ratings	42
4.11 Watch tonight	44

4.12 Watched	45
4.13 Requests	47
4.14 Request page for phones	49
5. Maintenance	52
5.1 Change log	52
5.2 Movie names	53
5.3 Rename TV / anime	56
5.4 Rename confirmation dialog	58
5.5 CSV export	59
6. Application	62
6.1 System	62
6.2 Family portal (administration)	63
6.3 Invite created, with its QR code	65
6.4 Log	66
6.5 Security	67
6.6 Two-factor setup	69
6.7 About	70
7. Settings	72
7.1 Settings: Appearance and Library roots	72
7.2 Settings: Scanning, ffmpeg, lookups and folder watch	73
7.3 Settings: Renaming, adult content, quality thresholds and CSV export	75
7.4 Settings: Schedules	76
7.5 Settings: Data, backups and posters	78
7.6 Restore from a backup dialog	79
7.7 Folder browser dialog (web server)	81
7.8 Settings: Updates and notifications	81
7.9 Settings: Plex	83
8. The family portal	86
8.1 Family portal: Library	86
8.2 Family portal: a series	87
8.3 Family portal: Tonight	89
8.4 Family portal: Requests	90
8.5 Family portal: Settings	92
9. Short dialogs	95
9.1 Confirm it is you (password again)	95
9.2 One at a time	95

9.3 Dry run result	95
9.4 Batch items	95
9.5 Undo batch.....	95
9.6 Rename movie files, live	96
9.7 Movie batch result	96
9.8 Set source for selected.....	96
9.9 Ignore the other files	96
9.10 Card settings (before version 2.0).....	96
10. Common tasks from start to finish	97
10.1 Find and fill the gaps in a series	97
10.2 Tidy the names of a group of episodes	97
10.3 Arrange the Dashboard	98
10.4 Give a family member access.....	99
10.5 Back up, and restore	100
10.6 Find out why something did not happen.....	100
11. Settings reference	102
11.1 What is remembered in the browser only.....	105
12. Keyboard shortcuts	106
13. Troubleshooting and frequently asked questions	107
13.1 Every message in one place	107
14. Glossary.....	110

Page numbers are filled in when the document is opened in Word, or when it is exported.

1. Installing and first launch

1.1 System requirements

	Desktop application	Web server
Computer	A 64-bit Windows computer. The installer is built for x64 only.	Raspberry Pi 4B or 5 recommended; a Pi 3 works on a 64-bit system but scans slowly. Any Linux computer with Node 22 also works.
Operating system	Windows 10 or 11, 64-bit.	Raspberry Pi OS Lite (64-bit), Trixie or newer. 32-bit is not supported.
Storage	About 300 MB for the application. The database for a library of 25,000 files is about 25 MB; posters about 100 MB.	32 GB microSD (class A2) or a USB solid-state drive.
Network	Access to the share that holds the media.	Ethernet on the same network as the file server. Port 8080 by default.
Also needed	ffprobe (part of ffmpeg). The application offers to download it on first launch.	Installed by the installer: Node 22, ffmpeg, cifs-utils, curl, openssl.
Memory and processor	UNVERIFIED: no minimum has been measured. A scan uses one ffprobe process per parallel probe (8 by default).	UNVERIFIED: no minimum has been measured. Runs on a Pi 4 with 4 GB.

1.2 Installing the desktop application

1. Download `medialedger-2.1.1-setup.exe` from the Releases page of the project on GitHub.
2. Run it. The installer needs no questions answered and installs for the current user.
3. Windows may warn that the publisher is unknown, because the installer is not code-signed. Choose **More info**, then **Run anyway**.
4. MediaLedger starts when the installer finishes.

Data is kept apart from the program, in `%APPDATA%\MediaLedger`. Updating, reinstalling or uninstalling never touches it.

1.3 Installing the web server on a Raspberry Pi

1. Flash Raspberry Pi OS Lite (64-bit) with SSH enabled and start the Pi.
2. Connect over SSH and run the installer:


```
curl -fsSL https://raw.githubusercontent.com/AxialForge/medialedger/main/server/install.sh -o install.sh && sudo bash install.sh
```
1. Answer the three questions: the user name and password of the share, and a web password of at least 8 characters.
2. Open `http://<address of the Pi>:8080` and sign in as `admin`.

The installer is safe to run again. It creates a service that starts with the Pi, mounts the share, and installs three commands:

Command	What it does
<code>sudo medialedger-update</code>	Downloads the newest release, checks it, installs it and restarts. Data is untouched.
<code>sudo medialedger --set-password</code>	Sets or resets the web password and signs everyone out.
<code>sudo bash install.sh --update-only --port=8080</code>	Moves the service to another port.

Command	What it does
<code>sudo bash install.sh --auto-update</code>	Adds a nightly update at about 04:30. <code>--no-auto-update</code> removes it.

1.4 First launch

1. Open **Settings**. Under **Library roots** list each folder to scan with its type, and press **Check reachability**.
2. Press **Save settings**.
3. Press **Scan now** at the bottom of the sidebar. The first scan reads and measures every file, which takes a while; later scans only read what changed.
4. Open the **Dashboard**.
5. Optional: under **Settings, Plex**, connect your Plex server, then set a backup folder under **Data**.




Figure 1. The sign-in dialog of the web server.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	User name	Text field	The account to sign in as.	Letters, digits, dot, dash and underscore; not case sensitive.	admin	The installer creates the account "admin".
2	Password	Password field	The password of that account.	At least 8 characters.	empty	Never stored in the browser by the application.
3	Authenticator code	Text field	The six-digit code, when two-factor codes are on.	6 digits	empty	Leave empty when two-factor codes are off.
4	Sign in	Button	Checks the pair and opens a session.	—	—	Pressing Enter in either field does the same.

Messages and what they mean

Message	Meaning and what to do
Wrong user name or password	The pair did not match an account. The attempt is counted towards the lockout.
Too many failed attempts; this address is locked for 15 minutes	Wait, or sign in from another address. The lockout is per address, not per account.
No account exists yet. On the server run: <code>sudo medialedger --set-password</code>	The server has never had a password set. Run the command on the Raspberry Pi.
Enter the 6-digit code from your authenticator	The password was right; two-factor codes are on and the code is the second step.

2. The interface

Everything happens in one window: a sidebar on the left that never changes, and the page you chose on the right. The desktop application and the web server show the same window; a few buttons that open folders exist only on the desktop.



Figure 2. The main window. The numbers match the table below.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Application name	Label	Shows which application this is. Not clickable.	—	—	—
2	Library group	Navigation	Dashboard, TV Shows, Anime, Movies and Web videos: what is in the library.	—	Dashboard	The page you were last on is highlighted.
3	Review group	Navigation	Missing, Issues, Quality, Upgrades, Reclaim space, Ratings, Watch tonight, Watched and Requests.	—	—	—

#	Control name	Type	What it does	Inputs and limits	Default	Notes
4	Count pill	Indicator	How many items wait on that page: missing episodes, open problems, duplicates, pending requests, movie names to tidy.	–	hidden when zero	Amber for attention, red for a fault.
5	Maintenance group	Navigation	Change log, Movie names, Rename TV/anime and CSV export.	–	–	The two rename pages are the only ones that write to the share.
6	App group	Navigation	System, Family portal, Log, Security, Settings and About.	–	–	–
7	Scan now	Button	Starts a scan of every enabled library root.	–	–	Turns into a progress line while a scan runs; a second scan cannot be started until the first ends.
8	Page title	Heading	The name of the page on the right.	–	–	–

Finding your way

1. Pick a page in the sidebar.
2. Read the tiles at the top of the page for the summary, then the table or cards below for detail.
3. Click a row to open the title or file it describes.
4. Use the browser Back button, or the back link on a title page, to return.
 - The sidebar is grouped: Library (what you have), Review (what needs attention), Maintenance (tools that change things), App (the application itself).
 - Coloured pills beside a sidebar entry count what is waiting there.
 - On a phone the sidebar is hidden behind the menu button at the top left.
 - Pages that a guest or a standard user may not open are not listed in their sidebar at all.
 - The Adult entry only appears when adult content is switched on for the session.

2.1 The sidebar in full

The sidebar is the application's only menu. It is present on every page.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Menu button	Button	Shows and hides the sidebar on a narrow screen.	–	–	Phones and narrow windows only.
–	Dashboard	Navigation link	Opens the Dashboard page.	–	–	–
–	TV Shows	Navigation link	Opens the TV Shows page.	–	–	–
–	Anime	Navigation link	Opens the Anime page.	–	–	–
–	Movies	Navigation link	Opens the Movies page.	–	–	–
–	Web videos	Navigation link	Opens the Web videos page.	–	–	–
–	Adult	Navigation link	Opens the Adult page.	–	–	Hidden until adult content is switched on.
–	Missing	Navigation link	Opens the Missing page.	–	–	–
–	Issues	Navigation link	Opens the Issues page.	–	–	–
–	Quality	Navigation link	Opens the Quality page.	–	–	–

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Upgrades	Navigation link	Opens the Upgrades page.	–	–	–
–	Reclaim space	Navigation link	Opens the Reclaim space page.	–	–	–
–	Ratings	Navigation link	Opens the Ratings page.	–	–	–
–	Watch tonight	Navigation link	Opens the Watch tonight page.	–	–	–
–	Watched	Navigation link	Opens the Watched page.	–	–	–
–	Requests	Navigation link	Opens the Requests page.	–	–	–
–	Change log	Navigation link	Opens the Change log page.	–	–	–
–	Movie names	Navigation link	Opens the Movie names page.	–	–	–
–	Rename TV/anime	Navigation link	Opens the Rename TV/anime page.	–	–	–
–	CSV export	Navigation link	Opens the CSV export page.	–	–	–
–	System	Navigation link	Opens the System page.	–	–	–
–	Family portal	Navigation link	Opens the Family portal page.	–	–	–
–	Log	Navigation link	Opens the Log page.	–	–	–
–	Security	Navigation link	Opens the Security page.	–	–	–
–	Settings	Navigation link	Opens the Settings page.	–	–	–
–	About	Navigation link	Opens the About page.	–	–	–
–	Account line	Label with link	Who is signed in, with a link to sign out; for a guest, a link to sign in.	–	–	Web server only.
–	Show adult content	Check box	Shows adult titles for this session.	–	off	Not offered to guests.
–	Scan now	Button	Starts a scan of every enabled root.	–	–	Administrators only on the web server.
–	Cancel scan	Button	Stops the running scan.	–	–	Shown only while a scan runs.
–	Scan progress	Progress bar	How far the scan is, and the file being read.	–	–	–
–	Lookup progress	Progress bar	How far the episode lookups are.	–	–	–
–	Folder watch line	Label	Says that folders are being watched and when a change was last seen.	–	–	Shown when folder watch is on.
–	Update pill	Indicator	Appears on About when a newer version is available or downloaded.	–	–	–
–	Version	Label	The version that is running.	–	–	"(dev)" when run from source.
–	Message	Notice	Short confirmations and errors appear at the bottom of the window and fade.	–	–	Red for an error.

2.2 The three ways MediaLedger runs

	What it is	Who uses it
Desktop application	A window on your Windows computer. Reads and writes your own data folder.	You, at your desk.
Web server	The same pages in a browser, served from a Raspberry Pi. Accounts, roles and a security log.	You and the people you give an account, on your network.

	What it is	Who uses it
Family portal	A separate, small, read-only site with its own address.	People you invite, anywhere.

2.3 Colour themes

The application has eight colour themes, all of them dark. This is Gunmetal on the Movies poster wall. There is no light theme.




Figure 3. The Gunmetal theme.

- Graphite (the default), Midnight blue, Obsidian, Forest, Rose, Lavender, Gunmetal and Crimson.
- The choice is stored in the browser, so every device and person can have their own.

3. Library

What you have. The Dashboard summarises it; the list pages show it title by title.

3.1 Dashboard

The Dashboard answers "how is the library doing" in one look. Every element is a card; you choose which cards are shown, in what order and how wide (see Dashboard, edit mode).



Figure 4. Dashboard. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Trend period	Drop-down list	Sets the period of every trend card that does not have its own.	last 30 days, last 90 days, last year, all time	last 90 days	Remembered in this browser.
2	Edit dashboard	Button	Turns on edit mode.	–	–	Not shown to guests.
3	Library tile	Tile	Files, total size and hours of video across every library.	–	–	–
4	Linked tile	Tile (link)	A tile that opens the page behind its number: TV Shows, Anime, Movies, Missing, Requests and others.	–	–	The pointer changes to a hand over linked tiles.
5	Coloured tile	Tile with a colour rule	The top edge is green, amber or red according to the thresholds of that card.	Thresholds per card, in the card options.	Shipped defaults, for example library health amber at 97 % and red at 90 %.	–
6	Bar chart card	Chart	One bar per value, split by library. Count and share are printed beside each bar.	–	Ten bars	Square-root scale. Hover for details, click a segment to open the filtered list.
7	Donut card	Chart	Shares of a whole: anime by sub or dub, watched against not yet.	–	–	Click a legend row to open the matching list where one exists.
8	Trend card	Chart	A value over time from the daily snapshots, with the change since the start of the period.	Follows the trend period unless the card has its own.	–	Green or red says whether the change is good for that value.

Typical workflow

1. Read the notices at the top, if any: an overdue job, an unreachable family portal address, or a newer version.
2. Read the number tiles: green is fine, amber wants attention, red wants it now.
3. Click a tile to open the page behind the number.
4. Hover a bar in a chart for the exact count and the split by library; click a bar to open that list already filtered.
5. Change the trend period at the top to see a month, a quarter, a year or everything.

Features

- Number tiles with colour rules; the thresholds are yours to change per card.
- Bar charts on a square-root scale, so a small value is still visible next to a large one; the numbers beside each bar are exact.
- Donut charts for shares, trend lines from the daily snapshots.
- Tables: recently added, largest series, largest movie files, most missing episodes, scan history, next up.

Edge cases

- A trend card needs two daily snapshots before it can draw a line; until then it says so.
- Cards about who watched what are left out for guests, and the overdue-jobs card is shown to administrators only.
- The numbers are held in memory for up to a minute while nothing in the library changes; any change refreshes them at once.

Messages and what they mean

Message	Meaning and what to do
<job> is overdue: last ran N h ago, expected within N h	A scheduled job has not run for twice its interval. Open Settings, Schedules.
Family portal: <address> is not reachable	The server could not open its own portal address twice in a row. Open Family portal.
MediaLedger <version> is available	Web server only. Run the update command on the Raspberry Pi.

3.2 Dashboard, edit mode

Edit mode is where you arrange the Dashboard. Each account keeps its own arrangement on the web server; guests see the administrator's; the desktop application keeps one.




Figure 5. Dashboard, edit mode. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Add card	Button	Opens the catalog of cards.	—	—	—
2	Reset to default	Button	Replaces your arrangement with the original one.	—	—	Asks first. Cannot be undone.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
3	Done	Button	Leaves edit mode and saves.	–	–	–
4	Drag handle	Handle	Drag to move the card. A blue edge on another card shows where it will land.	–	–	Mouse only; use the arrows on a touch screen.
5	Size buttons	Button group	Set the width of the card.	S, M, L, XL; a card offers only the sizes that suit it.	Per card	The current size is highlighted.
6	Move up	Button	Moves the card one place earlier.	–	–	–
7	Move down	Button	Moves the card one place later.	–	–	–
8	Card options	Button	Opens the options of this card.	–	–	–
9	Remove	Button	Takes the card off the Dashboard.	–	–	The card stays in the catalog and can be added again.

Typical workflow

1. Press Edit dashboard.
2. Drag a card by its handle to move it, or press the up and down arrows.
3. Press S, M, L or XL on the handle to change the width.
4. Press the gear to change the title, the period, the rows or the colour thresholds of that card.
5. Press the cross to remove a card, and Add card to put one in.
6. Press Done. The arrangement is saved.

Features

- A grid six columns wide: S is one column, M two, L three (half the width), XL all six.
- Cards can be added more than once, for example one trend over a month and the same trend over a year.
- Reset to default puts the original arrangement back.

Edge cases

- While you edit, the cards are drawn from the numbers already on screen, so moving and resizing is immediate; fresh numbers load when you press Done.
- On narrow screens cards widen by themselves; S becomes half the width and everything larger takes the full width.
- Links inside cards are switched off in edit mode so a click never navigates away by accident.

Messages and what they mean

Message	Meaning and what to do
Layout not saved: <reason>	The arrangement could not be stored on the server. It is kept in this browser and saved on the next change.

3.3 Add a card dialog

The catalog lists every card the Dashboard can show, in eight groups: Library, Health, Quality, Activity, Storage, Watching, Charts and Trends.




Figure 6. Add a card dialog. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Group heading	Heading	Names the group of cards below it.	–	–	–

#	Control name	Type	What it does	Inputs and limits	Default	Notes
2	Catalog card	Entry	One card: its name and what it shows.	–	–	–
3	Add	Button	Puts that card on the Dashboard at its usual size.	–	–	–
4	Close	Button	Closes the catalog without adding anything.	–	–	The Escape key does the same.

Typical workflow

1. In edit mode press Add card.
2. Find the card; each has one line saying what it shows.
3. Press Add. The card is placed last and the page scrolls to it.
4. Move and size it as you like.

Features

- A small count beside a name shows how many times that card is already on the Dashboard.

Edge cases

- Guests are offered only the cards they are allowed to see.

3.4 Card options dialog

Each card has a few options. How many are shown depends on the "Options shown" level, which is remembered for your account, so a simple need stays simple.




Figure 7. Card options dialog. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Title	Text field	Replaces the name printed on the card.	Free text	The name from the catalog	Leave empty to use the usual name.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
2	Size	Drop-down list	The width of the card.	Small, Medium, Half width, Full width; only the sizes that suit the card.	Per card	The same as the size buttons on the handle.
3	Amber threshold	Number field	The value at which the tile turns amber.	Any number	Per card	Advanced level only. Whether amber means "at or above" or "at or below" is printed beside the field.
4	Red threshold	Number field	The value at which the tile turns red.	Any number	Per card	Advanced level only.
5	Options shown	Drop-down list	How much this dialog offers.	Simple, Standard, Advanced	Standard	Saved for your account at once; the dialog redraws.
6	Cancel	Button	Closes without saving.	–	–	–
7	Save	Button	Saves the options of this card.	–	–	–

Typical workflow

1. In edit mode press the gear on a card.
2. Change what you need.
3. Press Save. The card is redrawn.

Features

- Simple shows the title and the size.
- Standard adds the period for trend cards and the number of rows for lists.
- Advanced adds the colour thresholds for number tiles.

Edge cases

- Thresholds set with the gear on a tile before version 2.0 are carried over.
- Emptying a threshold returns it to the shipped default.

3.5 TV Shows

One row per series. TV Shows and Anime are the same page over two libraries; Anime adds the sub or dub figures.




Figure 8. TV Shows. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Series, watched share, complete series, top genres, your tags, captions, series with issues.	—	—	Complete and With issues are links.
2	Filter	Search field	Keeps the rows that contain what you type.	Any text	empty	Matches title, genres, sub or dub, tags, resolution, codec and languages.
3	Posters / Table	Button	Switches between the table and a wall of posters.	—	Table	Remembered in this browser for every list.
4	Genre	Drop-down list	Keeps the series with that genre.	Every genre present in this library	any genre	—
5	Sub or dub	Drop-down list	Keeps the series voiced that way.	Subbed, Dubbed, Dual audio, Mixed	sub or dub	Mostly useful for Anime.
6	Tag	Drop-down list	Keeps the series carrying that tag of yours.	Every tag in use	any tag	—
7	Watched	Drop-down list	Keeps unwatched, partly watched, watched, or series Plex does not have.	—	watched or not	From Plex play counts.
8	Column heading	Sortable heading	Sorts the table by that column.	—	Series, A to Z	A small arrow marks the sorted column.
9	Series	Cell	Poster and name. A series with no poster shows its first letter.	—	—	—

#	Control name	Type	What it does	Inputs and limits	Default	Notes
10	Tags	Cell	Genres in grey, sub or dub in colour, your own tags outlined.	–	–	A "+N" means more than fit.

Typical workflow

1. Read the tiles for the library as a whole.
2. Narrow the list with the filter box and the four drop-down lists.
3. Click a column heading to sort by it; click again to reverse.
4. Click a row to open the series.

Features

- A poster thumbnail beside each title.
- Genres come from the online match or from Plex; sub or dub is worked out from the audio and subtitle languages of the files; your own tags are typed on the series page.
- The Missing column counts episodes that aired and that you do not have, after your collecting choices.

Edge cases

- A series without an online match has no expected count, so Missing is empty rather than zero.
- The filter box also matches genres, sub or dub and tags.
- A link such as `#tv?q=4K`, which the Dashboard charts produce, opens the list already filtered.

3.6 Poster wall view

The same list as a wall of posters. It is a view of the table, not a separate page, so the filter box, the drop-down lists and the sort order all keep working.




Figure 9. Poster wall view. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Table	Button	Returns to the table.	—	—	—
2	Poster tile	Tile	One title. Click to open it.	—	—	—
3	Title without a poster	Tile	Shown when no source had art for the title.	—	—	It is asked for again after two weeks.

Typical workflow

1. Press Posters in the toolbar of a list.
2. Scroll, filter or search as usual.
3. Click a poster to open the title.
4. Press Table to return.

Features

- Posters load as they scroll into view.
- Titles without art show their first letter on a plain tile.

Edge cases

- The column headings are hidden on the wall; choose the sort order in the table first.

3.7 Series page (episodes)

Everything about one series: what you have, what is missing, and the details of every file.

MediaLedger

TV Shows

Hollow Circuit Street 128 episodes · 145 GB · 85 h · 5 missing of 130 · **Match...**

Family Adventure Roma + tag

EXPECTED EPISODES Hollow Circuit Street - Running - via tvmaaz

S1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22/22

S2 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22/22

S3 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22/22

S4 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22/22

S5 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22/22

S6 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 17/22

Filter... 128 of 128

EP	TITLE	FILE	LENGTH	RES	FPS	VIDEO	AUDIO	SUBS	CAPTIONS	Kbps	SIZE		
S01E01	Episode 1	Hollow Circuit Street - S01E01 - Episode 1 (damaged).mkv	43m 10s	1080p	1920x1080	24	h264	eng aac 5.1	0.0	no	3100	1.0	Fix...
S01E01	Episode 1	Hollow Circuit Street - S01E01 - Episode 1.mkv	52m 36s	1080p	1920x1080	23.976	av1	eng eac3 5.1	eng 1 track(s)	yes	4200	1.5 GB	Fix...
S01E02	Episode 2	Hollow Circuit Street - S01E02 - Episode 2.mkv	52m 32s	1080p	1920x1080	24	h264	eng aac 5.1	eng 1 track(s)	yes	4200	1.6 GB	Fix...
S01E03	Episode 3	Hollow Circuit Street - S01E03 - Episode 3.mkv	43m 35s	1080p	1920x1080	24	h264	eng dts stereo	eng 1 track(s)	yes	4200	1.2 GB	Fix...
S01E04	Episode 4	Hollow Circuit Street - S01E04 - Episode 4.mkv	43m 18s	1080p	1920x1080	25	h264	eng aac stereo	eng 1 track(s)	yes	4200	1.3 GB	Fix...
S01E05	Episode 5	Hollow Circuit Street - S01E05 - Episode 5.mkv	43m 25s	1080p	1920x1080	23.976	hevc	eng eac3 5.1	eng 1 track(s)	yes	4200	1.3 GB	Fix...
S01E06	Episode 6	Hollow Circuit Street - S01E06 - Episode 6.mkv	43m 51s	1080p	1920x1080	29.97	hevc	eng aac 7.1	eng 1 track(s)	yes	4200	1.2 GB	Fix...

Figure 10. Series page (episodes). The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Poster	Image	The poster of the series.	—	—	From Plex, Anilist or TVmaze.
2	Back link	Link	Returns to the list.	—	—	—
3	Match	Button	Opens the Match dialog for this series.	—	—	—
4	Add a tag	Text field	Adds a tag of your own to the series.	Up to 40 characters	empty	Press Enter to add.
5	Expected episodes	Card	One row per season with a box per episode.	—	—	The count on the right is episodes on hand out of episodes expected.
6	Filter	Search field	Keeps the files that contain what you type.	—	empty	—
7	Column heading	Sortable heading	Sorts the files.	—	Episode order	—
8	Fix	Button	Opens the Fix dialog for that file.	—	—	Administrators only on the web server.

Typical workflow

1. Read the Expected episodes card: a green number is an episode you have, a red one is missing.
2. Type a tag and press Enter to add it; click a tag of yours to remove it.
3. Click a row to show the file in its folder (desktop), or press Fix to correct how the file was read.
4. Press Match if the online listing is the wrong series.

Features

- A large poster beside the title.
- The expected episodes come from TVmaze or AniList; episodes that have not aired yet are not counted.

Edge cases

- "absolute numbering" appears when the files are numbered straight through while the listing is split into seasons; that season is skipped rather than reported as hundreds of gaps.
- A file that was present and has vanished from the share is listed last and marked missing.

3.8 Movies

One row per movie. A movie held in several files, for example two editions or two qualities, is one row with a count.




Figure 11. Movies. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Titles, watched share, top genres, your tags, multiples, captions.	—	—	Multiples is a link to the Duplicates tab.
2	Filter	Search field	Keeps the rows that contain what you type.	—	empty	Matches title, year, genres, tags, resolution, codec and dynamic range.
3	Posters / Table	Button	Switches between the table and the poster wall.	—	Table	—

#	Control name	Type	What it does	Inputs and limits	Default	Notes
4	Only titles with multiple files	Check box	Keeps the movies that have more than one file.	–	off	–
5	Genre	Drop-down list	Keeps the movies with that genre.	–	any genre	–
6	Watched	Drop-down list	Keeps unwatched or watched movies, or the ones Plex does not have.	–	watched or not	–
7	Title	Cell	Poster, name and year; an amber "x2" when there are several files.	–	–	–

Typical workflow

1. Narrow the list with the filter box and the drop-down lists.
2. Tick "Only titles with multiple files" to review duplicates and editions.
3. Click a row to open the movie.

Features

- Versions lists every resolution on hand and the edition names.
- Genres come from Plex.

Edge cases

- A file in a movie folder whose name carries a season and episode marker is reported on the Issues page, not silently shown as a movie.

3.9 Movie page (versions)

The files that make up one movie, side by side, so you can see which copy is the better one.

Figure 12. Movie page (versions). The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Poster	Image	The poster of the movie.	—	—	—
2	Back link	Link	Returns to Movies.	—	—	—
3	Add a tag	Text field	Adds a tag of your own.	Up to 40 characters	empty	Press Enter to add.
4	File row	Row	One file of this movie with its measured details.	—	—	Click to show the file in its folder (desktop).
5	Fix	Button	Opens the Fix dialog for that file.	—	—	—

Typical workflow

1. Compare resolution, bitrate, size, audio and subtitles.
2. Press Fix on a file that was read wrongly, for example to give it an edition name.

Features

- Tags work as on a series page.

3.10 Web videos

Downloaded web videos, grouped by channel. The channel is the folder name and the video identifier is read from the square brackets in the file name.

Web videos
Downloaded web videos grouped by channel folder. Titles come from the file name with yt-dlp ids and dates stripped when present.

Channels: 3 | Videos: 27 | Size: 11.8 GB | Runtime: 11 h

Filter... 3 of 3

CHANNEL	VIDEOS	RUNTIME	SIZE	RESOLUTION	UPLOADS	LAST ADDED
Kitchen Bench	9	3.7 h	4.3 GB	1080p 720p	—	4 days ago
Trail Diaries	9	3.7 h	3.2 GB	720p 1080p	—	23 days ago
Workshop Notes	9	3.1 h	4.2 GB	720p 1080p	—	8 days ago

Figure 13. Web videos. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Channels, videos, total size and hours.	–	–	–
2	Filter	Search field	Keeps the channels that contain what you type.	–	empty	–
3	Channel row	Row	One channel with its count, size and the resolutions present.	–	–	Click to open the channel.

Typical workflow

1. Click a channel to list its videos.
2. Use the filter box to find a channel.

Features

- Videos are kept out of the missing-episode and movie logic; they are listed and measured, nothing more.

3.11 Adult library

Roots of the type Adult are scanned like any other but kept apart: hidden by default, out of the CSV files unless you allow it, never given a poster, and never shown on the family portal.




Figure 14. Adult library. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Page title	Heading	Adult. With the switch off the page only explains how to turn it on.	–	–	–

Typical workflow

1. Switch "Show adult content" on at the bottom of the sidebar; on the web server this applies to your session only.
2. The Adult entry appears in the sidebar and adult titles join the other pages.

Edge cases

- Guests cannot switch adult content on.
- With the switch off this page says so and lists nothing.

4. Review

What needs attention, and what to do next.

4.1 Missing episodes

Compares the episodes you have with the episodes that exist according to TVmaze (TV) and AniList (anime), and lists the gaps.

MediaLedger

LIBRARY

- Dashboard
- TV Shows
- Anime
- Movies
- Web videos

REVIEW

- Missing **93**
- Issues **3** **3**
- Quality
- Upgrades
- Reclaim space
- Ratings
- Watch tonight
- Watched
- Requests **2**

MAINTENANCE

- Change log
- Movie names **146**
- Rename TV/anime
- CSV export

APP

- System
- Family portal
- Log
- Security
- Settings
- About

Signed in as admin (admin) · Sign out

Scan now

Version: 2.1.1 (dev)

Missing episodes

Expected episode counts come from lookups that are currently **disabled** in Settings. Compared with what is on disk per season. Use **Match...** when a series was matched to the wrong entry, was not found, or you want to enter counts by hand.

Series with gaps
31
93 episodes missing

Complete series
41

No match found
0
use Match... to search

Not looked up yet
0

Locked by you
0
manual matches or counts

2

1

FROM TVMAZE / ANILIST; THE "MISSING" COUNT LEAVES OUT EPISODES THAT HAVE NOT AIRED

AIRING NEXT	SERIES	STATUS	MISSING
today 2026-09-29	Iron Meridian Academy S02E10	3 missing	
today 2026-09-29	Lost Orchard S02E13	up to date	
today 2026-09-29	Midnight Garden Chronicle S02E14	up to date	
tomorrow 2026-09-30	Iron Lantern S03E13	up to date	
tomorrow 2026-09-30	Paper Foundry Frontier S01E09	4 missing	
tomorrow 2026-09-30	Salt Kingdom S01E09	4 missing	
Thursday 2026-10-01	Winter Atlas Academy S01E10	4 missing	
Friday 2026-10-02	Distant Garden Division S04E08	3 missing	
Friday 2026-10-02	Electric Monarch Academy S03E13	up to date	
Friday 2026-10-02	Hollow Harbor S03E09	2 missing	
Saturday 2026-10-03	Lost Archive Division S06E11	up to date	
Saturday 2026-10-03	Midnight Archive Frontier S02E11	2 missing	
Saturday 2026-10-03	Midnight Harbor S01E25	up to date	
Sunday 2026-10-04	Distant Observatory Chronicle S02E11	2 missing	
Sunday 2026-10-04	Hollow Circuit Street S06E18	5 missing	
Sunday 2026-10-04	Lost Observatory & Sons S06E06	5 missing	
Sunday 2026-10-04	Salt River Frontier S02E13	up to date	
Sunday 2026-10-04	Seventh Circuit S01E23	up to date	
Monday 2026-10-05	Crimson Canyon Chronicle S03E10	3 missing	
Monday 2026-10-05	Distant Station Frontier S01E13	up to date	
Monday 2026-10-05	Northern Monarch Division S06E07	2 missing	
Monday 2026-10-05	Winter Observatory S06E11	3 missing	
2026-10-06 2026-10-06	Amber Compass Chronicle S02E13	up to date	
2026-10-06 2026-10-06	Copper Monarch Street S04E09	up to date	
2026-10-06 2026-10-06	Electric Parade Division S01E23	up to date	

...and 2 more

3 Look up new series 4 Re-check all unlocked series Rate-limited: roughly 1-2 series per second.

5 Filter... 72 of 72

6

LIBRARY	SERIES	SOURCE	STATUS	EXPECTED	HAVE	MISSING	WHICH	Match...	Collect...
TV	Hollow Circuit Street	tmaze	Running	132	127	5	S6: 18,19,20,21,22	Match...	Collect...
TV	Lost Observatory & Sons	tmaze	Running	60	55	5	S6: 6,7,8,9,10	Match...	Collect...
Anime	Copper Signal Academy	anilist	FINISHED	36	31	5	S3: 8,9,10,11,12	Match...	Collect...
Anime	Paper Harbor	anilist	FINISHED	13	8	5	S1: 9,10,11,12,13	Match...	Collect...
TV	Velvet River	tmaze	Ended	50	46	4	S5: 7,8,9,10	Match...	Collect...
Anime	Electric Horizon Academy	anilist	FINISHED	36	32	4	S3: 9,10,11,12	Match...	Collect...
Anime	Paper Foundry Frontier	anilist	RELEASING	12	8	4	S1: 9,10,11,12	Match...	Collect...
Anime	Salt Kingdom	anilist	RELEASING	12	8	4	S1: 9,10,11,12	Match...	Collect...
Anime	Winter Atlas Academy	anilist	RELEASING	13	9	4	S1: 10,11,12,13	Match...	Collect...
TV	Amber Circuit & Sons	tmaze	Ended	60	57	3	S6: 8,9,10	Match...	Collect...
TV	Distant Garden Division	tmaze	Running	40	37	3	S4: 8,9,10	Match...	Collect...
TV	Electric Station	tmaze	Ended	65	62	3	S5: 11,12,13	Match...	Collect...
TV	Lost Atlas Division	tmaze	Ended	78	75	3	S6: 11,12,13	Match...	Collect...
TV	Northern Monarch & Sons	tmaze	Ended	66	63	3	S3: 20,21,22	Match...	Collect...
TV	Paper Horizon Division	tmaze	Ended	8	5	3	S1: 6,7,8	Match...	Collect...
TV	Quiet Archive	tmaze	Ended	32	29	3	S4: 6,7,8	Match...	Collect...
TV	Quiet Station & Sons	tmaze	Ended	65	62	3	S5: 11,12,13	Match...	Collect...
TV	Salt Signal	tmaze	Ended	40	37	3	S3: 6,7,8	Match...	Collect...
TV	Winter Observatory	tmaze	Running	78	75	3	S6: 11,12,13	Match...	Collect...
Anime	Crimson Canyon Chronicle	anilist	RELEASING	36	33	3	S3: 10,11,12	Match...	Collect...
Anime	Iron Meridian Academy	anilist	RELEASING	24	21	3	S2: 10,11,12	Match...	Collect...

Figure 15. Missing episodes. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Series with gaps, complete series, no match found, lookups pending, locked by you.	–	–	–
2	Airing next	Card	The next episode of each running series with its date; this week first.	–	25 rows	Dates come with the episode lookup.
3	Look up new series	Button	Looks up the series that have never been matched.	–	–	Runs in the background.
4	Re-check all unlocked series	Button	Looks every series up again except the locked ones.	–	–	Slow by design: about one series a second.
5	Filter	Search field	Keeps the series that contain what you type.	–	empty	–
6	Column heading	Sortable heading	Sorts the table.	–	Missing, most first	–
7	Policy badge	Badge	"muted" or "from S2E1" when a collecting choice applies; the tooltip gives the full count.	–	–	–
8	Match	Button	Opens the Match dialog.	–	–	–
9	Collect	Button	Opens the Collect dialog.	–	–	–

Typical workflow

1. Read the tiles: series with gaps, complete series, series without a match.
2. Read "Airing next" for what is coming this week.
3. Sort the table by Missing to work from the biggest gap.
4. Press Match when the listing is the wrong series or no listing was found.
5. Press Collect to say what you are collecting of a long-running series.

Features

- Episodes that have not aired yet are never counted as missing.
- A collecting choice (from an episode onward, or muted) changes the count everywhere: Dashboard, sidebar, daily summary and the status address.
- A locked match is never replaced by an automatic lookup.

Edge cases

- The online services allow about one request a second, so "Re-check all" takes a while on a large library.
- "absolute numbering" marks a season that was skipped because the files are numbered straight through.

Messages and what they mean

Message	Meaning and what to do
HTTP 403 from graphql.anilist.co	AniList refused the request, usually because too many were sent. It is tried again on the next lookup.
no match	Neither service had a series with a close enough name. Use Match.

4.2 Match dialog

Chooses which online listing a series is compared with, or lets you type the episode counts yourself.




Figure 16. Match dialog. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Open	Link	Opens the current listing on the service's own site.	–	–	Desktop: in your browser.
2	Search words	Text field	What to search the service for.	Any text	The series name	Enter starts the search.
3	Service	Drop-down list	Which service to search.	Tvmaze, AniList	Tvmaze for TV, AniList for Anime	–
4	Search	Button	Searches and lists the results.	–	–	–
5	Episodes per season	Number fields	The counts to compare against when you enter them by hand.	Whole numbers	The current counts	One field per season.
6	Add a season	Number fields	A season number and its episode count, to add one that is not listed.	–	empty	–
7	No expected counts for this series	Button	Records that the series has no listing, so it is not reported as unmatched.	–	–	–
8	Cancel	Button	Closes without saving.	–	–	–
9	Save counts	Button	Saves the counts you typed and locks them.	–	–	–

Typical workflow

1. Change the search words if the folder name is unusual, pick the service, press Search.
2. Pick the right result from the list. The match is saved and locked.
3. If no listing fits, type the number of episodes per season and press Save counts.

- Press "No expected counts" for a series that should never be compared.

Features

- A locked match survives every later lookup until you unlock it.

Edge cases

- TVmaze numbers anime by broadcast season while AniList lists each cour separately; pick whichever matches how your folders are laid out.

Messages and what they mean

Message	Meaning and what to do
Nothing found	The service had no series for those words. Shorten them or try the other service.

4.3 Collect dialog

Says what you are collecting of one series, so a long runner you joined late does not fill the Missing page with episodes you never meant to keep. No file is touched.




Figure 17. Collect dialog. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Everything	Option	Every aired episode counts.	–	selected	–
2	From a season and episode onward	Option	Earlier seasons, and earlier episodes of that season, are not counted.	–	–	–
3	Season	Number field	The first season you collect.	0 or more	1	–
4	Episode	Number field	The first episode you collect in that season.	1 or more	1	–
5	Mute this series	Option	Nothing counts as missing.	–	–	The series stays listed.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
6	Note	Text field	A reminder for yourself.	Up to 200 characters	empty	–
7	Cancel	Button	Closes without saving.	–	–	–
8	Save	Button	Saves the choice.	–	–	–

Typical workflow

1. Choose Everything, From a season and episode onward, or Mute.
2. Optionally type a note to remind yourself why.
3. Press Save.

Features

- The row on the Missing page keeps a badge with the full count in its tooltip.

Edge cases

- For series numbered straight through, use season 1 and the episode number.
- Choosing Everything removes the choice.

4.4 Issues: Problems

Everything the scan could not make sense of, in one place: names it could not read, files ffprobe could not open, files that vanished, episodes filed under Movies, and the fixes you have saved.




Figure 18. Issues: Problems. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Problems tab	Tab	This page.	—	selected	—
2	Duplicates tab	Tab	Opens the Duplicates tab.	—	—	—
3	Summary tiles	Tiles	Open problems, unparsed names, ffprobe errors, missing files, duplicate episodes, episodes under Movies, fixes saved.	—	—	—
4	Section heading	Heading	Names the kind of problem and counts the rows.	—	—	—
5	Fix	Button	Opens the Fix dialog for that file.	—	—	—
6	Forget missing files	Button	Removes the rows of files that are no longer on the share.	—	—	Only the records are removed; nothing on disk changes.

Typical workflow

1. Start with the tiles to see which kind of problem there is.

2. Press Fix on a row to correct how the file is read, or to ignore it.
3. Move an episode that sits in a movie folder to the right library.
4. Press "Forget missing files" once you are sure the vanished files are gone for good.

Features

- Fixes are stored in the database and applied on every scan, so they survive a rescan and a rename.

Edge cases

- A bare "Episode 1" in a movie name is not flagged, so numbered film series are safe.

Messages and what they mean

Message	Meaning and what to do
moov atom not found	ffprobe could not read the file: it is incomplete or damaged.
no season or episode found in the name	The name has no recognisable marker. Use Fix.

4.5 Fix dialog

Tells MediaLedger how a file should be read when its name does not say. The fix is a record in the database; the file itself is not changed.

Fix episode details
Northern Monarch Division\extras\behind the scenes.mkv

Parser currently thinks: Northern Monarch Division no episode · could not find episode number

Series: 1 Northern Monarch Division

Season: 2 0

Episode: 3 [] 4 (double ep)

Episode title: 5 []

Ignore this file: 6 ☐ Not a media file to track (sample, trailer, junk). Hidden from lists and CSVs.

Note: 7 optional

8 Cancel 9 Save fix

Saved fixes are stored in MediaLedger's database and re-applied on every future scan, even if the file is re-indexed. The file on the share is not touched.

Figure 19. Fix dialog. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Series	Text field	The series the file belongs to.	Text	The current reading	For a movie this field is the title.
2	Season	Number field	The season number.	0 for specials	The current reading	–
3	Episode	Number field	The episode number.	1 or more	The current reading	–
4	Last episode	Number field	For a file that holds two episodes: the number of the second.	–	empty	–
5	Episode title	Text field	The name of the episode.	–	empty	Used by the rename pages.
6	Ignore this file	Check box	Hides the file from every list and count.	–	off	It is listed under Manual fixes.
7	Note	Text field	Why the fix was made.	–	empty	–
8	Cancel	Button	Closes without saving.	–	–	–
9	Save fix	Button	Saves the fix and applies it at once.	–	–	–

Typical workflow

1. Correct the series, season and episode, or the title and year of a movie.
2. Tick "Ignore this file" for a sample, trailer or junk file.
3. Press Save fix. The file is read that way from now on.

Features

- The dialog shows what the parser currently thinks and why it gave up.

Edge cases

- A fix follows the file by its path; renaming through MediaLedger keeps the fix attached.

4.6 Issues: Duplicates

Episodes that exist in more than one file, shown side by side so you can decide which to keep.




Figure 20. Issues: Duplicates. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Duplicates tab	Tab	This page.	—	—	—
2	Summary tiles	Tiles	Duplicate episodes, extra files and the space they take, decided and still to review.	—	—	—
3	Filter by series	Search field	Keeps the groups of that series.	—	empty	—
4	Hide decided	Check box	Hides the groups you have decided on.	—	off	—
5	Keep this	Button	Marks this copy as the one to keep.	—	—	—
6	Reveal	Button	Shows the file in its folder.	—	—	Desktop only; does nothing in a browser.
7	Fix	Button	Opens the Fix dialog, for a copy that is really a different episode.	—	—	—

Typical workflow

1. Compare the copies: resolution, bitrate, size, languages.
2. Press "Keep this" on the copy you want. The others are marked as the ones to remove.
3. Remove the others yourself; MediaLedger never deletes media.

Features

- "Hide decided" keeps the list to the ones still to review.

Edge cases

- A decision is a note, not an action. Nothing on the share changes.

4.7 Quality

Finds the weak copies: series in mixed resolutions, files with a low bitrate for their resolution, audio without a language, files with no audio, and very short files.

Quality

Files and series whose technical quality looks off: seasons that mix resolutions, files whose bitrate is unusually low for their resolution, and files with no audio, no language tag or a suspiciously short runtime. Thresholds (kbps): 4K < 6000 · 1440p < 3000 · 1080p < 1500 · 720p < 700 · 576p < 400 · 480p < 350 · SD < 250 — change them in Settings.

Summary Tiles:

- Mixed-resolution series: 10
- Mixed seasons: 29 (one season, several resolutions)
- Low-bitrate files: 86
- Undefined audio language: 0
- No audio track: 0
- Under 2 minutes: 0 (samples, trailers, broken files)

MIXED-RESOLUTION SERIES (10)

LIBRARY	SERIES	FILES	RESOLUTIONS	CODECS
TV	Velvet Lantern Division	108	480p 720p	av1 h264 hevc
TV	Lost Signal Division	64	480p 720p	hevc h264 av1
Anime	Salt River Chronicle	48	1080p 720p	hevc h264 av1
TV	Northern Monarch Division	47	720p 1080p	hevc av1 h264
TV	Amber Signal	44	480p 720p	h264 hevc av1
TV	Iron Horizon Street	40	480p 720p	h264 av1 hevc
TV	Distant Garden Division	37	480p 720p	hevc av1 h264
Anime	Seventh Meridian Chronicle	36	480p 720p	h264 hevc av1
Anime	Winter Garden Frontier	35	1080p 720p	hevc h264 av1
Anime	Paper Harbor	8	480p 720p	h264 av1 hevc

MIXED SEASONS (29)

LIBRARY	SERIES	SEASON	FILES	RESOLUTIONS
TV	Amber Signal	S1	22	480p 720p
TV	Amber Signal	S2	22	480p 720p
TV	Distant Garden Division	S1	10	480p 720p
TV	Distant Garden Division	S2	10	480p 720p
TV	Distant Garden Division	S3	10	480p 720p
TV	Distant Garden Division	S4	7	480p 720p
TV	Iron Horizon Street	S1	10	480p 720p
TV	Iron Horizon Street	S2	10	480p 720p
TV	Iron Horizon Street	S3	10	480p 720p
TV	Iron Horizon Street	S4	10	480p 720p
TV	Lost Signal Division	S1	13	480p 720p
TV	Lost Signal Division	S2	13	480p 720p
TV	Lost Signal Division	S3	13	480p 720p

LOW-BITRATE FILES (86)

LIBRARY	PATH	RES	KBPS	CODEC	LENGTH	SIZE	
TV	Electric Station/Season 01/Electric Station - S01E11 - Episode 11.mkv	1080p	1,085 / 1500	hevc	43m 44s	359 MB	Fix...
TV	Electric Station/Season 03/Electric Station - S03E06 - Episode 6.mkv	1080p	1,085 / 1500	hevc	22m 54s	166 MB	Fix...

Figure 21. Quality. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Mixed-resolution series, low-bitrate files, undefined audio language, no audio track, under two minutes.	—	—	—
2	Section heading	Heading	Names the kind of finding and counts the rows.	—	—	—
3	Column heading	Sortable heading	Sorts that section.	—	—	—
4	Fix	Button	Opens the Fix dialog for that file.	—	—	—

Typical workflow

1. Read the tiles.
2. Open a section and sort by the column that matters.
3. Click a row to open the title.

Features

- The bitrate thresholds per resolution are set under Settings, Quality thresholds.

Edge cases

- "Undefined audio language" means the track has no language tag, not that the audio is missing.

4.8 Upgrade candidates

Ranks the titles most worth replacing with a better copy: those you watch and rate highly but hold in a low resolution or bitrate.

Upgrade candidates

Which titles deserve a better copy, and which are not worth the disk. The score weighs how low the current copy is (resolution, bitrate) against how much it matters (Plex plays, your stars, the online rating). Ranking lives in `src/main/upgrade.js`.

Worth upgrading: 168 | Not worth it: 0 | Already 4K or HDR: 40 | Titles scored: 213

Filter: 213 of 213

TITLE	SCORE	WHY	BEST COPY	PLAYS	MINE	RATING	SIZE
TV Copper Monarch Street	10.2	480p copy rated 8.2 online 1 low-bitrate file you rate it 5★	480p	0	★★★★★	8.2	7.1 GB
TV Electric Parade Division	9.6	480p copy 1 low-bitrate file you rate it 5★	480p	0	★★★★★	7.0	5.2 GB
TV Quiet Archive	9.3	480p copy you rate it 5★	480p	0	★★★★★	6.6	7.7 GB
TV Broken Circuit	8.8	480p copy rated 8.8 online 1 low-bitrate file you rate it 4★	480p	0	★★★★★	8.8	13.0 GB
TV Lost Foundry Street	8.2	480p copy you rate it 4★	480p	0	★★★★★	7.6	1.9 GB
TV Lost Archive Division	7.3	480p copy 2 low-bitrate files rated 8.8 online	480p	0	★★★★★	8.8	14.1 GB
TV Seventh Circuit	5.8	480p copy 1 low-bitrate file played 36×	480p	36	★★★★★	7.4	5.8 GB
TV Salt Atlas	4.3	480p copy	480p	0	★★★★★	6.1	2.7 GB
TV Amber Signal	4.2	720p copy 3 low-bitrate files played 61×	720p	61	★★★★★	6.0	12.2 GB
TV Northern Monarch & Sons	3.8	720p copy 1 low-bitrate file played 1× rated 8.5 online	720p	1	★★★★★	8.5	31.1 GB

Figure 22. Upgrade candidates. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Worth upgrading, not worth it, and the totals behind them.	—	—	—
2	Filter	Search field	Keeps the titles that contain what you type.	—	empty	—
3	Column heading	Sortable heading	Sorts the table.	—	Score, highest first	—
4	Title	Cell	The title and its library.	—	—	—

Typical workflow

1. Work from the top of the list.
2. Read the reasons beside each score.
3. Click a row to open the title.

Features

- The score multiplies how far the copy falls short of 1080p (plus a low bitrate) by how much you care: plays, your stars, and the online rating.
- 4K and HDR copies score zero, and so does a title that was never played, is unrated and has a fine bitrate.

Edge cases

- Without a Plex sync there are no plays, so only your stars and the online rating count.

4.9 Reclaim space

The mirror image of Upgrades: large titles nobody on the Plex server has played for a long time, or ever. It is a list to think about; MediaLedger never deletes media.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Not played for	Drop-down list	How long a title must have gone unplayed, and how long it must have been in the library.	6, 12, 24 or 36 months	12 months	Remembered in this browser.

Figure 23. Reclaim space. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Not played for	Drop-down list	How long a title must have gone unplayed, and how long it must have been in the library.	6, 12, 24 or 36 months	12 months	Remembered in this browser.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
2	At least	Number field	The smallest total size of a title worth listing, in gigabytes.	0 or more	2	–
3	Summary tiles	Tiles	Candidates, the space they hold together, how many were never played, free space now.	–	–	–
4	Column heading	Sortable heading	Sorts the table.	–	Size, largest first	–

Typical workflow

1. Choose the period and the smallest size worth listing.
2. Sort by size and work from the top.
3. Click a row to open the title.

Features

- "Played" covers every Plex account, from the play history.
- Titles you rated four stars or higher are left out.

Edge cases

- "Added" is the older of the file's own date and the day MediaLedger first saw it, so a young ledger does not make everything look new.
- On a machine with no Plex sync every title reads as unplayed; the page says so rather than imply the whole library is dead weight.

Messages and what they mean

Message	Meaning and what to do
None of these titles is linked to Plex on this machine	There is no play data behind the list. Sync Plex here, or open the page on the server that does.

4.10 Ratings

Your own rating and note for every title, next to the online rating and your Plex rating.

Ratings

Online averages come from TVmaze (TV) and AniList (anime) with the episode-count lookup; nothing extra is fetched. Your own rating is a 0-5 star score per title, stored locally and exported in the CSVs. Click a star to rate; click the same star again to clear. "Plex" is the audience score Plex shows; "Plex mine" is the rating you set in Plex (shown out of 5). Watched comes from Plex play counts. Run a Plex sync from Settings to refresh them.

Titles: 216

With online rating: 72 (avg 7.5 / 10)

Rated by you: 18 (avg 3.4 / 5)

Top online: Lost Atlas Division (8.9 / 10)

all libraries ☒ Only rated by me ☐ Only with a Plex rating of ☐ Only unrated by me ☐

Filter... 216 of 216

LIBRARY	TITLE	ONLINE	PLEX	PLEX MINE	WATCHED	MINE	NOTE	FILES	SIZE
TV	Lost Atlas Division	8.9 / 10 tvmaze · 4,247	—	—	0%	★★★★★	note...	75	34.3 GB
Anime	Iron Meridian Academy	8.9 / 10 anilist · 3,351	—	—	0%	★★★★★	note...	21	3.1 GB
Anime	Winter Garden Frontier	8.9 / 10 anilist · 733	—	—	6%	★★★★★	note...	35	16.4 GB
TV	Broken Circuit	8.8 / 10 tvmaze · 4,554	—	—	0%	★★★★★	note...	52	13.0 GB
TV	Crimson Observatory Street	8.8 / 10 tvmaze · 7,607	—	—	38%	★★★★★	note...	16	17.8 GB
TV	Lost Archive Division	8.8 / 10 tvmaze · 719	—	—	0%	★★★★★	note...	60	14.1 GB
TV	Paper Tide Division	8.8 / 10 tvmaze · 234	—	—	0%	★★★★★	Worth a rewatch	88	75.6 GB
Anime	Crimson Foundry	8.8 / 10 anilist · 1,001	—	—	0%	★★★★★	note...	23	11.9 GB
Anime	Lost Orchard	8.8 / 10 anilist · 8,326	—	—	0%	★★★★★	note...	24	3.5 GB
TV	Copper Kingdom Street	8.6 / 10 tvmaze · 5,497	—	—	—	★★★★★	note...	24	26.0 GB
TV	Golden Horizon	8.6 / 10 tvmaze · 6,995	—	—	—	★★★★★	note...	132	58.9 GB
Anime	Copper Signal Academy	8.6 / 10 anilist · 6,189	—	—	0%	★★★★★	note...	31	4.6 GB
TV	Northern Monarch & Sons	8.5 / 10 tvmaze · 4,848	—	—	2%	★★★★★	note...	63	31.1 GB

Figure 24. Ratings. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Titles, rated by you with the average, rated in Plex, online ratings known.	—	—	—
2	Library	Drop-down list	Keeps one library.	all libraries, TV, Anime, Movies, Web channels	all libraries	—
3	Rated by me	Check box	Keeps the titles you have rated.	—	off	—
4	With my Plex rating	Check box	Keeps the titles you rated in Plex.	—	off	—
5	Not rated yet	Check box	Keeps the titles you have not rated.	—	off	—
6	Filter	Search field	Keeps the titles that contain what you type.	—	empty	—
7	Stars	Rating control	Your rating of the title.	1 to 5 stars	none	Click the same star again to clear.
8	Note	Text field	A note of your own.	Free text	empty	Saved when you leave the field.

Typical workflow

1. Click a star to rate; click the same star again to clear.
2. Type a note and leave the field to save it.
3. Use the check boxes to list only what you rated, or only what you have not.

Features

- Your stars and notes are exported in the series and movie CSV files.
- Stars feed the Upgrades ranking and protect titles on the Reclaim page.

Edge cases

- Your notes are never shown on the family portal; your stars are, unless you switch that off there.

4.11 Watch tonight

One list across every series and movie, made for the "what shall we watch" moment.

MediaLedger

Watch tonight

Everything in the library on one list, narrowed by what Plex says you have not watched, how long you have, and your own ratings and tags. Pick for me chooses one at random from whatever is left.

1 series and movies 2 ☒ unwatched 3 ☐ complete series only 4 any min my rat. 5 any 6 Pick for me

7 any genre 8 sub or dub 9 any tag

8 **Midnight Orchard** (2013)

Adventure Fantasy

2h 42m · rated 7.2

9 0 10 Pick another

TITLE	TAGS	LENGTH	UNWATCHED	COMPLETE	MINE	RATING	BEST	ADDED
TV Hollow Circuit Street	Family Adventure Romance	40 min × 128	62 of 128	gaps	★★★★★	6.6	1080p	4 days ago
TV Golden Horizon	Crime Comedy Family rewatch	39 min × 132	not in Plex	yes	★★★★★	8.6	720p	4 days ago
Anime Quiet Signal Academy	Romance Mystery Comedy Isekai Dual audio	25 min × 34	10 of 34	gaps	★★★★★	7.9	1080p	4 days ago
TV Paper Tide Division	Adventure Romance Mystery background	40 min × 88	88 of 88	yes	★★★★★	8.8	1080p	4 days ago
Anime Velvet River Chronicle	Adventure Documentary Mecha Subbed	25 min × 24	19 of 24	yes	★★★★★	6.3	1080p	4 days ago
TV Lost Observatory & Sons	Romance Documentary Mystery rewatch	40 min × 55	55 of 55	gaps	★★★★★	6.2	1080p	4 days ago
Anime Electric Monarch Academy	Science Fiction Mystery Documentary Dual audio	25 min × 36	not in Plex	yes	★★★★★	7.9	480p	4 days ago
Anime Quiet Observatory Frontier	Comedy Science Fiction Romance School Subbed	24 min × 24	24 of 24	yes	★★★★★	6.1	1080p	4 days ago
TV Distant Garden Division	Family Drama Adventure rewatch	43 min × 37	37 of 37	gaps	★★★★★	8.1	720p	4 days ago
TV Distant Garden	Action Drama Mystery	39 min × 78	2 of 78	yes	★★★★★	8.1	1080p	4 days ago
TV Iron Meridian	Action Thriller background	38 min × 22	22 of 22	yes	★★★★★	7.8	1080p	4 days ago
Anime Quiet Harbor	Comedy Adventure Fantasy Mecha Subbed	25 min × 36	36 of 36	yes	★★★★★	7.5	480p	4 days ago
TV Northern Monarch & Sons	Drama Action Science Fiction background	43 min × 63	62 of 63	gaps	★★★★★	8.5	720p	4 days ago
Movie Glass Monarch (1973)	Science Fiction Comedy	1h 30m	yes		★★★★★	6.7	4K	4 days ago
Anime Seventh Archive Academy	Thriller Mystery Romance School Subbed	24 min × 48	25 of 48	yes	★★★★★	6.5	1080p	4 days ago
Anime Salt River Frontier	Romance Science Fiction Comedy Mecha Dubbed	24 min × 24	24 of 24	yes	★★★★★	6.2	480p	4 days ago
Anime Crimson Canyon Chronicle	Comedy Adventure Fantasy Isekai Subbed	25 min × 33	29 of 33	gaps	★★★★★	6.2	720p	4 days ago

Figure 25. Watch tonight. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Kind	Drop-down list	Series, movies or both.	—	series and movies	—
2	Unwatched only	Check box	Keeps the titles with something left to watch.	—	on	From Plex play counts.
3	Complete series only	Check box	Keeps the series with no missing episodes.	—	off	—
4	Up to ... minutes	Number field	The longest length you have time for.	Minutes, in steps of 5	any	—

#	Control name	Type	What it does	Inputs and limits	Default	Notes
5	My rating at least	Drop-down list	Keeps the titles you rated that high or higher.	any, 1 to 5 stars	any	–
6	Pick for me	Button	Chooses one title at random from the filtered list.	–	–	–
7	Genre	Drop-down list	Keeps the titles with that genre.	–	any genre	–
8	Tonight	Card	The title that was picked, with its poster, length and rating.	–	–	–
9	Open	Button	Opens the picked title.	–	–	–
10	Pick another	Button	Picks again.	–	–	–

Typical workflow

1. Choose series, movies or both.
2. Leave "unwatched only" ticked, set how long you have, and pick a genre or tag.
3. Press "Pick for me" to have one chosen at random from what is left.
4. Press Open to go to the title, or Pick another.

Features

- The choices are remembered in this browser.
- Length is the episode length for a series and the running time for a movie.

Edge cases

- Titles Plex does not have stay in the list when "unwatched only" is ticked, because nothing says they were watched.
- "Complete series only" needs an online match; unmatched series are left out.

Messages and what they mean

Message	Meaning and what to do
Nothing matches; loosen the filters	No title passes every filter.

4.12 Watched

The play history of the whole Plex server: who watched what, when, and on which device.




Figure 26. Watched. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Period	Drop-down list	The period the page covers.	last 7, 30 or 90 days, last year, all time	last 30 days	Remembered in this browser.
2	Person	Drop-down list	Keeps the plays of one Plex account.	Every account, with its play count	everyone	–
3	Summary tiles	Tiles	Plays, hours (from the lengths of the files), distinct titles, people, average plays per day.	–	–	–
4	Charts	Charts	By person, by library, by weekday, by hour of day, by device, and plays per day.	–	–	Weekday and hour use a linear scale.
5	Recent plays	Table	The newest plays: when, who, title, device, length.	–	500 rows	Searchable and sortable.

Typical workflow

1. Choose the period and, if you like, one person.
2. Read the tiles and the charts.
3. Scroll to Recent plays and search it; click a row to open the title.

Features

- Charts by person, library, weekday, hour of day and device, and plays per day.
- Most watched series and movies with who watched them.
- Next up: for each person and show, the episode after the furthest one they watched in the last 60 days.
- Binges: sittings of three or more episodes of one show.

Edge cases

- Plays are attributed by Plex account; a shared account shows as one person.
- Plex keeps history only as far back as its own setting allows.
- Each Plex sync pulls new history; the webhook adds plays in between and the next sync replaces those rows with Plex's own, so nothing is counted twice.

Messages and what they mean

Message	Meaning and what to do
Nothing here yet	No history has been pulled. Run a Plex sync.

4.13 Requests

A wish list for the library. Anyone who can open the application may ask for a title; only an administrator decides.




Figure 27. Requests. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Pending, added and all requests.	—	—	—
2	Title	Text field	What is being asked for.	Up to 120 characters	empty	—
3	Year	Number field	The year of release, to tell remakes apart.	1900 to 2100	empty	Optional.
4	Kind	Drop-down list	Movie, TV show, Anime or Other.	—	Movie	—
5	Note	Text field	Edition, dub or sub, where it streams.	Free text	empty	Optional.
6	Request	Button	Files the request.	—	—	—
7	Status	Drop-down list	Sets the status of that request.	Pending, Approved, Added, Declined	Pending	Administrators only.
8	Note to the requester	Button	Writes a note the requester can read.	—	—	Administrators only.
9	Delete	Button	Deletes the request.	—	—	Administrators only. Asks first.

Typical workflow

1. Type the title, the year if you know it, the kind, and anything that helps.
2. Press Request.
3. As an administrator: set the status, leave a note for the person who asked, or delete the request.

Features

- Statuses: Pending, Approved, Added, Declined.
- Requests from the family portal arrive marked "family:" and the name on the invite; guests type their own name.
- A notification is sent for every new request when notifications are set up.

Edge cases

- Requests do not download anything and do not talk to Plex.

4.14 Request page for phones

A page with nothing on it but the request form, sized for a phone. The guest QR code on the Security page points here.

 MediaLedger

Ask for something

A movie or show you would like added to the library. Whoever runs it sees the list and marks what happens.

TITLE

1

What is it called?

KIND

2

Movie

YEAR (IF YOU KNOW IT)

3

2024

ANYTHING THAT HELPS

4

Which edition, dub or sub, where it streams...

5

Send request

Open the full site

Figure 28. Request page for phones. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Title	Text field	What should be added.	Up to 120 characters	empty	–
2	Kind	Drop-down list	Movie, TV show, Anime or Other.	–	Movie	–
3	Year	Number field	The year of release.	–	empty	Optional.
4	Note	Text area	Anything that helps.	–	empty	Optional.
5	Send request	Button	Files the request.	–	–	–

Typical workflow

1. Scan the QR code or open the address ending in /request.
2. Type your name once; the phone remembers it.
3. Type the title and press Send request.

Edge cases

- Guest access must be enabled on the Security page, otherwise the page asks the visitor to sign in.

Maintenance

The tools that change things. The two rename pages are the only part of MediaLedger that writes to your share.

5.1 Change log

What each scan found: files added, removed, modified and returned. It is how you notice that a folder emptied or a batch of files was replaced.




Figure 29. Change log. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Scans completed with their average length, and files added, removed and modified.	—	—	—
2	30-day chart	Chart	Changes per day by kind.	—	—	—
3	Scan	Drop-down list	Shows the changes of one scan.	The latest 500 changes, or any recent scan	Latest 500 changes	—
4	Kind	Drop-down list	Keeps one kind of change.	added, removed, modified, returned, probe error, renamed	all	—
5	Filter	Search field	Keeps the paths that contain what you type.	—	empty	—

Typical workflow

1. Read the tiles and the 30-day chart.
2. Pick one scan, or leave it on the latest 500 changes.
3. Pick a kind and type in the filter box to narrow the list.

Features

- "returned" marks a file that had vanished and came back.
- Renames made through MediaLedger are recorded as renames, not as a removal and an addition.

Edge cases

- "modified" means the size or the date of the file changed; the file is probed again.

5.2 Movie names

Proposes tidy names for movie files and renames them in batches. With Rename TV / anime it is the only part of MediaLedger that writes to your share.

Movie names

Builds Title (Year) - Source Resolution HDR Codec [Audio] [[edition-]].ext from the parsed title and year plus probed resolution, colour, codec and audio. Anything the probe cannot prove becomes a placeholder word for you to fill in; anything unsafe is blocked. Every batch is a dry run unless you flip the live switch, is pre-flighted as a whole, verified file by file, journaled, and can be undone.

Summary:

- Ready: 148 (would be renamed)
- Already correct: 0
- Blocked: 2 (never renamed until fixed)
- With placeholders: 1 (Year / Source words in the n...)
- Flagged: 44 (renamed, but worth a look)
- Live renames: **ALLOWED** (the switch below is armed)

BATCH SETTINGS

Layout: **rename in place** | Batch: **200** | Title & year | file name + my fixes | **Allow live ren** | **Save**

Folder layout copies, verifies size and a head/tail hash, then deletes the original. In-place uses an atomic rename.

Name: **Title (Year)** | Resolution | Source | HDR/SDR | Codec | [Audio] | [edition] | Sub/Dub

Click a part to leave it out or put it back; + - move it. The same works by clicking a word in any proposed name below. Preview: Movie (2019) - 1080p.mkv

Filter: **ready** | any flag | 148 of 150 | Select all | 5 | Select sh | C | Set source for selected...

Dry run | Rename 0 | One at a time

CURRENT NAME	PROPOSED NAME	FLAGS
Amber Canyon - The Long Night (1987).mkv Amber Canyon - The Long Night (1987)	→ Amber Canyon - The Long Night (1987) - 480p.mkv	Fix... Rename
Amber Lantern (1971).mkv Amber Lantern (1971)	→ Amber Lantern (1971) - 4K.mkv	Fix... Rename
Amber Meridian (2019).mkv Amber Meridian (2019)	→ Amber Meridian (2019) - 4K.mkv	Fix... Rename
Amber Observatory Part Two (2006) - Extended.mkv Amber Observatory Part Two (2006)	→ Amber Observatory Part Two (2006) - 4K.mkv	Fix... Rename
Amber Observatory Part Two (2006).mkv Amber Observatory Part Two (2006)	→ Amber Observatory Part Two (2006) - 720p.mkv	Fix... Rename
Amber Parade (2012).mkv Amber Parade (2012)	→ Amber Parade (2012) - 4K.mkv	Fix... Rename
Amber Station (1971).mkv Amber Station (1971)	→ Amber Station (1971) - 480p.mkv	Fix... Rename
Amber Tide (1973).mkv Amber Tide (1973)	→ Amber Tide (1973) - 1080p.mkv	Fix... Rename
Amber Tide Part Two (2020).1080p.BluRay.x264.mkv Amber Tide Part Two	→ Amber Tide Part Two (2020) - 1080p.mkv	Fix... Rename
Broken Atlas Returns.1979.2160p.WEB-DL.x264.mkv Broken Atlas Returns	→ Broken Atlas Returns (1979) - 1080p.mkv	res_mismatch:4K→1080p Fix... Rename
Broken Compass (1980) - Extended.mkv Broken Compass (1980)	→ Broken Compass (1980) - 4K.mkv	Fix... Rename
Broken Compass.1980.2160p.HDTV.x264.mkv Broken Compass	→ Broken Compass (1980) - 480p.mkv	res_mismatch:4K→480p Fix... Rename
Broken Meridian Returns.2011.1080p.WEB-DL.x264.mkv Broken Meridian Returns	→ Broken Meridian Returns (2011) - 4K.mkv	res_mismatch:1080p→4K Fix... Rename
Broken Monarch.2026.1080p.WEB-DL.x264.mkv Broken Monarch	→ Broken Monarch (2026) - 1080p.mkv	Fix... Rename
Broken Orchard Part Two (1995).mkv Broken Orchard Part Two (1995)	→ Broken Orchard Part Two (1995) - 480p.mkv	Fix... Rename
Broken River - The Long Night (2024).mkv Broken River - The Long Night (2024)	→ Broken River - The Long Night (2024) - 4K.mkv	Fix... Rename
Copper Garden - The Long Night.1985.720p.BluRay.x264.mkv Copper Garden - The Long Night	→ Copper Garden - The Long Night (1985) - 4K.mkv	res_mismatch:720p→4K Fix... Rename
Copper Observatory Returns (1972).mkv Copper Observatory Returns (1972)	→ Copper Observatory Returns (1972) - 1080p.mkv	Fix... Rename
Copper River Returns (1990).mkv Copper River Returns (1990)	→ Copper River Returns (1990) - 480p.mkv	Fix... Rename
Copper Signal Part Two (1980).mkv Copper Signal Part Two (1980)	→ Copper Signal Part Two (1980) - 1080p.mkv	Fix... Rename
Crimson Atlas.1970.1080p.BluRay.x264.mkv Crimson Atlas	→ Crimson Atlas (1970) - 1080p.mkv	Fix... Rename
Crimson Canyon (1968).mkv Crimson Canyon (1968)	→ Crimson Canyon (1968) - 480p.mkv	Fix... Rename
Crimson Circuit Returns (1987).mkv Crimson Circuit Returns (1987)	→ Crimson Circuit Returns (1987) - 1080p.mkv	Fix... Rename
Crimson Foundry Part Two.2001.720p.HDTV.x264.mkv Crimson Foundry Part Two	→ Crimson Foundry Part Two (2001) - 4K.mkv	res_mismatch:720p→4K Fix... Rename
Crimson Harbor (2022).mkv Crimson Harbor (2022)	→ Crimson Harbor (2022) - 4K.mkv	Fix... Rename
Crimson Harbor - The Long Night (2002).mkv Crimson Harbor - The Long Night (2002)	→ Crimson Harbor - The Long Night (2002) - 4K.mkv	Fix... Rename
Crimson Horizon (1987).mkv Crimson Horizon (1987)	→ Crimson Horizon (1987) - 720p.mkv	Fix... Rename
Crimson Monarch.1992.1080p.BluRay.x264.mkv Crimson Monarch	→ Crimson Monarch (1992) - 720p.mkv	res_mismatch:1080p→720p Fix... Rename
Crimson Tide.2001.2160p.HDTV.x264.mkv Crimson Tide	→ Crimson Tide (2001) - 720p.mkv	res_mismatch:4K→720p Fix... Rename
Crimson Tide Part Two (2015).mkv Crimson Tide Part Two (2015)	→ Crimson Tide Part Two (2015) - 4K.mkv	Fix... Rename
Distant Canyon Part Two.1972.720p.WEB-DL.x264.mkv	→ Distant Canyon Part Two (1972) - 1080p.mkv	res_mismatch:720p→1080p Fix... Rename

Figure 30. Movie names. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Ready, flagged, blocked, already tidy, and renamed so far.	—	—	—

#	Control name	Type	What it does	Inputs and limits	Default	Notes
2	Layout	Drop-down list	Rename in place, or also move each movie into a folder named "Title (Year)".	–	rename in place	–
3	Batch limit	Number field	The most files one batch may rename.	1 to 5000	200	A safety stop, enforced by the server as well.
4	Source of the title	Drop-down list	Whether the name is built from the file name and your fixes, or from the Plex match.	–	file name + my fixes	–
5	Live renaming allowed	Check box	Arms the live button. While it is off only dry runs are possible.	–	off	–
6	Save	Button	Saves the batch settings.	–	–	–
7	Name parts	Chips	Click a part to leave it out of the name or put it back.	Title (Year) is fixed; Source, Resolution, Dynamic range, Codec, Audio, Edition and Sub/Dub are optional	Source, Resolution, Dynamic range, Codec, Audio, Edition	The proposed names update at once.
8	Filter	Search field	Keeps the files that contain what you type.	–	empty	–
9	Status	Drop-down list	Keeps ready, flagged, placeholder or blocked files.	–	ready	–
10	Select next	Button	Clears the selection and ticks only the next group of listed files.	–	–	After the batch those files leave the list, so pressing it again takes the following group.
11	How many	Number field	The size of the group "Select next" ticks.	1 to 200	10	Remembered in this browser.
12	Select shown	Button	Ticks every ready file in the list.	–	–	Asks first above 50.
13	Clear	Button	Unticks everything.	–	–	–
14	Set source for selected	Drop-down list	Records where the ticked copies came from, for the Source part of the name.	Web, Rip, Broadcast and others	–	–
15	Dry run	Button	Runs the batch without touching any file and records the result.	–	–	–
16	Rename live	Button	Renames the ticked files.	–	–	Disabled until live renaming is allowed.
17	One at a time	Button	Walks through the ticked files, asking before each.	–	–	–

Typical workflow

1. Choose the parts of the name by clicking the chips; the preview shows the result.
2. Set the layout and the batch limit and press Save.
3. Press "Select next" to tick a small group, check the proposed names.
4. Press "Dry run" first: it records what would happen and changes nothing.
5. Press "Rename live" when the dry run looks right.
6. Use Undo in the Batches table if you change your mind.

Features

- Every file is Ready, Flagged or Blocked. Blocked files are never renamed until the cause is fixed.
- A batch is checked as a whole before anything is renamed: the file is still there, its size is unchanged, the new name is free, the folder is writable.
- Each rename is verified and written to a journal. The Batches table at the bottom of the page lists every batch with its mode, status and counts; Items lists its files and Undo renames them back after checking each one.

Edge cases

- "Select shown" asks first when more than 50 files would be ticked.
- Two files that would end up with the same name are listed under Name collisions and neither is renamed.
- Renaming is off until you switch it on under Settings, Renaming.

Messages and what they mean

Message	Meaning and what to do
Renaming is off	Switch it on under Settings, Renaming.
target exists	A file with the proposed name is already there. Nothing is overwritten.
size changed since the scan	The file was altered after it was scanned. Scan again.

5.3 Rename TV / anime

The same batch engine for episodes: proposes "Show - S01E02 - Title" and renames in place.




Figure 31. Rename TV / anime. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Name parts	Chips	Click a part to leave it out or put it back.	Episode title, Resolution, Codec, Sub/Dub	Episode title	"Show - S01E02" is fixed, because Plex matches on it.
2	Preview	Label	An example of the name the chosen parts produce.	—	—	—
3	Summary tiles	Tiles	Proposed renames, how many come from your fixes, renamed so far.	—	—	—
4	Filter	Search field	Keeps the files that contain what you type.	—	empty	—
5	Library	Drop-down list	Keeps one library.	—	all libraries	—
6	Only files with manual fixes	Check box	Keeps the files whose proposal comes from a fix of yours.	—	off	—
7	Select next	Button	Clears the selection and ticks only the next group.	—	—	—
8	How many	Number field	The size of that group.	1 to 200	10	Remembered in this browser.
9	Select shown	Button	Ticks every file in the list.	—	—	Asks first above 50.

#	Control name	Type	What it does	Inputs and limits	Default	Notes
10	Clear	Button	Unticks everything.	–	–	–
11	Dry run	Button	Shows what would happen to the ticked files.	–	–	–
12	Rename	Button	Opens the confirmation for the ticked files.	–	–	–
13	One at a time	Button	Walks through the ticked files, asking before each.	–	–	–
14	Tick box	Check box	Includes that file in the batch.	–	off	–
15	Rename this file	Button	Renames that one file after a confirmation.	–	–	–
16	Undo	Button	Renames the files of that batch back.	–	–	–

Typical workflow

1. Choose the name parts with the chips.
2. Set the number beside "Select next" and press it.
3. Check the ticked rows: current name on the left, proposed name on the right.
4. Press "Dry run", then "Rename".
5. Repeat for the next group.

Features

- Files are renamed in their folder, never moved and never overwritten.
- A rename button on each row renames just that file.

Edge cases

- Proposals come from the parsed details plus your fixes, so correct anything wrong under Issues first.
- While a batch runs, scans are held back.

Messages and what they mean

Message	Meaning and what to do
scan skipped: rename batch in progress	A scan was due while a batch was running. It runs at the next opportunity.

5.4 Rename confirmation dialog

The last stop before files are renamed: it lists every file and its new name.




Figure 32. Rename confirmation dialog. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	What will be renamed	List	Each current name and the name it will get.	–	–	–
2	Cancel	Button	Closes without renaming.	–	–	–
3	Rename now	Button	Runs the batch.	–	–	–

Typical workflow

1. Read the list.
2. Press "Rename now", or Cancel.

Features

- If any check fails, nothing is renamed.

5.5 CSV export

Writes the library to CSV files for a spreadsheet or another tool.




Figure 33. CSV export. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Sets to export	Check boxes	Which files to write.	—	TV, Anime, Movies, Web videos, Changes	—
2	Zip the files	Check box	Puts the files of one export in a single zip file.	—	off	—
3	Zip when more than	Number field	The number of files above which a zip file is made.	1 or more	4	—
4	Remember as default	Button	Saves the ticks for the automatic export.	—	—	—
5	Summary tiles	Tiles	The last export, and whether exports run after each scan.	—	—	—
6	Export now	Button	Writes the ticked sets.	—	—	—
7	Open latest folder	Button	Opens the folder of the newest export.	—	—	Desktop only.
8	Open exports folder	Button	Opens the folder that holds every export.	—	—	Desktop only.
9	History	Table	Past exports with their files; on the web server each file is a download link.	—	—	—

Typical workflow

1. Tick the sets you want.
2. Choose whether to put them in one zip file.

3. Press "Export now".
4. Download the files from History, or open the folder on the desktop.

Features

- Sets: TV series, anime series, movies, episodes, missing episodes, quality, changes, requests and web videos.
- An export can run by itself after every scan.

Edge cases

- A zip file is made only when more files are exported than the number beside the check box.
- Adult titles are left out unless you allow them under Settings, Adult content.

6. Application

The application itself: the machine it runs on, who may use it, and what it has been doing.

6.1 System

Watches the machine MediaLedger runs on. On the Raspberry Pi that is the board itself, where temperature and power matter.




Figure 34. System. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Summary tiles	Tiles	Health, processor, memory, data disk, and on a Raspberry Pi the chip temperature.	—	—	—
2	Charts	Charts	Processor per core, memory, temperature, network.	—	—	—
3	Storage	Table	Free space of every root with a bar.	—	—	—

Typical workflow

1. Read the Health tile: All good, Attention or Problem, with the rules that triggered.
2. Read the charts for the last few minutes.
3. Read Storage for the free space on every root.

Features

- Sampled every five seconds while the page is open.

- On a Raspberry Pi: chip temperature, clock speed, core voltage, throttling and under-voltage.

Edge cases

- The figures in this manual come from the computer the screenshots were made on.

Messages and what they mean

Message	Meaning and what to do
not reachable	A root or disk could not be read. Check the mount.

6.2 Family portal (administration)

Runs the family portal: a second, separate site for people you invite, where they can browse the libraries, pick something for tonight and send requests, and nothing else.




Figure 35. Family portal (administration). The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Portal	Tile	Whether the portal is on and listening.	—	—	—
2	Public address	Tile	Whether the public address works, the response time, when it was checked, and the days left on its certificate.	—	—	Amber after one failed check, red after two.
3	Check the addresses now	Button	Tests both addresses at once.	—	—	—
4	Name	Text field	Who the invite is for. Requests arrive under this name.	Up to 40 characters	empty	—

#	Control name	Type	What it does	Inputs and limits	Default	Notes
5	Expires	Drop-down list	How long the invite works.	never, 7 days, 30 days, 1 year	never expires	–
6	May browse, use tonight, request	Check boxes	What the person may do.	–	All three	–
7	Create invite	Button	Creates the invite and shows its link and QR code once.	–	–	Asks for your password again on the web server.
8	New link	Button	Makes a new link; the old link and every device using it stop working.	–	–	–
9	Revoke	Button	Ends that person's access at once.	–	–	–
10	Public address	Text field	What people away from home open.	https://name	empty	With Tailscale Funnel, the address the funnel command prints.
11	Home address	Text field	A name served on your own network.	http:// or https://name	empty	Optional.
12	Portal on	Check box	Starts or stops the portal.	–	off	–
13	Port	Number field	The port the portal listens on.	1024 to 65535	8090	–
14	Reachable from	Drop-down list	This machine only, or the whole network.	–	this machine only	Keep "this machine only" when Caddy or Tailscale is in front.
15	Check the addresses every	Number field	Minutes between automatic checks.	0 (off) or 1 to 1440	15	–
16	Show my star ratings	Check box	Whether the portal shows your stars.	–	on	Your notes are never shown.
17	Save	Button	Saves the addresses and the server settings.	–	–	–

Typical workflow

1. Set the public address (and a home address if you serve one) and press Save.
2. Tick "on" and press Save.
3. Type a name, choose an expiry and what the person may do, press "Create invite".
4. Send the link or let them scan the QR code. It is shown once.
5. Use "New link" or "Revoke" in the table when needed.

Features

- The portal is its own listener on its own port with its own short list of operations; sign-in, settings, scans, renames and logs do not exist there.
- Replies are built from a fixed list of fields, so paths, Plex keys, watch history and notes never leave the server; adult titles are never included.
- The server tests its own addresses on a timer and tells you when one stops working.

Edge cases

- "Create invite" is disabled until an address is set, because the link is built from it.
- Only a fingerprint of each link is stored; a lost link cannot be shown again, only replaced.
- Switching the portal off closes it for everyone at once and keeps the invites.

Messages and what they mean

Message	Meaning and what to do
Set a public or home address first	An invite needs an address to build its link.
<name> already has an active invite; use New link on it	One active invite per name.
port N is already in use	Another program listens on that port. Choose another.
the name does not resolve (DNS)	The address check could not look the name up. A new Tailscale address takes about fifteen minutes to appear.
a different MediaLedger portal answers on this address	The name points at another server.

6.3 Invite created, with its QR code

What appears after "Create invite" or "New link": the link and its QR code, once.




Figure 36. Invite created, with its QR code. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Notice	Notice	Says who the invite is for and that the link is shown only now.	—	—	—
2	QR code	Image	The link as a code for a phone camera.	—	—	—
3	Link	Text field	The link as text. Click to select it.	—	—	Read-only.
4	Copy	Button	Copies the link.	—	—	—
5	Invites	Table	Every invite: state, permissions, last seen, devices, requests, expiry.	—	—	—

Typical workflow

1. Scan the code with the phone that should get access, or copy the link and send it.
2. The phone opens the portal and is remembered for six months.

Features

- "Away from home" uses the public address; "At home" uses the home address.

Edge cases

- Leaving the page discards the link. Use "New link" to get another.

6.4 Log

The tail of the log file: scans, Plex syncs, backups, database upgrades, restores and every failure. It means diagnosing the server does not need a terminal.




Figure 37. Log. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Filter	Search field	Keeps the lines that contain what you type.	—	empty	—
2	Level	Drop-down list	Everything, or problems only.	—	everything	—
3	Lines	Drop-down list	How many lines to show.	300, 1000, 2000	300	—
4	Refresh every 5 s	Check box	Keeps the view current.	—	on	—
5	Copy	Button	Copies the lines shown.	—	—	—
6	Log lines	Text	The lines, newest at the bottom.	—	—	—

Typical workflow

1. Type a word in the filter, for example plex or backup.
2. Switch to "problems only" to see failures.
3. Press Copy to take the lines elsewhere.

Features

- Refreshes every five seconds while the box is ticked.
- Failures are red, warnings amber.

Edge cases

- Only the last two megabytes of the file are read.
- Administrators only on the web server.

6.5 Security

Accounts, sessions and the protections of the web server. The desktop application shows this page only to explain that it applies to the server.

MediaLedger

Security

Web server on HTTP port 8197 · 1 active session · 0 failed sign-ins in 24 h · 0 addresses locked out

Admin account

1 admin, 0 standard user(s); crypt-hashed in web.json

Two-factor codes for admins

optional: turn on below so a leaked admin password alone is not enough

LAN-only access

connections from outside private address ranges are refused

Guest access

off: every page needs an account

HTTPS

plain HTTP: fine on a trusted LAN; turn it on below

Not running as root

service user has no shell and no sudo

Secrets file permissions

web.json mode 660

Idle sign-out

optional: sessions last 30 days unless signed out

Renaming switched off

live renames need the switch on, then a password re-entry per batch

PASSWORD

Current

New (8+ chars)

Repeat

Change password Signs out every other session.

OPTIONS

LAN only ☐ Refuse connections from outside private address ranges. Leave on unless you know why.

Idle sign-out minutes (0 = off) **Save**

Guest access ☐ Anyone on the LAN can open the page without signing in and see library statistics and lists, and file media requests. Guests never see adult content, issues, settings or any control.

Save options

USERS

USER	ROLE	LAST SIGN-IN	SESSIONS
admin	admin	2 min ago	1

username **password (8+)** **standard** **Add user**

admin: everything. standard: sees every library and review page, can rate titles, file requests and show adult content for their own session; no settings, system, security, scans, fixes or renames.

AUDIT LOG

WHEN	EVENT	ADDRESS	DETAIL
Sep 29, 2026, 7:24 PM	portal_invite_created	127.0.0.1	Jordan
Sep 29, 2026, 7:24 PM	Sensitive action	127.0.0.1	portalinvite
Sep 29, 2026, 7:23 PM	Signed in	127.0.0.1	admin
Sep 29, 2026, 7:22 PM	Signed out	127.0.0.1	
Sep 29, 2026, 7:22 PM	portal_invite_created	127.0.0.1	Sam
Sep 29, 2026, 7:22 PM	Sensitive action	127.0.0.1	portalinvite
Sep 29, 2026, 7:22 PM	portal_invite_created	127.0.0.1	Alex, 30 days
Sep 29, 2026, 7:22 PM	Sensitive action	127.0.0.1	portalinvite
Sep 29, 2026, 7:22 PM	Signed in	127.0.0.1	admin

Lockout after 8 failures in 15 min · sensitive actions ask for the password again after 5 min · sessions last 30 days · full log in C:\Project Folder\MediaLedger\docs_tools\release-docs\demo-data\security.log

Figure 38. Security. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Checklist	Card	Each protection with a tick or a warning.	–	–	–
2	Current password	Password field	Your password now.	–	empty	–
3	New password	Password field	The password to change to.	At least 8 characters	empty	–
4	Change password	Button	Changes your password and signs out your other sessions.	–	–	–
5	LAN only	Check box	Refuses every address outside your network.	–	on	–
6	Sign out when idle	Number field	Minutes without activity after which a session ends.	0 (never) or more	0	–
7	Guest access	Check box	Lets people look without signing in, read-only.	–	off	Guests can also file requests.
8	Save options	Button	Saves the three options above.	–	–	–
9	Role	Drop-down list	The role of that user.	admin, standard	–	–
10	Reset password	Button	Sets a new password for that user.	–	–	–
11	New user	Text field	The name of the account to add.	–	empty	–
12	Add user	Button	Creates the account.	–	–	–
13	Set up 2FA	Button	Starts two-factor setup.	–	–	–
14	Turn on HTTPS	Button	Creates a self-signed certificate and restarts on HTTPS.	–	–	Use "Turn HTTPS off" instead when a reverse proxy holds the certificate.
15	Sign out other sessions	Button	Ends every session but this one.	–	–	–
16	Sign out here	Button	Ends this session.	–	–	–

Typical workflow

1. Read the checklist at the top: each line is a protection and whether it is in place.
2. Change your password, add users, set their roles.
3. Switch on two-factor codes.
4. Decide whether guests may look without signing in.
5. Sign out other sessions if a device was lost.

Features

- Three roles: administrator (everything), standard (read, plus requests and ratings) and guest (read-only, no account).
- LAN only refuses every address outside your network.
- Sensitive actions ask for your password again when your last confirmation is more than five minutes old.
- Every sign-in, refusal and sensitive action is written to a security log, shown at the bottom.

Edge cases

- The last administrator cannot be deleted or demoted.

- Behind a reverse proxy the visitor's real address is read from the proxy, and only when the connection comes from this machine.

Messages and what they mean

Message	Meaning and what to do
Password must be at least 8 characters	Choose a longer password.
Please re-enter your password for this action	The action is sensitive and your last confirmation is too old.
LAN only	The request came from outside your network and was refused.

6.6 Two-factor setup

Adds a six-digit code from an authenticator application to the sign-in, so a leaked password alone is not enough.




Figure 39. Two-factor setup. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	QR code	Image	The setup key as a code for the authenticator application.	—	—	—
2	Setup key	Text	The same key as text, for typing by hand.	—	—	—
3	Code	Text field	The six digits the application shows.	6 digits	empty	—
4	Turn on 2FA	Button	Confirms the code and switches two-factor codes on.	—	—	—

Typical workflow

1. In the authenticator application choose "Scan a QR code" and point the camera at the code.
2. Or type the key shown under the code.
3. Type the six digits the application shows and press "Turn on 2FA".

Features

- Works with Google Authenticator, Aegis, Bitwarden, 1Password and any application that follows the same standard.

Edge cases

- Setup is not finished until a code has been confirmed.
- Turning two-factor codes off asks for your password.

Messages and what they mean

Message	Meaning and what to do
That code is not right	The six digits did not match. Check the clock of the phone and try the next code.

6.7 About

Which version is running, where its data lives, and how to update.




Figure 40. About. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Repository	Link	Opens the project on GitHub.	—	—	—
2	Report a problem	Link	Opens the issue list.	—	—	—
3	Check for updates	Button	Asks GitHub for the newest release.	—	—	—
4	Open releases page	Button	Opens the list of releases.	—	—	—
5	Data folder	Link	The folder that holds the database, the settings and the log.	—	—	Desktop: opens the folder.

Typical workflow

1. Press "Check for updates".
2. On the desktop, a newer version downloads by itself and is applied on the next restart.
3. On the web server the page names the command to run.

Features

- Lists the versions of the parts it is built on and the path of the database.

Edge cases

- The desktop application checks at launch and every six hours when automatic updates are on.

Messages and what they mean

Message	Meaning and what to do
Could not reach GitHub	No connection, or GitHub is limiting requests. Try later.

7. Settings

Everything on the Settings page, section by section. Nothing on the page takes effect until **Save settings** at the bottom is pressed. The values are stored in `settings.json` in the data folder; section 10 lists every one.

7.1 Settings: Appearance and Library roots

The colour theme, and the folders MediaLedger scans. Nothing is scanned until a root is listed here and enabled.




Figure 41. Settings: Appearance and Library roots. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Colour theme	Drop-down list	Changes the colours of the application.	Graphite, Midnight blue, Obsidian, Forest, Rose, Lavender, Gunmetal, Crimson	Graphite	Stored in the browser, per device.
2	Check reachability	Button	Tests every root now and shows the result beside it.	—	—	—
3	On	Check box	Whether this root is scanned.	—	on	—
4	Label	Text field	The name shown for the root.	Free text	—	—
5	Path	Text field	The folder to scan.	A network path or a local folder	—	Windows: \\server\share\folder. Raspberry Pi: /mnt/media/folder.
6	Browse	Button	Chooses the folder.	—	—	Desktop: the system dialog. Web server: the folder browser.
7	Type	Drop-down list	How the files in this root are read.	TV, Anime, Movies, Web videos, Adult	—	—
8	Remove root	Button	Removes the root from the list.	—	—	—
9	Add root	Button	Adds an empty row.	—	—	—

Typical workflow

1. Pick a theme; it applies at once.
2. For each library folder add a root: a label, the path, and the type.
3. Press "Check reachability" to confirm every root can be read.
4. Press "Save settings" at the bottom of the page.

Features

- Types: TV, Anime, Movies, Web videos, Adult.
- When a root cannot be reached the page says why: the file server does not answer, the share is not mounted, or the folder is missing.

Edge cases

- On the web server the path is typed or chosen with the folder browser, which lists folders only.
- On the Raspberry Pi an armed automount is nudged before a share is reported as not mounted.
- Removing a root does not delete its records until the next scan marks the files missing.

Messages and what they mean

Message	Meaning and what to do
Share not mounted	The file server answers but the share is not mounted. On the Raspberry Pi: sudo mount, or wait a minute for the watchdog.
does not answer on port 445	The file server is off or unreachable.

7.2 Settings: Scanning, ffprobe, lookups and folder watch

How a scan walks the folders and measures the files, where ffprobe is, whether episode counts are looked up online, and whether folders are watched for changes.




Figure 42. Settings: Scanning, ffprobe, lookups and folder watch. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Multi-threaded scan	Check box	Walks the roots with several threads.	–	on	–
2	Threads	Number field	How many threads walk the folders.	0 to 32; 0 chooses by itself	0	–
3	Parallel probes	Number field	How many ffprobe processes run at once.	1 or more	8	–
4	Probe unchanged files again	Check box	Measures every file again, even when its size and date are unchanged.	–	off	Makes a scan much slower.
5	Video extensions	Text field	Which file types count as video.	Comma separated	mp4, mkv, avi, mov, m4v, wmv, ts, webm, flv, mpg, mpeg	–
6	Subtitle extensions	Text field	Which file types count as subtitles beside a video.	Comma separated	srt, ass, ssa, sub, idx, vtt, sup	–

#	Control name	Type	What it does	Inputs and limits	Default	Notes
7	Ignore patterns	Text field	Files to skip.	Comma separated, * as wildcard	*.crdownload, *.part, *.!qb, Thumbs.db, desktop.ini, .DS_Store	–
8	ffprobe path	Text field	Where ffprobe is.	A file path	empty (found automatically)	–
9	Download ffmpeg	Button	Downloads a current ffmpeg build, which includes ffprobe.	–	–	Desktop only.
10	Look up expected episodes	Check box	Asks TVmaze and AniList how many episodes each series has.	–	on	–
11	Check running series again after	Number field	Days before a series that is still airing is looked up again.	1 or more	14	–
12	Check the roots every	Number field	Minutes between reachability checks.	0 (off) or more	5	–
13	Watch the folders	Check box	Starts a scan when files change.	–	off	–
14	Wait for changes to settle	Number field	Seconds of quiet before that scan starts.	–	90	–

Typical workflow

1. Leave the defaults unless scans are slow or something is missed.
2. Press "Save settings".

Features

- A scan walks the roots with several threads, then probes new and changed files with ffprobe.
- Episode lookups use TVmaze and AniList; both are free and need no account.

Edge cases

- Probing is limited by the network share more than by the processor; raising the number of parallel probes beyond 8 rarely helps.
- Folder watch does not work on every network share; the daily scan is the safety net.

Messages and what they mean

Message	Meaning and what to do
ffprobe not found	Press the download button, or point the path at an existing ffprobe.

7.3 Settings: Renaming, adult content, quality thresholds and CSV export

The switches for the rename tools, how adult content is treated, the bitrate below which a file counts as low quality, and where CSV files go.




Figure 43. Settings: Renaming, adult content, quality thresholds and CSV export. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Renaming	Check box	Enables the Rename TV / anime page.	–	off	Marked "writes to the share".
2	Adult titles in CSV files	Check box	Includes adult titles in exports.	–	off	–
3	Read adult files as	Drop-down list	Whether files in an Adult root are read as anime or as TV.	Anime, TV	Anime	–
4	Minimum bitrate	Number fields	Below this bitrate a file of that resolution counts as low quality.	Kilobits per second, per resolution	4K 6000, 1440p 3000, 1080p 1500, 720p 700, 576p 400, 480p 350, SD 250	Feeds the Quality page and the Upgrades ranking.
5	CSV folder	Text field	Where exports are written.	A folder	empty (the exports folder beside the database)	–
6	Export after each scan	Check box	Writes the CSV files whenever a scan finishes.	–	on	–

Typical workflow

1. Switch renaming on only when you intend to use the rename pages.
2. Adjust the thresholds to your own idea of acceptable quality.
3. Press "Save settings".

Edge cases

- Renaming writes to your share. It is off until you switch it on.

7.4 Settings: Schedules

Every job MediaLedger runs by itself, in one table, with when it last ran and when it runs next.

SCHEDULES

JOB	WHEN	LAST RUN	NEXT
Library scan	manual only	44 h ago done	—
Plex sync	after each scan · every 6 h	41 h ago timer	—
Episode counts and airing dates	off	34 h ago	—
Backup to folder	daily at 03:30 · keep 7	just now C:\Project Folder\MediaLedger\docs\tools\release- docs\demo-data\nas-backups\med	Sep 30, 2026, 3:30 AM
Daily snapshot (trend cards)	after each scan, else at 03:05	just now	Sep 30, 2026, 3:05 AM
Daily summary notification	daily at 08:00	just now	Sep 30, 2026, 8:00 AM
Posters	after each scan and Plex sync	41 h ago 193 of 213 titles	—
Family portal address check	off	2 min ago library.example.invalid: the name does not resolve (DNS) - 127.0.0.1:8198: work!	—

Everything MediaLedger does on its own, with the last and next run. **Run now** starts a job straight away. Change the timing below and press Save.

Plex sync ☒ 6 hours (0 = only after scans)
Pulls ratings, watched state and the play history for every account. A timer keeps the Watched tab current on days without a scan; 6 hours is a sensible value.

Backup ☒ 03:30 AM ☒ 7 newest
Turn it on and choose the folder under Data.

Daily snapshot ☒ 03:05 AM ☒ if no scan has taken one that day

Daily summary ☒ 08:00 AM ☒
Sent by webhook or e-mail as set under Notifications.

In-app scan timer ☒ ☒ 24 hours
Runs only while MediaLedger is open. Next run: off

Windows Task Scheduler ☒ 03:00 AM ☒ Install / update task
Runs even when the app is closed: launches MediaLedger with --scan, scans, exports and exits. If the app is already open, the open window runs the scan instead.

No scheduled task installed.

Figure 44. Settings: Schedules. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Jobs table	Table	Each job, when it runs, the last run and its result, and the next run.	—	—	—
2	Run now	Button	Starts that job.	—	—	—
3	Plex sync every	Number field	Hours between syncs that do not wait for a scan.	0 (only after scans) or more	6	—
4	Backup at	Time field	When the daily backup runs.	Time of day	03:30	—
5	Keep	Number field	How many backup sets to keep.	1 to 60	7	—
6	Daily snapshot at	Time field	When the snapshot is taken if no scan has taken one that day.	Time of day	03:05	—
7	Daily summary at	Time field	When the summary notification goes out.	Time of day	08:00	—
8	In-app scan timer	Check box	Scans on a timer while the application is open.	—	off	—
9	Every	Number field	Hours between those scans.	0.25 or more	24	—
10	Windows scheduled task at	Time field	When the task runs each day.	Time of day	03:00	Desktop only.
11	Install or update task	Button	Creates the scheduled task.	—	—	Desktop only.

Typical workflow

1. Read the table: a red "overdue" badge marks a job that has not run when it should have.
2. Press "Run now" to start a job at once.
3. Change the timing below and press "Save settings".

Features

- Jobs: library scan, Plex sync, episode counts and airing dates, backup, daily snapshot, daily summary, posters, and on the web server the family portal address check.
- A job is overdue when it has not run for twice its interval, 48 hours for the daily ones, or when the last backup failed.

Edge cases

- The in-app scan timer runs only while the application is open; the Windows scheduled task runs even when it is closed.
- On the Raspberry Pi the application is always running, so the in-app timer is the one to use.

7.5 Settings: Data, backups and posters

Where the database is, how it is backed up and restored, and where posters are kept.




Figure 45. Settings: Data, backups and posters. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Back up database now	Button	Copies the database into the backups folder beside it.	–	–	–
2	Open backups folder	Button	Opens that folder.	–	–	Desktop only.
3	Open log	Button	Opens the log file.	–	–	Desktop only. The Log page works everywhere.
4	Daily backup to a folder	Check box	Copies a backup set to the folder once a day.	–	off	–

#	Control name	Type	What it does	Inputs and limits	Default	Notes
5	Backup folder	Text field	Where the sets go.	A folder	empty	–
6	Back up there now	Button	Writes a set at once, which also tests the folder.	–	–	–
7	Restore	Button	Opens the Restore dialog.	–	–	–
8	Fetch posters	Check box	Fetches posters after each scan and Plex sync.	–	on	–
9	Also from AniList and TVmaze	Check box	Uses the online services for series Plex does not have.	–	on	–
10	Width	Drop-down list	The width posters are fetched at.	200, 300 or 400 pixels	300	–
11	Posters folder	Text field	Where posters are kept.	A folder	empty (the posters folder beside the database)	–
12	Fetch missing posters	Button	Fetches posters for titles that have none.	–	–	–
13	Fetch all again	Button	Fetches every poster again.	–	–	Asks first.
14	Delete all posters	Button	Deletes the poster files.	–	–	Asks first. They can be fetched again.

Typical workflow

1. Tick the backup box, set the folder (the NAS is the right place) and press "Back up there now" to test it.
2. Set the posters folder and press "Fetch missing posters".
3. Press "Save settings".

Features

- A backup is a set with one date stamp: the database, the settings and, on the web server, the accounts and portal files.
- A backup is also taken automatically before every database upgrade.
- Posters come from Plex first, then AniList and TVmaze; adult titles never get one.

Edge cases

- The accounts file holds password fingerprints and two-factor keys; keep the backup folder private.
- Changing the posters folder does not move files; fetch again afterwards.
- A title with no art anywhere is asked for again after two weeks.

Messages and what they mean

Message	Meaning and what to do
No backup folder set	Type a folder before backing up.
The posters folder is not writable	The folder does not exist or the application may not write there. On the Raspberry Pi, mount the share for the medialedger user.
Copied backup is empty	The copy failed; the folder may be full or read-only.

7.6 Restore from a backup dialog

Brings the database back from a backup set.




Figure 46. Restore from a backup dialog. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Backup	Drop-down list	The set to restore: its date, size and what it contains.	–	The newest	–
2	Also restore settings	Check box	Brings the settings back too.	–	off	–
3	Also restore web accounts and 2FA	Check box	Brings the accounts, two-factor keys and portal invites back too.	–	off	–
4	Cancel	Button	Closes without restoring.	–	–	–
5	Restore and restart	Button	Checks the backup, restarts, and puts it in place.	–	–	Asks for your password again on the web server.

Typical workflow

1. Pick the set by its date.
2. Tick whether the settings and the accounts should come back as well.
3. Press "Restore and restart" and confirm.

Features

- The backup is opened read-only and checked before anything happens.
- The files it replaces are moved into a folder named pre-restore with the date, beside the database. Nothing is deleted.

Edge cases

- A backup from a newer version is refused; update first.
- Restoring accounts signs everyone out and brings back the passwords of that day.

Messages and what they mean

Message	Meaning and what to do
The backup failed its integrity check	The file is damaged. Choose another set.

Message	Meaning and what to do
The backup is schema vN; this build understands up to vM	The backup is from a newer version.
A scan is running; restore when it has finished	Wait for the scan.

7.7 Folder browser dialog (web server)

Chooses a folder on the server when the application runs in a browser, where the system folder dialog is not available.




Figure 47. Folder browser dialog (web server). The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Up	Button	Goes to the folder above.	–	–	–
2	Path	Text field	The folder being shown.	–	–	Enter does the same as Go.
3	Go	Button	Opens the typed path.	–	–	–
4	Cancel	Button	Closes without choosing.	–	–	–
5	Use this folder	Button	Puts the path into the field you came from.	–	–	–

Typical workflow

1. Type a path and press Go, or click a folder in the list.
2. Press "Use this folder".

Edge cases

- Folders only; files and hidden folders are not listed.

7.8 Settings: Updates and notifications

Whether the desktop application updates itself, and how MediaLedger tells you that something happened.

UPDATES

Automatic updates ☒ Installed builds check GitHub Releases on launch and every 6 hours, download silently and apply on the next restart. Your database and settings are untouched by updates.

GitHub token not needed – the repository is public
Leave empty. Only needed if the AxialForge/medialedger repository is ever made private again (fine-grained token, Contents: read). Takes effect on the next Check for updates.

NOTIFICATIONS

Webhook URL https://home.example.invalid/api/webhook/medialedger
MediaLedger POSTs a small JSON body (event, title, message, ...) here for every event below. Works with a Home Assistant webhook trigger, ntfy (https://ntfy.sh/your-topic), Discord or anything that accepts a POST.

E-mail ☒ smtp.example.invalid 587 ☒ TLS on ledger@example.invalid
 password / app password owner@example.invalid
Any ordinary mailbox. Gmail: host smtp.gmail.com, port 587, your address as user and an app password (Google account → Security → App passwords). The password stays in settings.json on this machine.

Send for ☒ new media request ☒ daily summary ☒ backup failed ☒ a scheduled job is overdue
☒ family portal not reachable ☒ episodes airing (in the summary)

Home Assistant status http://127.0.0.1:8197/api/status?key=Z1AHtUVpb252-nLFDsy
A read-only JSON summary (files, free space, pending requests, missing episodes, what airs this week, last scan) at a URL with its own key. In Home Assistant add a RESTful sensor with that URL and pick values with value_template, e.g. {{ value_json.pending_requests }}.

Figure 48. Settings: Updates and notifications. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Automatic updates	Check box	Checks GitHub at launch and every six hours.	–	on	Desktop only.
2	GitHub token	Password field	Only needed if the repository is made private.	–	empty	Leave empty.
3	Webhook address	Text field	Where event messages are sent.	An https or http address	empty	–
4	E-mail on	Check box	Sends events by e-mail.	–	off	–
5	Mail server	Text field	The outgoing mail server.	–	empty	–
6	Port	Number field	The port of the mail server.	–	587	–
7	Account	Text field	The account to send from.	–	empty	–
8	Password	Password field	The password of that account.	–	empty	–
9	Recipient	Text field	Who receives the e-mail.	–	empty	–
10	Events	Check boxes	Which events are sent: new request, daily summary, backup failed, scheduled job overdue, family portal not reachable, episodes airing.	–	All ticked	–
11	Send a test	Button	Sends a test message through everything that is set up.	–	–	–
12	New key	Button	Replaces the key of the status address.	–	–	The old address stops working.

Typical workflow

1. For a webhook, paste the address and press "Send a test".
2. For e-mail, fill in the server, the account and the recipient, then test.
3. Tick the events you want.
4. Press "Save settings".

Features

- A webhook receives a small JSON message per event; Home Assistant, ntfy and Discord all accept it.
- The status address gives a read-only summary for Home Assistant, protected by its own key.

Edge cases

- For Gmail use an application password, not the account password.
- The update switch applies to the desktop application; the web server is updated with a command.

Messages and what they mean

Message	Meaning and what to do
No webhook or e-mail configured	Set one before testing.

7.9 Settings: Plex

Connects MediaLedger to your Plex Media Server on the local network, to read titles, ratings, watched state and the play history.

The screenshot shows the Plex settings page with the following elements and numbered callouts:

- 1** Plex URL: `http://plex.example.invalid:32400`. Below it, a note says: "Your Plex Media Server on the LAN, e.g. `http://192.168.1.204:32400` if Plex runs on the NAS."
- 2** Plex token: An empty text field.
- 3** Test: A button next to the Plex token field.
- 4** Paste the XML address: `http://192.168.1.204:32400/library/metadata/1234?...&X-Plex-Token=...`
- 5** Sync after every scan: A checkbox that is checked.
- 6** Path mapping: A text field containing `/media`.
- 7** Add mapping: A button next to the path mapping field.
- 8** Sync now: A button.
- 9** Last sync Sep 28, 2026, 2:06 AM: 2,397 of 2,409 Plex items matched to files · 2,397 of 2,883 files linked · 749 watched · 352 with your Plex rating. Below this is a table:

PLEX LIBRARY	ITEMS	MATCHED	UNMATCHED	WHY
Movies	131	131	0	
TV Shows	2,900	2,900	0	
Anime	2,400	2,388	12	12 × file is not in a scanned root /media/Anime/Example Show/Example Show - S01E01.mkv → C:\Project Folder\MediaLedger\docs\tools\release-docs\demo-data\library\Anime\Example Show\Example Show - S01E01.mkv
- 10** Webhook (Plex Pass): Enabled. Below it, a note says: "Plex calls this server the moment something is added, watched or rated: additions queue a scan two minutes later, watched and rated update the linked file at once. In Plex Web: Settings → Webhooks → Add webhook, paste the URL. LAN-only still applies and the key in the URL is the credential."
- 11** Save settings: A button at the bottom left.

Figure 49. Settings: Plex. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Plex address	Text field	The address of the Plex server.	http://address:32400	http://192.168.1.204:32400	–
2	Plex token	Password field	The token that lets MediaLedger read from Plex.	–	empty	Shown as dots; never sent anywhere but your Plex server.
3	Test	Button	Connects and lists the libraries found.	–	–	–
4	Paste the XML address	Text field	Takes the token out of an address copied from Plex.	–	empty	In Plex: an item, the three dots, Get Info, View XML, then copy the address.
5	Sync after each scan	Check box	Runs a sync whenever a scan finishes.	–	off	–
6	Path mapping	Text fields	How a path as Plex reports it translates to the path MediaLedger knows.	–	Worked out on the first sync	–
7	Add mapping	Button	Adds a mapping row.	–	–	–
8	Sync now	Button	Starts a sync.	–	–	–
9	Last sync	Status	The result of the last sync and the table per library.	–	–	–
10	Webhook enabled	Check box	Accepts reports from Plex.	–	off	Web server only.
11	Save settings	Button	Saves everything on the Settings page.	–	–	Nothing on this page is saved until it is pressed.

Typical workflow

1. Type the address of the Plex server.
2. Paste the XML address from Plex into the box below; the token is taken from it.
3. Press Test.
4. Tick "Sync after each scan" and press "Sync now".
5. Read the table under the last sync for anything unmatched.

Features

- Files are matched by their path; the path mapping translates how Plex sees a file into how MediaLedger sees it, and is worked out by itself on the first sync.
- The table breaks the sync down per Plex library, with the reason for anything unmatched.
- The webhook lets Plex report plays and ratings the moment they happen (Plex Pass).

Edge cases

- "file is not in a scanned root" means Plex has a library MediaLedger does not scan; add the root or ignore the row.
- "no path mapping covers this folder" means that library lives under a path no mapping translates; add a mapping.

Messages and what they mean

Message	Meaning and what to do
Plex rejected the token (401)	The token is wrong or has been revoked. Take a new one.
Could not reach Plex	The address is wrong or the server is off.

8. The family portal

A separate site for the people you invite. It is set up from the Family portal page (section 6) and reached at its own address. These are the pages a visitor sees, shown at the size of a phone.

8.1 Family portal: Library

The family portal is a separate small site for invited people. Library lists what is in the three libraries.




Figure 50. Family portal: Library. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Your name	Label	The name on the invite.	–	–	–

#	Control name	Type	What it does	Inputs and limits	Default	Notes
2	Settings	Button	Opens the theme and sign-out page.	–	–	–
3	Library	Tabs	Movies, TV or Anime.	–	Movies	Remembered on this device.
4	Search	Search field	Keeps the titles that contain what you type.	–	empty	Also matches tags.
5	Genre	Drop-down list	Keeps the titles with that genre.	–	any genre	–
6	Quality	Drop-down list	Keeps the titles whose best copy has that resolution.	4K, 1080p, 720p	any quality	–
7	Sort	Drop-down list	Alphabetical, best rated, or newest first.	–	A to Z	–
8	Title	Row	Poster, name, quality, length or episode count, rating, genres.	–	–	Tap to open.
9	Tabs	Navigation	Library, Tonight and Requests, as far as the invite allows.	–	–	–

Typical workflow

1. Tap Movies, TV or Anime.
2. Type in the search box, or choose a genre, a quality or a sort order.
3. Tap a title to open it.

Features

- Posters throughout.
- Series show whether they are complete or how many episodes are missing.

Edge cases

- Adult titles are never listed.
- Without an invite on this device the page only says that an invite is needed.

Messages and what they mean

Message	Meaning and what to do
Invite needed	Open the invite link on this device.
Too many requests; wait a minute	The portal limits how fast one device may ask.

8.2 Family portal: a series

What is on hand of one title.




Figure 51. Family portal: a series. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Poster	Image	The poster of the title.	–	–	–
2	Title	Heading	The name and its library.	–	–	–
3	Season	Expandable row	A season with its episode count and whether it is complete.	–	Closed	Tap to open.
4	Back	Link	Returns to the Library.	–	–	–

Typical workflow

1. Tap a season to open it.

- Red lines are episodes that are not in the library.

Features

- A long run of missing episodes is shown as ranges, for example 1 to 60.

Messages and what they mean

Message	Meaning and what to do
Not in the library	The title was removed since the list was loaded.

8.3 Family portal: Tonight

Helps a family member choose something to watch.




Figure 52. Family portal: Tonight. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Kind	Drop-down list	Series, movies or both.	–	series and movies	–
2	Genre	Drop-down list	Keeps the titles with that genre.	–	any genre	–
3	Length	Drop-down list	The longest length you have time for.	30 minutes to 2 hours 10 minutes	any length	–
4	Not watched yet	Check box	Keeps the titles with something left to watch.	–	on	–
5	Complete series only	Check box	Keeps the series with no missing episodes.	–	off	–
6	Pick for me	Button	Chooses one at random.	–	–	–
7	Tonight	Card	The title that was picked.	–	–	–

Typical workflow

1. Choose the kind, a genre and how long you have.
2. Tap "Pick for me".

Edge cases

- "Not watched yet" follows the Plex account of the household, not the visitor's.

8.4 Family portal: Requests

Lets a family member ask for a title and follow what became of it.

Library Alex

Ask for something

Title
1 Winter Garden Frontier

Kind 2 Anime 3 Year (optional)

Note (optional)
4 Edition, dub or sub, where it streams...

5 **Already in the library:**
 Winter Garden Frontier Anime
 Winter Garden (1979) Movie

6 ☐ Ask anyway (another edition, better quality...)

7 **Send request**

YOUR REQUESTS

8 **Copper Tide Division (2023)** waiting
 TV show 9/24/2026

Paper Lantern Returns (2024) waiting
 Movie 9/16/2026
 The extended cut if there is one

Library Tonight Requests

Figure 53. Family portal: Requests. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Title	Text field	What should be added.	Up to 120 characters	empty	–
2	Kind	Drop-down list	Movie, TV show, Anime or Other.	–	Movie	–
3	Year	Number field	The year of release.	1900 to 2100	empty	Optional.
4	Note	Text area	Edition, dub or sub, where it streams.	Up to 400 characters	empty	Optional.
5	Already in the library	Notice	Lists the matching titles, each a link.	–	–	–

#	Control name	Type	What it does	Inputs and limits	Default	Notes
6	Ask anyway	Button	Sends the request although the title exists.	–	–	–
7	Send request	Button	Sends the request.	–	–	–
8	Your requests	List	Each request with its status and the reply, if any.	–	–	–

Typical workflow

1. Type the title and choose the kind.
2. Tap "Send request".
3. If the title is already in the library the page says so; tap "Ask anyway" for another edition or a better copy.
4. Read "Your requests" for the status and any reply.

Features

- The request arrives in the administrator's Requests page under the name on the invite.

Edge cases

- Six requests an hour and twenty-five a day per invite.
- Only your own requests are listed.

Messages and what they mean

Message	Meaning and what to do
That is a lot of requests; try again in an hour	The hourly or daily limit was reached.
Type the title	The title is missing or too short.
Your invite does not include this	The invite was made without permission to request.

8.5 Family portal: Settings

The visitor's own settings: the colour theme of this device, and forgetting the device.




Figure 54. Family portal: Settings. The numbers match the table below.

Controls

#	Control name	Type	What it does	Inputs and limits	Default	Notes
1	Colour theme	Drop-down list	Changes the colours on this device.	Eight themes	Graphite	–
2	Forget this device	Button	Signs this device out of the portal.	–	–	Asks first.

Typical workflow

1. Pick a theme.
2. Tap "Forget this device" to sign this device out.

Edge cases

- After forgetting the device, the invite link is needed to come back.

9. Short dialogs

These dialogs have one or two buttons and appear in the middle of a task. They have no screenshot of their own.

9.1 Confirm it is you (password again)

Web server only. Before an action that changes files or security settings, the server asks for your password again unless you confirmed within the last five minutes.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Password	Password field	Your password.	–	empty	–
–	Confirm	Button	Confirms and carries on with the action.	–	–	–

9.2 One at a time

Walks through the ticked files, showing the current and the proposed name of each and asking before every rename. Used by both rename pages.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Rename this file	Button	Renames the file shown and moves to the next.	–	–	–
–	Skip	Button	Leaves this file as it is and moves to the next.	–	–	–
–	Stop	Button	Ends the walk; files already renamed stay renamed.	–	–	–

9.3 Dry run result

Lists what a rename would do to each ticked file, with a tick or a cross and the reason for a cross. Nothing on the share changes.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Close	Button	Closes the result.	–	–	–

9.4 Batch items

Lists the files of one batch with the status of each: done, failed, aborted or undone.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Close	Button	Closes the list.	–	–	–

9.5 Undo batch

Confirms renaming the files of a batch back. Each file is checked first: still present, same size, original name free.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Cancel	Button	Closes without undoing.	–	–	–
–	Undo now	Button	Renames the files back.	–	–	–

9.6 Rename movie files, live

The confirmation before a live movie batch. It lists the files (the first sixty) and asks you to type RENAME, so a live run cannot be started by a stray click.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Type RENAME to confirm	Text field	Type the word RENAME.	Exactly RENAME	empty	The rename button stays disabled until it matches.
–	Cancel	Button	Closes without renaming.	–	–	–
–	Rename now	Button	Runs the live batch.	–	disabled	Enabled once RENAME is typed.

9.7 Movie batch result

Shows the outcome of a movie batch, dry or live: how many files were renamed, skipped and failed.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Close	Button	Closes the result.	–	–	–

9.8 Set source for selected

Confirms recording where the ticked copies came from, which the Source part of the name uses.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Cancel	Button	Closes without changing.	–	–	–
–	Apply	Button	Saves the source as a fix on each ticked file.	–	–	–

9.9 Ignore the other files

When several files would get the same name, keeps one and marks the others as ignored. The ignored files stay on disk.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Cancel	Button	Closes without changing.	–	–	–
–	Ignore them	Button	Marks the other files as ignored.	–	–	–

9.10 Card settings (before version 2.0)

The colour-rule dialog of versions 1.9 to 1.12, opened by a gear on a tile. Version 2.0 replaced it with the card options dialog; the code remains but no gear opens it.

This dialog is not reachable from the interface in version 2.1.1.

	Control name	Type	What it does	Inputs and limits	Default	Notes
–	Editor level	Drop-down list	Simple, Standard or Advanced.	–	Standard	–
–	Colour rule	Group	Amber and red thresholds.	–	–	Advanced only.

10. Common tasks from start to finish

10.1 Find and fill the gaps in a series

1. Open **Missing** and sort by Missing.
2. If the series is listed against the wrong title, press **Match**, search, and pick the right one.
3. If you joined the series late, press **Collect** and choose the first episode you want.
4. Open the series page to see exactly which episodes are red.
5. Add the files to the share, then press **Scan now**. The gaps close by themselves.

The screenshot shows the MediaLedger interface for the series 'Hollow Circuit Street'. The top section displays the series title, episode count (128), and storage usage (145 GB). Below this is a grid of episode progress bars (S1-S6) with green segments for 'on hand' and red segments for 'missing'. The bottom section is a table of episode details.

EP	TITLE	FILE	LENGTH	RES	FPS	VIDEO	AUDIO	SUBS	CAPTIONS	Kbps	SIZE	
S01E01	Episode 1	Hollow Circuit Street - S01E01 - Episode 1 (damaged).mkv	43m 10s	1080p	1920x1080	24	h264	eng aac 5.1	0.0	no	3100	1.0 GB
S01E01	Episode 1	Hollow Circuit Street - S01E01 - Episode 1.mkv	52m 36s	1080p	1920x1080	23.976	av1	eng eac3 5.1	eng 1 track(s)	yes	4200	1.5 GB
S01E02	Episode 2	Hollow Circuit Street - S01E02 - Episode 2.mkv	52m 32s	1080p	1920x1080	24	h264	eng aac 5.1	eng 1 track(s)	yes	4200	1.6 GB
S01E03	Episode 3	Hollow Circuit Street - S01E03 - Episode 3.mkv	43m 35s	1080p	1920x1080	24	h264	eng dts stereo	eng 1 track(s)	yes	4200	1.2 GB
S01E04	Episode 4	Hollow Circuit Street - S01E04 - Episode 4.mkv	43m 18s	1080p	1920x1080	25	h264	eng aac stereo	eng 1 track(s)	yes	4200	1.3 GB
S01E05	Episode 5	Hollow Circuit Street - S01E05 - Episode 5.mkv	43m 25s	1080p	1920x1080	23.976	hevc	eng eac3 5.1	eng 1 track(s)	yes	4200	1.3 GB
S01E06	Episode 6	Hollow Circuit Street - S01E06 - Episode 6.mkv	43m 51s	1080p	1920x1080	29.97	hevc	eng aac 7.1	eng 1 track(s)	yes	4200	1.2 GB

Figure 55. A series page: green is on hand, red is missing.

10.2 Tidy the names of a group of episodes

1. Open **Settings, Renaming**, switch renaming on, and save.
2. Open **Rename TV/anime**. Choose the name parts with the chips.
3. Set the number beside **Select next** to a small group, for example 5, and press it.
4. Press **Dry run** and read the result.
5. Press **Rename**, read the list in the confirmation, and press **Rename now**.
6. Press **Select next** again for the following group.
7. If something went wrong, press **Undo** on the batch in the Batches table.

MediaLedger

LIBRARY

- Dashboard
- TV Shows
- Anime
- Movies
- Web videos

REVIEW

- Missing 93
- Issues 3 3
- Quality
- Upgrades
- Reclaim space
- Ratings
- Watch tonight
- Watched
- Requests 2

MAINTENANCE

- Change log
- Movie names 146
- Rename TV/anime**
- CSV export

APP

- System
- Family portal
- Log
- Security
- Settings
- About

Signed in as admin (admin) - Sign out

Rename files

This page **renames files on your share**. Proposals come from the parsed details plus your manual fixes, so fix anything wrong under Issues first. Files are renamed in place (same folder), never overwritten. Every run is a batch: pre-flighted as a whole, each rename verified, journaled below, and undoable.

Name parts: Show - S01E02 Episode title Resolution Codec Sub/Dub Click a part to leave it out or put it back. Preview: Show - S01E02 - Pilot.mkv

Proposed renames: 4 From manual fixes: 0 Renamed so far: 8 -8 failed

Filter... all libraries Only files with manual fixes 4 of 4 Select next 5 Select shown Clear Dry run 4 Rename 4 files

One at a time

LIBRARY	FOLDER	CURRENT NAME	PROPOSED NAME	Fix...	Rename
☒ Anime	Distant Station Frontier	special preview.mkv	Distant Station Frontier - S00E01.mkv	Fix...	Rename
☒ TV	Distant Foundry & Sons\Season 01	Distant Foundry & Sons - S01E02 - Episode 2 (copy).mkv	Distant Foundry & Sons - S01E02 - Episode 2.mkv	Fix...	Rename
☒ TV	Distant Foundry & Sons\Season 01	Distant Foundry & Sons - S01E03 - Episode 3 720p.mp4	Distant Foundry & Sons - S01E03.mp4	Fix...	Rename
☒ TV	Hollow Circuit Street\Season 01	Hollow Circuit Street - S01E01 - Episode 1 (damaged).mkv	Hollow Circuit Street - S01E01 - Episode 1.mkv	Fix...	Rename

BATCHES

#	WHEN	MODE	STATUS	PLANNED	DONE	FAILED	UNDONE	Items	Undo
3	Sep 25, 2026, 8:05 AM	live	done	8	8	0	0	Items	Undo

Older history (before batches)

4 selected; the rest stay untouched

Scan now

Figure 56. Five files ticked with Select next.

10.3 Arrange the Dashboard

1. Press **Edit dashboard**.
2. Remove the cards you never read with the cross on their handle.
3. Press **Add card** and add the ones you want.
4. Drag cards into order and set their width with S, M, L and XL.
5. Press the gear on a number tile to set when it turns amber and red (choose **Advanced** under "Options shown" first).
6. Press **Done**.




Figure 57. The Dashboard in edit mode.

10.4 Give a family member access

1. Open **Family portal**. Set the public address and press **Save**.
2. Tick **on** and press **Save**.
3. Type the name, choose an expiry, press **Create invite**.
4. Have them scan the QR code with their phone, or send them the link.
5. Their requests appear under **Requests**, marked with their name.
6. To end their access, press **Revoke** on their row.




Figure 58. The invite with its QR code, shown once.

10.5 Back up, and restore

1. Open **Settings, Data**. Tick the daily backup, type the folder, press **Back up there now**.
2. Save the settings. A set is written every day at the time under **Schedules**.
3. To restore: press **Restore**, pick the set by date, choose whether settings and accounts should come back too.
4. Press **Restore and restart**. The application restarts on the restored data; the replaced files are kept in a pre-restore folder.




Figure 59. The Restore dialog.

10.6 Find out why something did not happen

1. Open **Settings, Schedules** and look for a red "overdue" badge and the result of the last run.
2. Open **Log**, type a word such as plex or backup, and switch to **problems only**.
3. Press **Run now** on the job and watch the log.

MediaLedger

LIBRARY

- Dashboard
- TV Shows
- Anime
- Movies
- Web videos

REVIEW

- Missing (93)
- Issues (3)
- Quality
- Upgrades
- Reclaim space
- Ratings
- Watch tonight
- Watched
- Requests (2)

MAINTENANCE

- Change log
- Movie names (148)
- Rename TV/anime
- CSV export

APP

- System
- Family portal
- Log**

Log

What MediaLedger has been doing: scans, Plex syncs, backups, migrations, failures. Newest at the bottom.

Filter, e.g. plex, backup, migrate... everything 300 refresh every 5 s Copy 14 lines · 1.2 KB · C:\Project Folder\MediaLedger\docs_tools\release-docs\demo-data\medialedger.log

```
[2026-09-29T23:22:50.596Z] parser v3: re-parsed 2884 indexed files
[2026-09-29T23:22:50.606Z] family portal on http://127.0.0.1:8198 (0 active invites)
[2026-09-29T23:22:50.607Z] MediaLedger 2.1.1 web server on http://127.0.0.1:8197 (data: C:\Project Folder\MediaLedger\docs_tools\release-docs\demo-data, LAN-only: true, guest: false)
[2026-09-29T23:22:53.757Z] security: login admin@127.0.0.1 admin
[2026-09-29T23:22:56.243Z] security: sensitive_action admin@127.0.0.1 portal:invite
[2026-09-29T23:22:56.245Z] security: portal_invite_created admin@127.0.0.1 Alex, 30 days
[2026-09-29T23:22:56.247Z] security: sensitive_action admin@127.0.0.1 portal:invite
[2026-09-29T23:22:56.251Z] security: portal_invite_created admin@127.0.0.1 Sam
[2026-09-29T23:22:56.508Z] security: logout admin@127.0.0.1
[2026-09-29T23:23:11.863Z] security: login admin@127.0.0.1 admin
[2026-09-29T23:23:50.551Z] backup: C:\Project Folder\MediaLedger\docs_tools\release-docs\demo-data\nas-backups\medialedger-2026-09-29T23-23-50.db (2.6 MB)
[2026-09-29T23:24:00.592Z] notify webhook failed: The operation was aborted due to timeout
[2026-09-29T23:24:37.283Z] security: sensitive_action admin@127.0.0.1 portal:invite
[2026-09-29T23:24:37.285Z] security: portal_invite_created admin@127.0.0.1 Jordan
```

Figure 60. The Log page.

11. Settings reference

Every option on the Settings page and the pages that keep their own settings. "Stored in" says which file holds the value; all of them are in the data folder (%APPDATA%\MediaLedger on the desktop, /var/lib/medialedger on the Raspberry Pi) unless the browser is named.

Section	Option	What it does	Default	Stored in
Appearance and Library roots	Colour theme	Changes the colours of the application.	Graphite	The browser (local storage)
Appearance and Library roots	On	Whether this root is scanned.	on	settings.json
Appearance and Library roots	Label	The name shown for the root.	–	settings.json
Appearance and Library roots	Path	The folder to scan.	–	settings.json
Appearance and Library roots	Type	How the files in this root are read.	–	settings.json
Scanning, ffprobe, lookups and folder watch	Multi-threaded scan	Walks the roots with several threads.	on	settings.json
Scanning, ffprobe, lookups and folder watch	Threads	How many threads walk the folders.	0	settings.json
Scanning, ffprobe, lookups and folder watch	Parallel probes	How many ffprobe processes run at once.	8	settings.json
Scanning, ffprobe, lookups and folder watch	Probe unchanged files again	Measures every file again, even when its size and date are unchanged.	off	settings.json
Scanning, ffprobe, lookups and folder watch	Video extensions	Which file types count as video.	mp4, mkv, avi, mov, m4v, wmv, ts, webm, flv, mpg, mpeg	settings.json
Scanning, ffprobe, lookups and folder watch	Subtitle extensions	Which file types count as subtitles beside a video.	srt, ass, ssa, sub, idx, vtt, sup	settings.json
Scanning, ffprobe, lookups and folder watch	Ignore patterns	Files to skip.	*.crdownload, *.part, *.lqb, Thumbs.db, desktop.ini, .DS_Store	settings.json
Scanning, ffprobe, lookups and folder watch	ffprobe path	Where ffprobe is.	empty (found automatically)	settings.json
Scanning, ffprobe, lookups and folder watch	Look up expected episodes	Asks TVmaze and AniList how many episodes each series has.	on	settings.json
Scanning, ffprobe, lookups and folder watch	Check running series again after	Days before a series that is still airing is looked up again.	14	settings.json
Scanning, ffprobe, lookups and folder watch	Check the roots every	Minutes between reachability checks.	5	settings.json
Scanning, ffprobe, lookups and folder watch	Watch the folders	Starts a scan when files change.	off	settings.json
Scanning, ffprobe, lookups and folder watch	Wait for changes to settle	Seconds of quiet before that scan starts.	90	settings.json
Renaming, adult content, quality thresholds and CSV export	Renaming	Enables the Rename TV / anime page.	off	settings.json
Renaming, adult content, quality thresholds and CSV export	Adult titles in CSV files	Includes adult titles in exports.	off	settings.json

Section	Option	What it does	Default	Stored in
Renaming, adult content, quality thresholds and CSV export	Read adult files as	Whether files in an Adult root are read as anime or as TV.	Anime	settings.json
Renaming, adult content, quality thresholds and CSV export	Minimum bitrate	Below this bitrate a file of that resolution counts as low quality.	4K 6000, 1440p 3000, 1080p 1500, 720p 700, 576p 400, 480p 350, SD 250	settings.json
Renaming, adult content, quality thresholds and CSV export	CSV folder	Where exports are written.	empty (the exports folder beside the database)	settings.json
Renaming, adult content, quality thresholds and CSV export	Export after each scan	Writes the CSV files whenever a scan finishes.	on	settings.json
Schedules	Plex sync every	Hours between syncs that do not wait for a scan.	6	settings.json
Schedules	Backup at	When the daily backup runs.	03:30	settings.json
Schedules	Keep	How many backup sets to keep.	7	settings.json
Schedules	Daily snapshot at	When the snapshot is taken if no scan has taken one that day.	03:05	settings.json
Schedules	Daily summary at	When the summary notification goes out.	08:00	settings.json
Schedules	In-app scan timer	Scans on a timer while the application is open.	off	settings.json
Schedules	Every	Hours between those scans.	24	settings.json
Schedules	Windows scheduled task at	When the task runs each day.	03:00	settings.json
Data, backups and posters	Daily backup to a folder	Copies a backup set to the folder once a day.	off	settings.json
Data, backups and posters	Backup folder	Where the sets go.	empty	settings.json
Data, backups and posters	Fetch posters	Fetches posters after each scan and Plex sync.	on	settings.json
Data, backups and posters	Also from AniList and TVmaze	Uses the online services for series Plex does not have.	on	settings.json
Data, backups and posters	Width	The width posters are fetched at.	300	settings.json
Data, backups and posters	Posters folder	Where posters are kept.	empty (the posters folder beside the database)	settings.json
Updates and notifications	Automatic updates	Checks GitHub at launch and every six hours.	on	settings.json
Updates and notifications	GitHub token	Only needed if the repository is made private.	empty	settings.json
Updates and notifications	Webhook address	Where event messages are sent.	empty	settings.json
Updates and notifications	E-mail on	Sends events by e-mail.	off	settings.json
Updates and notifications	Mail server	The outgoing mail server.	empty	settings.json
Updates and notifications	Port	The port of the mail server.	587	settings.json
Updates and notifications	Account	The account to send from.	empty	settings.json
Updates and notifications	Password	The password of that account.	empty	settings.json
Updates and notifications	Recipient	Who receives the e-mail.	empty	settings.json

Section	Option	What it does	Default	Stored in
Updates and notifications	Events	Which events are sent: new request, daily summary, backup failed, scheduled job overdue, family portal not reachable, episodes airing.	All ticked	settings.json
Plex	Plex address	The address of the Plex server.	http://192.168.1.204:32400	settings.json
Plex	Plex token	The token that lets MediaLedger read from Plex.	empty	settings.json
Plex	Paste the XML address	Takes the token out of an address copied from Plex.	empty	settings.json
Plex	Sync after each scan	Runs a sync whenever a scan finishes.	off	settings.json
Plex	Path mapping	How a path as Plex reports it translates to the path MediaLedger knows.	Worked out on the first sync	settings.json
Plex	Webhook enabled	Accepts reports from Plex.	off	settings.json
Family portal (administration)	Name	Who the invite is for. Requests arrive under this name.	empty	portal.json
Family portal (administration)	Expires	How long the invite works.	never expires	portal.json
Family portal (administration)	May browse, use tonight, request	What the person may do.	All three	portal.json
Family portal (administration)	Public address	What people away from home open.	empty	portal.json
Family portal (administration)	Home address	A name served on your own network.	empty	portal.json
Family portal (administration)	Portal on	Starts or stops the portal.	off	portal.json
Family portal (administration)	Port	The port the portal listens on.	8090	portal.json
Family portal (administration)	Reachable from	This machine only, or the whole network.	this machine only	portal.json
Family portal (administration)	Check the addresses every	Minutes between automatic checks.	15	portal.json
Family portal (administration)	Show my star ratings	Whether the portal shows your stars.	on	portal.json
Security	Current password	Your password now.	empty	web.json
Security	New password	The password to change to.	empty	web.json
Security	LAN only	Refuses every address outside your network.	on	web.json
Security	Sign out when idle	Minutes without activity after which a session ends.	0	web.json
Security	Guest access	Lets people look without signing in, read-only.	off	web.json
Security	Role	The role of that user.	–	web.json
Security	New user	The name of the account to add.	empty	web.json
Card options dialog	Title	Replaces the name printed on the card.	The name from the catalog	Account preferences: web.json (web server) or settings.json (desktop)

Section	Option	What it does	Default	Stored in
Card options dialog	Size	The width of the card.	Per card	Account preferences: <code>web.json</code> (web server) or <code>settings.json</code> (desktop)
Card options dialog	Amber threshold	The value at which the tile turns amber.	Per card	Account preferences: <code>web.json</code> (web server) or <code>settings.json</code> (desktop)
Card options dialog	Red threshold	The value at which the tile turns red.	Per card	Account preferences: <code>web.json</code> (web server) or <code>settings.json</code> (desktop)
Card options dialog	Options shown	How much this dialog offers.	Standard	Account preferences: <code>web.json</code> (web server) or <code>settings.json</code> (desktop)

11.1 What is remembered in the browser only

What	Where it is set
Colour theme	Settings, Appearance (and the portal's Settings page)
Table or poster wall	The Posters button of any list
Trend period of the Dashboard	The period list above the cards
Filters of Watch tonight, Watched and Reclaim space	On those pages
The number beside "Select next"	The rename pages

12. Keyboard shortcuts

MediaLedger is operated with the mouse or by touch. It defines no application-wide shortcuts and no menu of its own; the keys below work inside fields and dialogs.

Key	Where	What it does
Escape	Any dialog	Closes the dialog without saving.
Enter	Tag field on a series or movie page	Adds the typed tag.
Enter	Search words in the Match dialog	Starts the search.
Enter	Path in the folder browser	Opens the typed path.
Enter	Sign-in and confirmation dialogs	Submits the dialog.
Alt	Desktop application	Shows the standard Electron menu bar, which is hidden by default. MediaLedger defines no menu of its own and no application-wide shortcuts.

Standard browser and Windows keys apply as usual: Tab moves between fields, Space ticks a box, and in the desktop application F11 and the window keys behave as in any window.

Not present	Note
Context menus	None. No right-click menu is defined anywhere in the renderer.
Toolbars	No application toolbar. Pages carry their own filter row, listed with each page.
Application menu	None defined. The desktop window hides the default Electron menu bar.
Light theme	None. All eight colour themes are dark.

13. Troubleshooting and frequently asked questions

Question or symptom	Answer
The roots show "Share not mounted" on the Raspberry Pi.	The file server answers but the share is not mounted, usually after a restart. From version 1.12.1 the application nudges the mount itself and a watchdog mounts it within a minute. If it stays red, run <code>sudo mount /mnt/media</code> on the Pi and read the message.
The site cannot be reached by its name, but works by address.	The name is not being resolved. A virtual private network on your computer often sends lookups to its own servers, which do not know names on your network. Add the name to the hosts file of the computer, or point the network at your router for lookups.
The Watched page is empty.	Play history is pulled during a Plex sync. Run one under Settings, Plex, and set the sync timer under Schedules.
The Missing page is dominated by one very long series.	Press Collect on that series and choose "from an episode onward", or mute it.
A movie shows up that is really an episode.	It is listed under Issues, Problems, "Episodes filed under Movies". Move the file to a TV or anime folder.
Plex reports hundreds of unmatched files.	Read the table under the last sync. "File is not in a scanned root" means a Plex library MediaLedger does not scan; "no path mapping covers this folder" means a mapping is missing.
Create invite is greyed out.	Set a public or home address on the Family portal page and save first.
The invite link says the site cannot be found.	A new Tailscale address takes about fifteen minutes to appear on the internet. The tiles on the Family portal page tell you when it works.
Windows warns about the installer.	The installer is not code-signed. Choose More info, then Run anyway.
Editing the Dashboard is slow.	Update to version 2.1.1 or newer, which no longer reloads the data on every edit.
I forgot the web password.	On the Raspberry Pi run <code>sudo medialedger --set-password</code> .
How do I move to a new computer or a new card?	Install MediaLedger, then use Restore with your latest backup set and tick settings and accounts.
Does MediaLedger ever delete or move my media?	No. It renames files only on the two rename pages, only when you switch renaming on, and every rename can be undone. It never deletes media.
Does anything leave my network?	Episode lookups go to TVmaze and AniList, poster lookups to the same two, and the update check to GitHub. Nothing about your library is sent; the lookups contain only series names.

13.1 Every message in one place

Message	Where	Meaning and what to do
Wrong user name or password	Sign-in dialog (web server)	The pair did not match an account. The attempt is counted towards the lockout.
Too many failed attempts; this address is locked for 15 minutes	Sign-in dialog (web server)	Wait, or sign in from another address. The lockout is per address, not per account.
No account exists yet. On the server run: <code>sudo medialedger --set-password</code>	Sign-in dialog (web server)	The server has never had a password set. Run the command on the Raspberry Pi.
Enter the 6-digit code from your authenticator	Sign-in dialog (web server)	The password was right; two-factor codes are on and the code is the second step.
<job> is overdue: last ran N h ago, expected within N h	Dashboard	A scheduled job has not run for twice its interval. Open Settings, Schedules.
Family portal: <address> is not reachable	Dashboard	The server could not open its own portal address twice in a row. Open Family portal.

Message	Where	Meaning and what to do
MediaLedger <version> is available	Dashboard	Web server only. Run the update command on the Raspberry Pi.
Layout not saved: <reason>	Dashboard, edit mode	The arrangement could not be stored on the server. It is kept in this browser and saved on the next change.
HTTP 403 from graphql.anilist.co	Missing episodes	AniList refused the request, usually because too many were sent. It is tried again on the next lookup.
no match	Missing episodes	Neither service had a series with a close enough name. Use Match.
Nothing found	Match dialog	The service had no series for those words. Shorten them or try the other service.
moov atom not found	Issues: Problems	ffprobe could not read the file: it is incomplete or damaged.
no season or episode found in the name	Issues: Problems	The name has no recognisable marker. Use Fix.
None of these titles is linked to Plex on this machine	Reclaim space	There is no play data behind the list. Sync Plex here, or open the page on the server that does.
Nothing matches; loosen the filters	Watch tonight	No title passes every filter.
Nothing here yet	Watched	No history has been pulled. Run a Plex sync.
Renaming is off	Movie names	Switch it on under Settings, Renaming.
target exists	Movie names	A file with the proposed name is already there. Nothing is overwritten.
size changed since the scan	Movie names	The file was altered after it was scanned. Scan again.
scan skipped: rename batch in progress	Rename TV / anime	A scan was due while a batch was running. It runs at the next opportunity.
not reachable	System	A root or disk could not be read. Check the mount.
Set a public or home address first	Family portal (administration)	An invite needs an address to build its link.
<name> already has an active invite; use New link on it	Family portal (administration)	One active invite per name.
port N is already in use	Family portal (administration)	Another program listens on that port. Choose another.
the name does not resolve (DNS)	Family portal (administration)	The address check could not look the name up. A new Tailscale address takes about fifteen minutes to appear.
a different MediaLedger portal answers on this address	Family portal (administration)	The name points at another server.
Password must be at least 8 characters	Security	Choose a longer password.
Please re-enter your password for this action	Security	The action is sensitive and your last confirmation is too old.
LAN only	Security	The request came from outside your network and was refused.
That code is not right	Two-factor setup	The six digits did not match. Check the clock of the phone and try the next code.
Share not mounted	Settings: Appearance and Library roots	The file server answers but the share is not mounted. On the Raspberry Pi: sudo mount, or wait a minute for the watchdog.
does not answer on port 445	Settings: Appearance and Library roots	The file server is off or unreachable.
ffprobe not found	Settings: Scanning, ffprobe, lookups and folder watch	Press the download button, or point the path at an existing ffprobe.
No backup folder set	Settings: Data, backups and posters	Type a folder before backing up.

Message	Where	Meaning and what to do
The posters folder is not writable	Settings: Data, backups and posters	The folder does not exist or the application may not write there. On the Raspberry Pi, mount the share for the medialedger user.
Copied backup is empty	Settings: Data, backups and posters	The copy failed; the folder may be full or read-only.
No webhook or e-mail configured	Settings: Updates and notifications	Set one before testing.
Plex rejected the token (401)	Settings: Plex	The token is wrong or has been revoked. Take a new one.
Could not reach Plex	Settings: Plex	The address is wrong or the server is off.
The backup failed its integrity check	Restore from a backup dialog	The file is damaged. Choose another set.
The backup is schema vN; this build understands up to vM	Restore from a backup dialog	The backup is from a newer version.
A scan is running; restore when it has finished	Restore from a backup dialog	Wait for the scan.
Could not reach GitHub	About	No connection, or GitHub is limiting requests. Try later.
Invite needed	Family portal: Library	Open the invite link on this device.
Too many requests; wait a minute	Family portal: Library	The portal limits how fast one device may ask.
Not in the library	Family portal: a series	The title was removed since the list was loaded.
That is a lot of requests; try again in an hour	Family portal: Requests	The hourly or daily limit was reached.
Type the title	Family portal: Requests	The title is missing or too short.
Your invite does not include this	Family portal: Requests	The invite was made without permission to request.

14. Glossary

Term	Meaning
Root	A folder MediaLedger scans, with a type: TV, Anime, Movies, Web videos or Adult.
Scan	Walking the roots to find files, then measuring new and changed files with ffprobe.
Probe	Reading the technical details of one file with ffprobe: length, resolution, codecs, languages.
Match	The online listing a series is compared with.
Locked match	A match you chose; automatic lookups leave it alone.
Collecting policy	What counts as missing for one series: everything, from an episode onward, or nothing.
Fix	A correction of how a file is read, stored in the database and applied on every scan.
Batch	One run of the rename tool over a group of files, checked as a whole, recorded and undoable.
Dry run	A batch that records what would happen and changes nothing.
Snapshot	One row a day describing the library, from which the trend cards are drawn.
Card	One element of the Dashboard.
Backup set	The files of one backup, sharing a date stamp: database, settings, and on the web server the accounts and portal files.
Invite	Permission for one person to use the family portal, given as a link.
Family portal	The separate read-only site for invited people.
Role	What an account on the web server may do: administrator, standard or guest.
Two-factor codes	Six-digit codes from an authenticator application, asked for after the password.
Webhook	An address another program calls when something happens.
Reverse proxy	A program such as Caddy that receives requests for several names on one machine and hands each to the right service.
Sub, dub, dual	Original audio with subtitles; audio in your language; both audio tracks present.
Square-root scale	A chart scale on which a small value is still visible beside a large one. The printed numbers are exact.