



ANDROID STATIC ANALYSIS REPORT



 TuPastilla (1.0)

File Name: app-release-unsigned.apk

Package Name: com.tupastilla

Scan Date: Sept. 20, 2026, 6:07 a.m.

App Security Score: 61/100 (LOW RISK)

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	5	1	3	1

FILE INFORMATION

File Name: app-release-unsigned.apk

Size: 2.13MB

MD5: 74cd8fb6befe4de4c512a5e8c96c0332

SHA1: 904d4392c6bab67b13a1a161d2f270c0af25dc2b

SHA256: e98bc7b2883ae48588ae8db4edb7261186fc185d56dc66894635c80b75750ab9

APP INFORMATION

App Name: TuPastilla

Package Name: com.tupastilla

Main Activity: com.tupastilla.MainActivity

Target SDK: 35

Min SDK: 24

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 2

Services: 1

Receivers: 4

Providers: 1

Exported Activities: 0

Exported Services: 0

Exported Receivers: 1

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is not signed

Missing certificate

v1 signature: False

v2 signature: False

v3 signature: False

v4 signature: False

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.USE_FULL_SCREEN_INTENT	normal	required for full screen intents in notifications.	Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
com.tupastilla.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

FILE	DETAILS	
74cd8fb6befe4de4c512a5e8c96c0332.apk	FINDINGS	DETAILS
	Manipulator Found	Resources Confusion
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	r8

 NETWORK SECURITY

HIGH: 0 | WARNING: 1 | INFO: 0 | SECURE: 1

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	secure	Base config is configured to disallow clear text traffic to all domains.
2	*	warning	Base config is configured to trust system certificates.

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 0

TITLE	SEVERITY	DESCRIPTION
Missing Code Signing certificate	high	Code signing certificate not found

Q MANIFEST ANALYSIS

HIGH: 1 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration[android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.

NO	ISSUE	SEVERITY	DESCRIPTION
4	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 1 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				defpackage/a2.java defpackage/an0.java defpackage/at.java defpackage/au0.java defpackage/ax0.java defpackage/b5.java defpackage/bo0.java defpackage/c30.java defpackage/c6.java defpackage/cl.java defpackage/df0.java defpackage/dt.java defpackage/e0.java defpackage/ee0.java defpackage/eo0.java defpackage/et.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	defpackage/f80.java defpackage/f90.java defpackage/fa0.java defpackage/fi0.java defpackage/fo0.java defpackage/fz.java defpackage/g2.java defpackage/g7.java defpackage/gg0.java defpackage/gm.java defpackage/gs0.java defpackage/gu.java defpackage/h00.java defpackage/hh.java defpackage/hs0.java defpackage/i60.java defpackage/i80.java defpackage/ic.java defpackage/is0.java defpackage/j6.java defpackage/je0.java defpackage/js0.java defpackage/k30.java defpackage/k4.java defpackage/ks0.java defpackage/l20.java defpackage/lt0.java defpackage/lu0.java defpackage/m20.java defpackage/m50.java defpackage/md.java defpackage/mh.java defpackage/ml0.java defpackage/mt.java defpackage/n9.java defpackage/ne0.java defpackage/nt.java defpackage/o3.java defpackage/o5.java defpackage/om.java defpackage/ph.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				defpackage/pu0.java defpackage/q1.java defpackage/q30.java defpackage/q5.java defpackage/q6.java defpackage/qg0.java defpackage/qp0.java defpackage/qt.java defpackage/qu0.java defpackage/r90.java defpackage/ra0.java defpackage/s7.java defpackage/s70.java defpackage/sb.java defpackage/sb0.java defpackage/so0.java defpackage/sv0.java defpackage/sx0.java defpackage/te0.java defpackage/th.java defpackage/tk.java defpackage/tq0.java defpackage/u70.java defpackage/uc0.java defpackage/uk.java defpackage/uo0.java defpackage/ut.java defpackage/va.java defpackage/vh.java defpackage/vn.java defpackage/vq0.java defpackage/vs.java defpackage/vw0.java defpackage/w7.java defpackage/wk.java defpackage/wt.java defpackage/ww0.java defpackage/x5.java defpackage/x60.java defpackage/xe0.java defpackage/xf.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				defpackage/xk.java defpackage/y70.java defpackage/z6.java defpackage/z90.java defpackage/zf0.java defpackage/zm0.java
2	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	defpackage/bh.java defpackage/ga0.java defpackage/sb0.java defpackage/wa.java
3	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	defpackage/nq.java defpackage/oq.java defpackage/s.java defpackage/ub0.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00114	Create a secure socket connection to the proxy address	network command	defpackage/wd0.java
00147	Get the time of current location	collection location	defpackage/x5.java

RULE ID	BEHAVIOUR	LABEL	FILES
00075	Get location of the device	collection location	defpackage/x5.java
00115	Get last known location of the device	collection location	defpackage/x5.java
00013	Read file and put it into a stream	file	defpackage/ak.java defpackage/am.java defpackage/bo0.java defpackage/fa0.java defpackage/fz.java defpackage/h00.java defpackage/is0.java defpackage/js0.java defpackage/zc0.java
00162	Create InetAddress object and connecting to it	socket	defpackage/m4.java defpackage/sb0.java
00163	Create new Socket and connecting to it	socket	defpackage/m4.java defpackage/sb0.java
00024	Write file after Base64 decoding	reflection file	defpackage/h00.java
00112	Get the date of the calendar event	collection calendar	defpackage/xk0.java
00022	Open a file from given absolute path of the file	file	defpackage/q6.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	3/25	android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.INTERNET
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

** DOMAIN MALWARE CHECK**

DOMAIN	STATUS	GEOLOCATION
schemas.android.com	ok	No Geolocation information available.
api.tupastilla.example	ok	No Geolocation information available.

** HARDCODED SECRETS**

POSSIBLE SECRETS
"campo_password" : "Contraseña"
60fc44bfe74cfc823c58275489cf0dcd
b3607b46ede93c39427e284f4e0e4767

SCAN LOGS

Timestamp	Event	Error
2026-09-20 06:08:12	Generating Hashes	OK
2026-09-20 06:08:12	Extracting APK	OK
2026-09-20 06:08:12	Unzipping	OK
2026-09-20 06:08:12	Parsing APK with androguard	OK
2026-09-20 06:08:12	Extracting APK features using aapt/aapt2	OK
2026-09-20 06:08:12	Getting Hardcoded Certificates/Keystores	OK

2026-09-20 06:08:14	Parsing AndroidManifest.xml	OK
2026-09-20 06:08:14	Extracting Manifest Data	OK
2026-09-20 06:08:14	Manifest Analysis Started	OK
2026-09-20 06:08:14	Reading Network Security config from network_security_config.xml	OK
2026-09-20 06:08:14	Parsing Network Security config	OK
2026-09-20 06:08:14	Performing Static Analysis on: TuPastilla (com.tupastilla)	OK
2026-09-20 06:08:15	Fetching Details from Play Store: com.tupastilla	OK
2026-09-20 06:08:15	Checking for Malware Permissions	OK
2026-09-20 06:08:15	Fetching icon path	OK
2026-09-20 06:08:15	Library Binary Analysis Started	OK
2026-09-20 06:08:15	Reading Code Signing Certificate	OK

2026-09-20 06:08:15	Running APKiD 3.1.0	OK
2026-09-20 06:08:17	Updating Trackers Database....	OK
2026-09-20 06:08:17	Detecting Trackers	OK
2026-09-20 06:08:17	Decompiling APK to Java with JADX	OK
2026-09-20 06:08:21	Converting DEX to Smali	OK
2026-09-20 06:08:21	Code Analysis Started on - java_source	OK
2026-09-20 06:08:21	Android SBOM Analysis Completed	OK
2026-09-20 06:08:22	Android SAST Completed	OK
2026-09-20 06:08:22	Android API Analysis Started	OK
2026-09-20 06:08:22	Android API Analysis Completed	OK
2026-09-20 06:08:22	Android Permission Mapping Started	OK

2026-09-20 06:08:23	Android Permission Mapping Completed	OK
2026-09-20 06:08:23	Android Behaviour Analysis Started	OK
2026-09-20 06:08:24	Android Behaviour Analysis Completed	OK
2026-09-20 06:08:24	Extracting Emails and URLs from Source Code	OK
2026-09-20 06:08:25	Email and URL Extraction Completed	OK
2026-09-20 06:08:25	Extracting String data from APK	OK
2026-09-20 06:08:25	Extracting String data from Code	OK
2026-09-20 06:08:25	Extracting String values and entropies from Code	OK
2026-09-20 06:08:25	Performing Malware check on extracted domains	OK
2026-09-20 06:08:26	Saving to Database	OK

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).