

恶意代码分析与防治技术

第5章 基本动态分析

王志

zwang@nankai.edu.cn

updated on 2022-10-16

南开大学 网络空间安全学院 2022-2023学年



- Basic Dynamic Analysis
- Sandbox
- Launch DLLs
- Monitor process
- Regshot
- Faking a Network
- Basic Dynamic





Basic Dynamic Analysis

Why Perform Dynamic Analysis?

- Static analysis can reach a dead-end, due to
 - Obfuscation
 - Packing
 - Examiner has exhausted the available static analysis techniques
- Dynamic analysis is efficient and will show you exactly what the malware does





Sandboxes: The Quick-and-Dirty Approach



- All-in-one software for basic dynamic analysis
- Virtualized environment that **simulates network services**
- Examples: Norman Sandbox, GFI Sandbox, Anubis, Joe Sandbox, ThreatExpert, BitBlaze, Comodo Instant Malware Analysis
- They are expensive but easy to use
- They produce a nice PDF report of results





GFI SandBox Analysis # 2307

Sample: win32XYZ.exe (56476e02c29e5dbb9286b5f7b9e708f5)

Table of Contents

Analysis Summary	3
Analysis Summary	3
Digital Behavior Traits	3
File Activity	4
Stored Modified Files	4
Created Mutexes	5
Created Mutexes	5
Registry Activity	6
Set Values	6
Network Activity	7
Network Events	7
Network Traffic	8
DNS Requests	9
	10





- Without command-line options
 - Botnet C&C packets
- Not record all events
 - Stalling behaviors
- Anti-VM techniques
- Certain Environment





Launching DLLs

Launching DLLs

- EXE files can be run directly, but DLLs can't
- Use rundll32.exe (included in Windows)

rundll32.exe DLLname, Export arguments

• The *Export* value is one of the exported functions you found in Dependency Walker, PEview, or PE Explorer.



Launching DLLs

- Example
 - rip.dll has these exports: Install and Uninstall

rundll32.exe rip.dll, Install

- Some functions use **ordinal** values instead of names, like rundll32.exe xyzzy.dll, #5
- It's also possible to modify the PE header and convert a DLL into an EXE





- Installed as a service
 - rpr32x.dll has the export: InstallService
 - rundll32 ipr32x.dll, InstallService ServiceName
 - net start ServiceName





Process Monitor



Process Monitor

- Monitors registry, file system, network, process, and thread activity
- All recorded events are kept, but you can filter the display to make it easier to find items of interest




Process Monitor

- Don't run it too long or it will fill up all RAM and crash the machine
 - Use RAM to log events until it is told to stop capturing
 - run out memory to crash the system
 - limited periods of time
 - File->Capture Events
 - File->Clear Display




Launching Calc.exe





Process Monitor Toolbar



Nankai University


Filtering with Exclude

- One technique: hide normal activity before launching malware
- Filter on process name
- Filter on system calls
- Right-click each Process Name and click Exclude



Filtering with Include

• Most useful filters: Process Name, Operation, and Detail








Process Explorer

Process Explorer

- List all processes currently running on the system
 - Dlls loaded
 - Various process properties
 - Overall system information





File Options View Process Fi	nd User						
Process	PID	CPU	Private Bytes	Working Set	Description	Company Name	
System Idle Process	0	96.81	0 K	24 K			
∃ ■.' System	4	0.09	48 K	560 K			
Interupts	n/a	0.88	0 K	0 K	Hardware Interrupts and DPCs		
smss.exe	260		224 K	748 K	Windows Session Manager	Microsoft Corporation	
csrss.exe	348	< 0.01	1,252 K	3,164 K	Client Server Runtime Process	Microsoft Corporation	
i wininit.exe	400		892 K	3,084 K	Windows Start-Up Application	Microsoft Corporation	
□ services.exe	504	0.01	3,972 K	6,640 K	Services and Controller app	Microsoft Corporation	
	652		2,700 K	6,024 K	Host Process for Windows S	Microsoft Corporation	
dllhost.exe	1716		6,176 K	4,804 K	COM Surrogate	Microsoft Corporation	
■ WmiPrvSE.exe	740		1,804 K	4,736 K	WMI Provider Host	Microsoft Corporation	
svchost.exe	724	< 0.01	2,972 K	6,012 K	Host Process for Windows S	Microsoft Corporation	
☐ svchost.exe	772		13,776 K	11,760 K	Host Process for Windows S	Microsoft Corporation	
audiodg.exe	3200		14,960 K	13,972 K	Windows Audio Device Grap	. Microsoft Corporation	
☐ svchost.exe	912		37,940 K	42,292 K	Host Process for Windows S	Microsoft Corporation	
ii dwm.exe	3248	0.74	61,892 K		Desktop Window Manager	Microsoft Corporation	
svchost.exe	936	0.02	20,836 K		Host Process for Windows S	•	
svchost.exe	1116	0.03	5,136 K	-	Host Process for Windows S	•	
svchost.exe	1260	0.06	10,840 K		Host Process for Windows S	•	
spoolsv.exe	1352		5,392 K		Spooler SubSystem App	•	
svchost.exe	1388		6,752 K		Host Process for Windows S	•	
svchost.exe	1500		2,472 K		Host Process for Windows S		
		< 0.01	1,216 K		gogoCLIENT	gogo6, Inc.	
vm vmtoolsd.exe	1728	0.07	7,260 K	10,368 K	VMware Tools Core Service	VMware, Inc.	7






- Services are pink
- Processes are blue
- New processes are green briefly
- Terminated processes are red









Handle Mode


Туре 📤	Name
Directory	\Windows
Directory	\BaseNamedObjects
Event	\BaseNamedObjects\crypt32LogoffEvent
Event	\BaseNamedObjects\userenv: User Profile setup event
Event	\BaseNamedObjects\userenv: Machine Group Policy has been applied
Event	\BaseNamedObjects\userenv: User Group Policy has been applied
File	C:\Tools\ProcessExplorer
File	C:\WINDOWS\WinSzS\z86_Microsoft.Windows.Common=Controls_6595b64144ccf1d
File	C:\WINDOWS\WinSzS\z86_Microsoft.Windows.Common=Controls_6595b64144ccf1d
File	C:\WINDOWS\WinSzS\z86_Microsoft.Windows.Common=Controls_6595b64144ccf1d
File	\Device\KsecDD
File	C:\Documents and Settings\xpbot\Local Settings\Temp\Perflib_Perfdata_25
File	\Device\PROCEXP152
File	C:\WINDOWS\WinSzS\z86_Microsoft.Windows.Common=Controls_6595b64144ccf1d
File	\Device\Tcp
File	\Device\Tcp
File	\Device\Ip
File	\Device\Ip
File	\Device\Ip





Properties


- Shows DEP and ASLR status
- Verify button checks the disk file's Windows signature
 - But not the RAM image, so it won't detect process
 replacement





Strings

Compare Image to Memory
 strings, if they are very different,
 it can indicate process
 replacement



Mankar University

Detecting Malicious Documents

- Open the document (e.g. PDF) on a system with a vulnerable application
- Watch Process Explorer to see if it launches a process
- The Image tab of that process's Properties sheet will show where the malware is





Regshot



- An open source registry comparison tool
 - Take registry snapshots
 - Compare two registry snapshots





Regshot 1.8.3-beta1V5	_
Compare logs save as: O Plain TXT HTML document	1st shot
	2nd shot
Scan dir1[;dir2;dir3;;dir nn]: C:\Windows	Compare
	Clear
Output path: C:\Users\student\AppData\	Quit
Add comment into the log:	
	English ▼





Faking a Network

Faking a Network

- Malware:
 - beacons out
 - communicate with a C&C server
- Fake Network
 - obtain network indicators
 - airgap between VM and Internet



Using ApateDNS to Redirect DNS Resolutions

	DNS Hex View		
Time	Domain Requested	DNS R	etumed
11:19:40	linkhelp.clients.google.com	FOL	JND
11:19:44	www.google.com	FOL	JND
11:19:44	www.google.com	FOL	JND
11:19:46	zqwpmuzjov.localdomain	FOL	JND
11:19:46	zqwpmuzjov.localdomain	FOL	JND
11:19:46	oijlsiiwzv.localdomain		JND
11:19:46	oijlsiiwzv.localdomain	FOL	JND
11:19:46	gzpqyjdoml.localdomain	FOL	
11:19:46	gzpqyjdoml.localdomain	FOL	
11:19:46	zgwpmuzjov.localdomain	FOL	IND
11:19:46 +] Attemp +] Using	zqwpmuzjov.localdomain oting to find DNS by DHCP or S IP address 192.168.119.2 for	Tatic DNS. DNS Reply.	
11:19:46 +) Attemp +) Using +) DNS se +) Sendin +) Server	zqwpmuzjov.localdomain oting to find DNS by DHCP or S IP address 192.168.119.2 for et to 127.0.0.1 on Intel(R) PR ng valid DNS response of first started at 11:19:37 successf	tatic DNS. DNS Reply. 0/1000 MT Network Connection. request. ully.	
11:19:46 +) Attemp +) Using +) DNS se +) Sendin +) Server	zqwpmuzjov.localdomain oting to find DNS by DHCP or S IP address 192.168.119.2 for et to 127.0.0.1 on Intel(R) PR ng valid DNS response of first	tatic DNS. DNS Reply. 0/1000 MT Network Connection. request. ully.	
11:19:46 +) Attemp +) Using +) DNS se +) Sendin +) Server	zqwpmuzjov.localdomain oting to find DNS by DHCP or S IP address 192.168.119.2 for et to 127.0.0.1 on Intel(R) PR ng valid DNS response of first started at 11:19:37 successf	tatic DNS. DNS Reply. 0/1000 MT Network Connection. request. ully.	JND



Monitoring with Neat (included with Nmap)

```
Administrator: cmd - Shortcut (2) - ncat -180

C:\Windows\System32>ncat -180

GET / HTTP/1.1


Host: 127.0.0.1

Connection: keep-alive
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

User-Agent: Mozilla/5.0 (Windows NT 6.1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/29.0.1547.57

Safari/537.36

Accept-Encoding: gzip,deflate,sdch
Accept-Language: en-US,en;q=0.8
```






- Open source sniffer
 - capture packets
 - intercepts and logs network traffic
- Understand malware network communication
- Chapter 14 discusses protocol analysis and additional uses of Wireshark.



Packet Sniffing with Wireshark






Follow TCP Stream

• Can save files from streams here too

```
Wireshark · Follow TCP Stream (tcp.stream eq 14) · wireshark pcapnq en0 20160703230...
GET /homepage/index.aspx HTTP/1.1
Host: cc.nankai.edu.cn
Connection: keep-alive
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10 11 5) AppleWebKit/
537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/
webp, */*; q=0.8
DNT: 1
Referer: http://cc.nankai.edu.cn/
Accept-Encoding: gzip, deflate, sdch
Accept-Language: en-GB,en-US;q=0.8,en;q=0.6
Cookie: ASP.NET SessionId=lur2tcou1ybolkgkosgfcjub;
ITEMISUserAccount=wangz;
ITEMISWEB.ASPXAUTH=D328CEA165654EBEA54D65B9C36ADA140B2058F08F75204B7DC844
D0B296475C580FB83C02E62FBA9556AE38EDA871AEBFE92A1AE52B0EE296D9C90E8A4D061
0D0979D28EFDC8D7B63CF35314F4D0A5399359D079EDF2F226BC5407AD30A33F183889A17
A52B4F09C3C88B27FADA41E737E09D17BE35F03500725C35E167C9E940CDD40AF28C2F6FE
EDA7FB2346B3D5B
HTTP/1.1 200 OK
Cache-Control: private
Content-Length: 68066
Content-Type: text/html; charset=utf-8
Server: Microsoft-IIS/7.5
X-AspNet-Version: 4.0.30319
X-Powered-By: ASP.NET
Date: Sun, 03 Jul 2016 15:09:51 GMT
```









Nankai University


INetSim Fools a Browser





INetSim Fools Nmap







Basic Dynamic Tools in Practice



Using the Tools

- Procmon
 - Filter on the malware executable name and clear all events just before running it
- Process Explorer
- Regshot
- Virtual Network with INetSim
- Wireshark





允公允继日新月异




Figure 4-12. Example of a virtual network





- Assist and conform basic static analysis findings
- Most of tools are free and easy to use
- Next chapter is Advanced Static Analysis using reverse engineering.





Lab 3-1

Analyze the malware found in the file *Lab03-01.exe* using basic dynamic analysis tools.

- 1. What are this malware's imports and strings?
- 2. What are the malware's host-based indicators?
- 3. Are there any useful network-based signatures for this malware? If so, what are they?





Lab 3-2

Analyze the malware found in the file *Lab03-02.dll* using basic dynamic analysis tools.

- 1. How can you get this malware to install itself?
- 2. How would you get this malware to run after installation?
- 3. How can you find the process under which this malware is running?
- 4. Which filters could you set in order to use procmon to glean information?
- 5. What are the malware's host-based indicators?
- 6. Are there any useful network-based signatures for this malware?



Lab 3-3

Execute the malware found in the file *Lab03-03.exe* while monitoring it using basic dynamic analysis tools in a safe environment.

- 1. What do you notice when monitoring this malware with Process Explorer?
- 2. Can you identify any live memory modifications?
- 3. What are the malware's host-based indicators?
- 4. What is the purpose of this program?





Lab 3-4

Analyze the malware found in the file *Lab03-04.exe* using basic dynamic analysis tools. (This program is analyzed further in the Chapter 9 labs.)

- 1. What happens when you run this file?
- 2. What is causing the roadblock in dynamic analysis?
- 3. Are there other ways to run this program?





恶意代码分析与防治技术

第5章 基本动态分析

王志

zwang@nankai.edu.cn

updated on 2022-10-16

南开大学 网络空间安全学院 2022-2023学年