# **PPM Project Report - Group Kii**

Magnus Frater System

Callum Axon (N0727303), Callum Carney (N0741707),
Jordan Brightmore (N0732961), Finlay
McKinnon(N0743587), Vital Harachka (N0731739), Wing
Chiang (T0086366)



#### <!-><-> # Abstract

Magnus Frater (or Big Brother) has been created to help tackle the ongoing issue of security within large open campuses and premises, these sorts of locations inherently have an increased potential for intrusion through unmonitored sections of land. The group analysed the recent spree of attacks on schools and offices (for example the shooting that occurred at the YouTube headquarters in 2018) and found that in a large amount of these attacks there were open doors and spaces that allowed the attacker to enter with ease. As a consequence to this, the idea of creating a facial recognition system to analyse and report known and unknown people within a campus/large open setting was conceived.

As mentioned, the main purpose of the project was to create a system that would accurately detect and report people walking around an area to the associated security team, this data would differentiate between employees or authorised users and unknown people by linking into the companies employee/student database. Not only would this allow a security team to monitor who is within a set area at any one time, but it would also allow administrative users to track any persons movements and activities within a set time frame, through tracking of the targets face across multiple cameras. Another advantage to this project is that administrative users can view analytics in relation to the usage of campus properties, an example use case for this would be within a University. Admins could check what buildings within the campus are being utilised most by students.

After the main purpose behind the project was defined, the group decided on how to proceed in regards to the requirements for the project, most importantly how we should proceed with splitting up the individual hardware and software components so that the system could functions within any scenario or environment. It was decided that there will be 4 different modules, these being:

- 1. A Raspberry Pi that would be responsible for processing any facial data that is captured by the camera
- 2. A Camera module that would connect directly to the Raspberry Pi and provide images to the Raspberry Pi
- 3. A website created for administrators and security personnel to administer and manage hits/rejections.
- 4. An API (Application Programming Interface) used within the website and the Raspberry Pi for collation and provision of data.

These modules will work together to create the Cameras that report facial data and the web interface that is used to manage the data received by the camera, the connection between these modules was outlined in the design documentation (for example the Data Flow Diagram and Entity Relationship Diagram).

Once the components and requirements were completed, the group began to consider which programming languages and setups would be best suited for the type of project this is (Facial Recognition with

Web Related components). It was clear that Python should be used for the facial recognition section of the project due to its strong existing libraries. NodeJS would be used for the Web Frontend, PHP would be used to power the backend API that links all of the components together and the API would be using a MySQL database to hold all of the data. The system would work in the following way:

- 1. The Camera feeds data to the Raspberry Pi
- 2. The Python application on the Raspberry Pi calculates if a face is present
- 3. Any potential face found is sent to the API where corresponding facial data is requested from the database
- 4. If no corresponding data is found, then the face is unknown, otherwise the image will be linked to the person the face associates with.
- 5. The Website will update using data from the API to show new detections, known or unknown.

Once the product had been developed, testing took place to ensure that the facial recognition software worked from a variety of different distances and in unfavourable circumstances (heavy rain, fog, etc). While some of the tests passed, others failed to detect faces when they were present, however this only occurred in extreme circumstances. We made small enhancements to the facial detection algorithm to improve its effectiveness during these scenarios.

Due to the nature of this system, there are a lot of potential legal and ethical issues, people may not consent to the recording of their faces, people may not wish to have their faces processed and stored by this system. Therefore it was important for us to implement a blacklist system that would stop the system from performing facial data processing, however, this is a complex system because we first need to process a persons face to understand what to blacklist, which could cause further legal or ethical issues.

<!-><-> # Table of Contents - Introduction - Aims - Objectives - Requirements - Functional Requirements - References

### Introduction

#### **Aims**

The main aim of the project is to provide organisations with open campus settings a way to effectively track and monitor who is on campus and where they are located at any time of day. This is to help reduce or prevent intrusions and attacks that occur on these types of locations.

#### **Objectives**

To ensure clear and appropriate objectives have been created for the project, the SMART (specific, measurable, achievable/appropriate, realistic, time-constrained) goals were used. SMART allows us to create objectives that provide the project with lots of functionality, that will be meaningful to the objects, and still stay within the projects deadlines. For the project to be successful the following objectives should be met:

Staff Members should be able to: \* Add new faces or people to the system through a simple yet effective web interface; \* Monitor the movements of people across buildings and campuses, whether they are registered as people or not; \* Manage alerts of unknown people entering the campus; \* Provide temporary passes to unknown people to authorize them for a set amount of time;

As a requirement to this, the camera and associated Raspberry Pi module should be able to provide the following: \* A stream of video that can be analysed by the algorithm on the Pi in order to find faces; \* A constant stream of face detections to the central server that manages all hits;

In general the following objective should be met: \* The camera and web interface should be able to talk to each other through an API (Application Programming Interface)

To meet the objectives set out for Staff Members, the group will be creating a web interface using NodeJS, this interface will have the functionality set out above and will interface with the API to get and set data. It was mentioned that the interface should be simple yet effective, we could easily bombard the user with a lot of metadata from the cameras, however, the web interface will only show the required information and actions to ensure that a staff member can quickly and easily identify if there is an intruder currently on campus. All of the outlines objectives are achievable and can be implemented in a timely manner.

To meet the requirements set out for the Raspberry Pi and API, we will have to ensure substantial testing of the facial detection algorithm takes place, the group wants to avoid experiencing a scenario in which multiple people are not identified. However, the algorithm cannot be 100% effective, there will always be scenarios in which the algorithm misses a person, or mis-identifies them, it would be unrealistic and a waste of development time to be chasing after a 100% success rate. We will also have

to ensure that the API is tested thoroughly, not only for functionality, but for security purposes, if an attacker gained access to another users facial data then this would be a breach of GDPR, therefore we will be implementing multiple security procedures to ensure that the API is secure, including the use of security based unit testing and manual testing.

# Requirements

## **Functional Requirements**

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
1	Face Scanning	A sta-	Station	In order to	5 - This functionality is required for
		tion-	Camera	provide a	the system to work
		ary		product that	
		cam-		tracks people	
		era is		on a large	
		able		campus, we	
		to de-		must have an	
		tect a		effective face	
		face		scanning	
		and		algorithm to	
		scan		track people	
		cer-		across cameras	
		tain			
		data			
		points			
		for			
		analysis			

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
2	Position Reports can be filed	Once a person has been identified all of the asso- ciated meta- data is compiled and sub- mit- ted as a re- port to the API	Camera - Rasp- berry Pi	In order to provide person tracking functionality the API must recieve compiled position reports to query at a later date, without these the application would loose a large portion of functionality.	5 - This functionality is required for the system to work properly

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
3	New facial data can be added to the system	An ad- minis- tra-	Adminis User	In order to match new faces to current	5 - FR4 requires this function to exist
		tive		people, an	
		user		original image	
		must		of a persons	
		be		face must be	
		able		uploaded to the	
		to up-		system so that	
		load		the two images	
		new		can be	
		facial		compared at a	
		data		later date	
		to be			
		de-			
		tected			
		at a			
		later			
		point			
		in			
		time			

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
4	New facial data	Once	API	In order to	5 - Without this functionality the
	is processed	an im-		compare two	system would not be able to
	when uploaded	age of		faces, the	discover people
	to the web	a per-		system needs to	
	interface	son		generate data	
		has		points from the	
		been		two images and	
		up-		then compare	
		loaded		the data points	
		the		to calculate	
		asso-		who has been	
		ci-		detected	
		ated			
		facial			
		data			
		points			
		are			
		cre-			
		ated			
		and			
		stored			
		stored			

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
5	A person can be discovered when they have a valid position report	If a member of the security team is looking for a person, they can search and find the related position reports	-	A person must have position reports associated with them to allow the security team to search for them and discover their past or present location	3 - The application will still function without this, however a large piece of functionality would be missing

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
6	A person can be located within a Campus/Location	A person must be able to be located within a campus setting.	•	In order to allow nedecurity personnel to find people within a certain location, there must be functionality to discover a person.	3 - The application will still function without this, however a large piece of functionality would be missing

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
7	A temporary pass can be assigned to a person	In order to be able to allow unknown users to walk around a campus without causing alerts a temporary pass can be assigne	=	In order to lower the amount of False Negatives within a system, administrators can assign temporary passes that will allow unknown people to walk around the campus without causing alerts	4 - The application will still function without this, however a very important feature would be missing

FR#	Function	Goal	Actor	Justification	Importance Rating (out of 5)
8	List Buildings	Display a list of building	Interfac	In order to edisplay required information to users of the system, there must be functionality to display added buildings	4 - The application will still function without this, however a very important feature would be missing
9	Add Buildings	Add a buildinį	Web Interfac	In order to manage cameras, buildings must be added so that cameras can then be associated with them	4 - The application will still function without this, however a very important feature would be missing
10	Add Cameras	Add a camera	-	rdyn order to link person discovered with cameras a camera must first be enrolled onto the system, this occurs within the Python applications code	5 - This functionality is required for the system to work properly

## References

[] [@infotech\_2017] [@wayner\_2019]