

1

DirectoryIAMaaS Management

Adapters

Microsoft Entra ID (formerly Azure Active Directory) and Microsoft Intune

Advanced Configuration

Asset Type

Enable advanced configuration for each connection separately

Data Enrichment

Settings that enrich existing data or fetch new types of assets from Entra ID and Intune.

Fetch users password reset info

Fetch sponsors for "Guest" users

Fetch deleted users

Fetch custom user flow attributes (Requires IdentityUserFlow.Read.All permission)

Fetch active user details from Office 365 in the last X daysoptional

0

Fetch email activity from Office 365 in the last X daysoptional

0

Fetch users images

Fetch risky users information

Fetch user app roles (Permissions required Directory.Read.All or AppRoleAssignment.ReadWrite.All)

Admin groups for users^{optional}

Fetch user owned objects (Permissions required Directory.Read.All or User.Read.All)

Fetch user contacts (Permissions required Contacts.Read)

Fetch user assigned roles (Permissions required Directory.Read.All or RoleManagement.Read.Directory)

Fetch user authentication methods

Disabled

Fetch Users' Managers

Fetch users license details

Fetch managed app registrations from MAM

Disabled

Fetch mailbox settings for users

Fetch mailbox usage information from Office 365 in the last X days^{optional}

0

Fetch Office 365 Litigation Hold information

Fetch date of last activity for M365 products

Fetch Microsoft apps reports

Fetch user assigned eligibility schedules

Fetch user cloud extensions attributes

Fetch user groups

Fetch nested groups

Fetch device groups

Fetch group app roles (Permissions required Directory.Read.All or AppRoleAssignment.ReadWrite.All)

Fetch group extra attributes

Fetch mobile devices

Fetch Device Local Credentials (LAPS) from BETA Graph API

Disabled

Fetch Device Information Protection - Bitlocker Recovery Key

Disabled

Fetch device owner

Fetch extension attributes for device owner

Fetch devices from Intune

Fetch Cloud PCs

Fetch Apple enrolled devices from BETA API endpoint

Parse device serial number as asset name

Fetch autopilot device identities from Intune

Fetch Intune device extra attributes

Fetch software information from Intune

Enabled in Background (not found)

Enrich Intune devices with enrollment profile information

Fetch Windows Defender Compliance state

Enrich Intune devices with hardware information

Fetch Encryption Details from BETA Intune API

Fetch Windows Endpoint Protection Configuration from BETA Intune API

Fetch Device Compliance Policies Details

Compliance policies date limit (months)optional

Fetch Security Baseline Device States

Fetch Device Configuration Policy Reports

Fetch Device Configuration Statuses

Enrich mobile devices from Intune with application data

Enrich devices from Intune with Windows Update Distribution Report

Fetch UCClient from Log Analytics (Requires Log Analytics Workspace ID)^{optional}

Fetch users Last Sign-In - How to fetch

Enabled in Background (not found)

Fetch audit logs

Fetch Conditional Access Policies

Fetch Device Configuration Policy Settings for Bitlocker

Fetch all directory roles

Fetch all role definitions

Fetch app registrations secrets

Fetch user extensions (service principal)

Fetch service principal as Users

Fetch Enterprise Applications Provisioning status

Fetch applications that do not require assignment

Fetch applications that do not require assignment

Fetch only applications with preferred SSO mode as

Fetch claims policy for enterprise applications

Fetch Application Settings

Fetch and Parse

Configurations that define how data is fetched from Entra ID and Intune.

Fields to exclude^{optional}

Fetch only users

Do not fetch users

Fetch only users with account enabled

Fetch "Guest" users

Custom filter expression for fetching users^{optional}

User mail parse fallback

Fetch risky users information with selected Level

Fetch risky users information with selected State

User groups exclude list^{optional}

User groups include list^{optional}

Fetch only devices

Skip devices fetch

Fetch only devices with last seen

Populate Cloud Provider Account Name aggregated field

Allow use of BETA API endpoints

Exclude Azure AD joined devices

Do not fetch devices if Device Disabled field equals Yes

Custom filter expression for fetching devices^{optional}

Device type to avoid duplications in names

Use asset name as hostname if hostname undefined

Use Beta API in Intune

Custom filter expression for fetching Intune devices^{optional}

Intune OS Filter^{optional}

All

Number of parallel requests^{optional}

Max retry count for parallel requests^{optional}

Time in seconds to wait between retries of parallel requests^{optional}

Advanced Configuration

General adapter advanced configuration

User directory extension properties to fetch^{optional}

Enable real-time asset updates (Supported events: New users, New groups, Group members changes)