
A disciplined reporting system


CALLOWAY HOLDINGS


Building with discipline.

Calloway Holdings

2026 revenue / £m







Context images / chuttersnap, Karsten Würth, Adi Goldstein

Logistics £480m

Energy £360m

Services £280m

ANNUAL REPORT / 2026

Chapter openings, operating evidence and reconciled statements.

BUSINESS MODEL

From requirement to repeatable delivery.

Three divisions, one accountable reporting chain.

1 **Customer requirement**

2 **Divisional delivery**

Logistics	Energy	Services
Revenue / £480m	Revenue / £360m	Revenue / £280m
Operating profit / £108m	Operating profit / £70m	Operating profit / £42m

3 **Group financial review** — Revenue / £1,120m; Operating profit / £220m

Customers bring a need. Divisions organise assets, people and suppliers around that need. Delivery creates revenue and operating cost. Review then identifies what should be maintained, changed or stopped.

The native diagram is a conceptual business model, not a legal organisation chart. It shows where operating decisions connect to group reporting. No external assurance or certification is implied.

LOGISTICS

Keep the network moving.

A sequence of handoffs creates the operating result.



1 **Receive** 2 **Sort** 3 **Dispatch**

chuttersnap / CCO / Singapore terminal reference

Logistics coordinates the movement of goods through a fictional network of receiving, sorting and dispatch activities. The model gives the division £480m of revenue and £108m of operating profit in 2026. Its role in the group is to turn scheduled work into dependable delivery.


The native network diagram on page 16 shows a conceptual handoff sequence. It does not depict a real port, route or customer contract. The performance comparison separates revenue growth from the margin needed to support operations.

A reading sequence.

BUSINESS MODEL

From requirement to repeatable delivery.

Three divisions, one accountable reporting chain.



Customers bring a need. Divisions organise assets, people and suppliers around that need. Delivery creates revenue and operating cost. Review then identifies what should be maintained, changed or stopped.

The native diagram is a conceptual business model, not a legal organisation chart. It shows where operating decisions connect to group reporting. No external assurance or certification is implied.


CAPITAL ALLOCATION

Invest where the constraint is understood.

Capital expenditure increased from £140m to £180m.

Measure / £m	2025	2026
Logistics	60	75
Energy	50	80
Services	30	25
Group capital expenditure	140	180

2026 allocation / £180m




Energy accounts for £80m of the current programme, compared with £50m in the prior year. Logistics receives £75m and Services £25m. The allocation totals £180m and matches the cash-flow statement.

An allocation is not a completed outcome. Each division still needs to demonstrate readiness, delivery and the effect on ongoing work. Note 3 connects the programme to the movement in tangible assets.

Pages 10 and 11 / original sequence retained

The detail behind the layout.



BUSINESS MODEL

From requirement to repeatable delivery.

Three divisions, one accountable reporting chain.

Customers bring a need. Divisions organise assets, people and suppliers around that need. Delivery creates revenue and operating cost. Review then identifies what should be maintained, changed or stopped.

The native diagram is a conceptual business model, not a legal organisation chart. It shows where operating decisions connect to group reporting. No external assurance or certification is implied.

Enlarged native detail / source page 10 at right / editable publication included

Progress, with a visible gap

FERNLOOP / IMPACT REPORT

Progress you can trace.



Growing

Reuse

Learning

2026 / GROWING, REUSE & LEARNING
Original synthetic programme model.
Targets, results and the gap between them.

FERNLOOP / PROGRAMME 1 / GROWING



Make space for a season.

A programme view with its limits in sight.

The growing model combines a count of active plots with participation, compost throughput and volunteer hours. Those measures describe different parts of the programme and should not be added into a single total.

Reference photograph, not a Fernloop location or activity. Natural colour retained to show the subject clearly.

FERNLOOP / PROGRAMME 3 / LEARNING



A place to learn together.

A programme view with its limits in sight.

A session count says how often a programme ran. Attendance says how many visits were recorded. Unique learners describe people counted once within that programme. All three are useful; none substitutes for the others.

Reference photograph, not a Fernloop location or activity. Natural colour retained to show the subject clearly.
Karen Blakeman / Reading Repair Cafe / CC0 1.0 / reference photograph

Photographic programme openings paired with target/result evidence.

A reading sequence.



Keep useful materials moving.

A programme view with its limits in sight.

Sorting is a first stage, not the final destination. The model records mass received into a defined sorted stream and keeps contamination visible beside that total.

Reference photograph, not a Fernloop location or activity. Natural colour retained to show the subject clearly.

See the remaining gap.

REUSE / four measures, with baseline and target.

Sorted materials

kg / baseline 4000 / current 6200 / target 7000



Remaining gap 800 kg

Contamination

percent by mass / baseline 12 / current 8 / target 6



Lower is better / gap 2 percentage points

Repair completions

items / baseline 120 / current 210 / target 240



Remaining gap 30 items

Repair workshops

sessions / baseline 8 / current 14 / target 16



Remaining gap 2 sessions

Bars start at zero; dark tick = baseline, lime tick = target. Each row uses its own scale. All results are synthetic.


Pages 12 and 13 / original sequence retained

The detail behind the layout.


Active plots / period-end stock



Sorted material / cumulative kg



Learning sessions / cumulative count



Enlarged native detail / source page 16 at right / editable publication included

FERNLOOP / PROGRESS TIMELINE

Four checkpoints. One annual model.

Cumulative current-year outputs / authored scenario

Active plots / period-end stock

Sorted material / cumulative kg



Learning sessions / cumulative count



Q1 Q2 Q3 Q4

Q1	Q2	Q3	Q4
14 active plots / 1200 kg sorted / 4 learning sessions	16 active plots / 2700 kg sorted / 9 learning sessions	17 active plots / 4400 kg sorted / 13 learning sessions	18 active plots / 6200 kg sorted / 18 learning sessions

Sorted mass and sessions are cumulative. Active plots are a period-end stock. Do not sum the four plot counts.

From finding to working agreement

WORK PRACTICE / RESEARCH EDITION

The Distributed Work Report 2026

Six findings for a clearer team agreement.

On-site		Hybrid		Remote	
01	Meeting load	02	Focus time		
03	Decision records	04	First-month support		
05	Late handoffs	06	Location preference		

600 synthetic records.
Three work arrangements.
One traceable data model.

AYOBAMI / PUBLICATION DESIGN

RECOMMENDATIONS / 01

Write a small working agreement.

Choose practices that the team can observe. The synthetic findings are prompts, not prescriptions.


01 / Protect finishing time	Name the focus block, coverage arrangement and urgent-contact exception. Track interruptions separately from completion.
02 / Record consequential decisions	Use one shared place and a short convention: decision, owner, date and next action. Test whether a newcomer can retrieve an example.
03 / Make support explicit	Give a new colleague a primary contact and a backup. Ask about the first blocked task and whether help arrived in time.
04 / Define the handoff	State the recipient, expected output and usable due time. Agree how early to raise a risk before the deadline passes.

KEEP LOCATION SEPARATE / Record current arrangement and preference as context. Neither is a complete measure of how the team coordinates.

FINDING 3 / F3

Write decisions where people look.

Decisions easy to find in a shared record. Base: 200 records per current-arrangement group.



SOURCE / F3 in appendix A, page 20. Synthetic descriptive counts.

Charts, interpretations and appendices keep the synthetic model traceable.

A reading sequence.

RECOMMENDATIONS / 01

Write a small working agreement.

Choose practices that the team can observe. The synthetic findings are prompts, not prescriptions.



01 / Protect finishing time

Name the focus block, coverage arrangement and urgent-contact exception. Track interruptions separately from completion.



02 / Record consequential decisions

Use one shared place and a short convention: decision, owner, date and next action. Test whether a newcomer can retrieve an example.



03 / Make support explicit

Give a new colleague a primary contact and a backup. Ask about the first blocked task and whether help arrived in time.



04 / Define the handoff

State the recipient, expected output and usable due time. Agree how early to raise a risk before the deadline passes.

KEEP LOCATION SEPARATE / Record current arrangement and preference as context. Neither is a complete measure of how the team coordinates.

RECOMMENDATIONS / 02

Run a trial you can explain.

A four-week review can make a working agreement more concrete. Set the question before measuring the result.

Before	Choose one practice and define its signal. State the team, tasks, measurement period and coverage constraints.
Week 1	Record a baseline with the same definition you will use later. Explain the record to the people affected.
Weeks 2-3	Try the agreement. Keep a short log of exceptions and unexpected costs; avoid changing the definition halfway through.
Week 4	Compare the signal with the baseline and discuss the experience. Keep, revise or stop the practice, with a stated reason.

REVIEW QUESTIONS / What improved? What became harder? Who was excluded by the agreement? What should remain unchanged in the next trial?

Pages 18 and 19 / original sequence retained

The detail behind the layout.

01 / Protect finishing time

Name the focus block, coverage arrangement and urgent-contact exception. Track interruptions separately from completion.

02 / Record consequential decisions

Use one shared place and a short convention: decision, owner, date and next action. Test whether a newcomer can retrieve an example.

03 / Make support explicit

Give a new colleague a primary contact and a backup. Ask about the first blocked task and whether help arrived in time.

04 / Define the handoff

State the recipient, expected output and usable due time. Agree how early to raise a risk before the deadline passes.

Enlarged native detail / source page 18 at right / editable publication included

RECOMMENDATIONS / 01

Write a small working agreement.

Choose practices that the team can observe. The synthetic findings are prompts, not prescriptions.

01 / Protect finishing time	Name the focus block, coverage arrangement and urgent-contact exception. Track interruptions separately from completion.
02 / Record consequential decisions	Use one shared place and a short convention: decision, owner, date and next action. Test whether a newcomer can retrieve an example.
03 / Make support explicit	Give a new colleague a primary contact and a backup. Ask about the first blocked task and whether help arrived in time.
04 / Define the handoff	State the recipient, expected output and usable due time. Agree how early to raise a risk before the deadline passes.

KEEP LOCATION SEPARATE / Record current arrangement and preference as context. Neither is a complete measure of how the team coordinates.

Light, material and a useful plan

STUDIO PROFILE / 2026

Halvorsen & Quill



Architecture shaped by light, land and the way we live.

VOL. 01
2026

02 / PRINCIPLES

Let the light do the work.

A good section is as important as a good plan.

Daylight changes the character of a room without changing its footprint. A high opening can bring light deep into a plan while keeping a street-facing wall private. A shaded courtyard can soften strong sun and create a place to sit outside for more of the day.

We study the section alongside the plan. Ceiling height, window depth and the position of a rooflight influence how a space feels and how it performs. We use those relationships before adding another finish or fitting.

Material decisions follow the same discipline. A limited palette allows transitions to feel calm and makes the construction easier to read. Surfaces are selected for their likely use, their ability to be repaired and the way they will age. The ambition is a building that becomes more familiar with time.

Light is a material.
Give it space.



Light / Wesley Shen



Material / Pierre Châtel-Innocenti

03 / SELECTED WORK

01
The Courtyard House


A compact home gathered around an open centre.

A narrow site called for privacy without closing the house to daylight. The response is a simple perimeter with a courtyard at its heart. Living spaces face the garden; service rooms form a quieter edge towards the lane.

Selected architecture pages move from image-led narrative to native drawings.

A reading sequence.

02
The Northbank Rooms



An existing shell, made useful again.

This study begins with a former storage building whose heavy structure remains sound. Rather than divide it into identical rooms, the proposal introduces a sequence of shared spaces with different degrees of openness.

A central gathering room can host talks, workshops and an ordinary weekday lunch. Smaller rooms sit along its edges for meetings and concentrated work. The entrance makes the building easy to understand on a first visit, with a direct view to the shared heart.

Keeping the main structure reduces the amount of new construction and preserves the scale of the original building. New insertions are deliberately legible: timber screens, simple thresholds and a clear service spine.

Adaptive reuse	Northbank	640 m²	2025

Keep the frame. Change the use.

A measured approach to an existing building.

A measured approach to an existing building.

Retain the shell



Insert a service spine



Adapt the rooms



Conceptual study / not to scale

The design separates the work into three kinds of intervention. Repairs protect the existing shell. A service spine brings new uses into the building without distributing plant through every room. Lightweight partitions provide enclosure while leaving the primary structure visible.


The shared room receives the strongest daylight and the clearest route from the entrance. Other spaces borrow light through high internal openings. The arrangement can change as the programme grows, with a pair of small rooms becoming one larger workshop.

The project shows how a useful plan can emerge from an existing frame. Its character comes from the relationship between retained structure and new use, with neither made to imitate the other.

RETAIN / INSERT / ADAPT

Pages 8 and 9 / original sequence retained

The detail behind the layout.



03 / SELECTED WORK

Keep the frame. Change the use.

A measured approach to an existing building.

Retain the shell

Insert a service spine

Adapt the rooms

The design separates the work into three kinds of intervention. Repairs protect the existing shell. A service spine brings new uses into the building without distributing plant through every room. Lightweight partitions provide enclosure while leaving the primary structure visible.

The shared room receives the strongest daylight and the clearest route from the entrance. Other spaces borrow light through high internal openings. The arrangement can change as the programme grows, with a pair of small rooms becoming one larger workshop.

The project shows how a useful plan can emerge from an existing frame. Its character comes from the relationship between retained structure and new use, with neither made to imitate the other.

Conceptual study / not to scale

RETAIN / INSERT / ADAPT

Enlarged native detail / source page 9 at right / editable publication included

A home, before an address

Linden Court

Space for the life you lead.


RESIDENCES / FOUR LAYOUTS



Printed window effect / interior reference

LINDEN COURT / INTERIORS

Rooms that welcome change.




Illustrative interior photograph / Jarosław Ceborski / CC0
LINDEN COURT / RESIDENCE GUIDE 08

LINDEN COURT / ARCHITECTURE

A building with a quiet centre.

Two residential wings frame the shared garden while keeping the entrance legible from the street. Setbacks distinguish the upper level; repeated window bays give the elevations a calm rhythm.
The diagram follows a simple hierarchy: a durable outer envelope, a lighter inner garden edge, and a clear public-to-private threshold.



Two wings / shared court / upper setback

Native axonometric study / not to scale

LINDEN COURT / RESIDENCE GUIDE 06

Interior photography, scaled plans and comparison pages show the residence system.

A reading sequence.

LINDEN COURT / SPECIFICATION / AREA SCHEDULE

Compare the four homes.

Use the same area convention across all four plans. The diagram footprint includes the full outer rectangle; it does not deduct partitions or establish a regulated measurement standard.
Room areas reconcile to the stated footprint. Terrace areas are separate model allowances. All dimensions are in metres.

Layout	Bedrooms	Footprint / m²	Terrace / m²
A	1	72	8
B	2	100	12
C	3	120	18
P	3	180	30

Diagram footprint / m² / same zero-based scale



LOOKUP / Three bedrooms and at least 18 m² outdoors: compare C on p12 with P on p13.

LINDEN COURT / SPECIFICATION / PROPOSED PALETTE


A considered finish.

The proposed interior direction uses pale walls, warm timber tones and restrained metal accents. Wet-area floors and work surfaces need suitable product performance for the intended use.
This schedule distinguishes a visual direction from a construction requirement. No stock photograph is a promise of a supplied finish.

Element	Visual direction	Confirm before construction
Walls	Warm pale neutral	Finish and maintenance
Cabinetry	Timber tone	Substrate and hardware
Worktop	Pale mineral tone	Durability and edge detail
Wet areas	Restrained texture	Slip and water performance
Metalwork	Brass colour accent	Finish and corrosion rating

Pages 16 and 17 / original sequence retained

The detail behind the layout.





LINDEN COURT / SPECIFICATION / AREA SCHEDULE

Compare the four homes.

Use the same area convention across all four plans. The diagram footprint includes the full outer rectangle; it does not deduct partitions or establish a regulated measurement standard.
Room areas reconcile to the stated footprint. Terrace areas are separate model allowances. All dimensions are in metres.

Layout	Bedrooms	Footprint / m²	Terrace / m²
A	1	72	8
B	2	100	12
C	3	120	18
P	3	180	30

Diagram footprint / m² / same zero-based scale

A / 72
B / 100
C / 120
P / 180

LOOKUP / Three bedrooms and at least 18 m² outdoors: compare C on p12 with P on p13.

LINDEN COURT / RESIDENCE GUIDE 16

Enlarged native detail / source page 16 at right / editable publication included