
Choose the right contact.

Product reference / 2026
30 tools. Five families. One clear order code.



ORTHOGRAPHIC ENVELOPE / SCALE 1:1.75

Precision starts with the question.

Tolvik brings an ordered language to a buyer’s first task: defining the feature that needs to be checked.

A useful tool catalogue starts with the work, rather than with the largest number on a cover. Is the feature external, internal, deep, long or square? Does the contact profile reach it? Does the operating range contain the part?

This catalogue groups thirty illustrative tools by the task they support. Each family uses one repeatable record: a named product, an order code, a dimensioned outline, a specification table and a compatible accessory.

The same data supplies product pages, selection guides and the part-number index. A buyer can start with the task or with a known code and arrive at the same specification.

The drawings are editable orthographic studies of product concepts. They show the catalogue’s dimensional envelope, not a certified manufacturing design. Reading increments and dimensions are illustrative; no calibration, certification or verified accuracy is claimed.

01 Define the feature.

02 Compare the contact and range.

03 Carry one order code forward.

From task to order code.

Use the selection guide on page 36, then compare the product drawing and specification. Complete the request from the same code.

1 / Name the feature

Record the nominal size and the surface or edge that the tool will contact. A larger range does not automatically make a tool the better fit.

2 / Find the family

Use C for spans, M for external thickness, D for depth, R for layout length or S for a right-angle reference. These letters appear throughout the index.

3 / Check the envelope

Review length L, breadth B and the contact profile on the SKU page. The silhouette and dimensions are generated from the same record.

4 / Copy the complete code

For an external span up to 150 mm, inspect TK-C150 on page 8. Its accessory is TK-A01, described on page 38. The index repeats the same references.

This reference does not provide a live ordering service. request address: specifications@tolvik.example.

Five ways to meet the work.

Choose by feature. Every family contains six sizes, organised in ascending order.

C — Sliding calipers — External and internal spans — 6-11

M — Outside micrometers — External thickness — 12-17

D — Depth gauges — Recess and shoulder depth — 18-23

R — Steel rules — Layout and quick linear checks — 24-29

S — Engineers squares — Right-angle reference — 30-35

A common reference language.

Keep the distinctions between range, reading step, envelope and contact visible while comparing tools.

L / LENGTH	The longest horizontal dimension in the orthographic envelope. The orange dimension line follows the native geometry.
B / BREADTH	The full vertical envelope shown beside the profile. It is an envelope dimension rather than a usable measurement range.
STEP / READOUT	The displayed or engraved increment in this illustrative catalogue. It is not a stated accuracy or calibration result.
CODE / ACCESSORY	TK- identifies the product record. A01-A05 identify matching storage or support items on page 38.


Drawing scale is stated for each view. Contact silhouettes are simplified; reference them together with the table. All units are millimetres unless stated otherwise.

Span 75

TK-C075

Designed in this catalogue for external and internal spans. Use the outside jaws for external spans; use the upper jaws for internal spans. The depth rod is a secondary function. Keep the contact faces clean before comparing readings. This size provides 0-75 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

75 mm



RANGE / COMPATIBLE ACCESSORY

0-75 mm

TK-A01

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.16

Specification	Value	Reference
Envelope	165 mm x 46 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat jaws	Profile
Mass	90 g	Illustrative
Order code	TK-C075	Accessory TK-A01


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Span 100

TK-C100

Designed in this catalogue for external and internal spans. Use the outside jaws for external spans; use the upper jaws for internal spans. The depth rod is a secondary function. Keep the contact faces clean before comparing readings. This size provides 0-100 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

100 mm



RANGE / COMPATIBLE ACCESSORY

0-100 mm

TK-A01

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.34

Specification	Value	Reference
Envelope	190 mm x 48 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat jaws	Profile
Mass	140 g	Illustrative
Order code	TK-C100	Accessory TK-A01


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Span 150

TK-C150

Designed in this catalogue for external and internal spans. Use the outside jaws for external spans; use the upper jaws for internal spans. The depth rod is a secondary function. Keep the contact faces clean before comparing readings. This size provides 0-150 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

150 mm



RANGE / COMPATIBLE ACCESSORY

0-150 mm

TK-A01

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.69

Specification	Value	Reference
Envelope	240 mm x 52 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat jaws	Profile
Mass	190 g	Illustrative
Order code	TK-C150	Accessory TK-A01


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Span 200

TK-C200

Designed in this catalogue for external and internal spans. Use the outside jaws for external spans; use the upper jaws for internal spans. The depth rod is a secondary function. Keep the contact faces clean before comparing readings. This size provides 0-200 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

200 mm



RANGE / COMPATIBLE ACCESSORY

0-200 mm

TK-A01

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.04

Specification	Value	Reference
Envelope	290 mm x 56 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat jaws	Profile
Mass	240 g	Illustrative
Order code	TK-C200	Accessory TK-A01


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Span 250

TK-C250

Designed in this catalogue for external and internal spans. Use the outside jaws for external spans; use the upper jaws for internal spans. The depth rod is a secondary function. Keep the contact faces clean before comparing readings. This size provides 0-250 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

250 mm



RANGE / COMPATIBLE ACCESSORY

0-250 mm

TK-A01

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.39

Specification	Value	Reference
Envelope	340 mm x 60 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat jaws	Profile
Mass	290 g	Illustrative
Order code	TK-C250	Accessory TK-A01


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Span 300

TK-C300

Designed in this catalogue for external and internal spans. Use the outside jaws for external spans; use the upper jaws for internal spans. The depth rod is a secondary function. Keep the contact faces clean before comparing readings. This size provides 0-300 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

300 mm



RANGE / COMPATIBLE ACCESSORY

0-300 mm

TK-A01

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.75

Specification	Value	Reference
Envelope	390 mm x 65 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat jaws	Profile
Mass	340 g	Illustrative
Order code	TK-C300	Accessory TK-A01


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Contact 25

TK-M025

Designed in this catalogue for external thickness. Select the interval that contains the nominal thickness. Support the part without loading the frame and approach contact with the ratchet. A reading increment is not an accuracy claim. This size provides 0-25 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

25 mm



RANGE / COMPATIBLE ACCESSORY

0-25 mm

TK-A02

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.08

Specification	Value	Reference
Envelope	110 mm x 57 mm	L x B
Reading step	0.001 mm	Not accuracy
Contact	Flat anvils	Profile
Mass	170 g	Illustrative
Order code	TK-M025	Accessory TK-A02


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Contact 50

TK-M050

Designed in this catalogue for external thickness. Select the interval that contains the nominal thickness. Support the part without loading the frame and approach contact with the ratchet. A reading increment is not an accuracy claim. This size provides 25-50 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

50 mm



RANGE / COMPATIBLE ACCESSORY

25-50 mm

TK-A02

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.32

Specification	Value	Reference
Envelope	135 mm x 70 mm	L x B
Reading step	0.001 mm	Not accuracy
Contact	Flat anvils	Profile
Mass	240 g	Illustrative
Order code	TK-M050	Accessory TK-A02


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Contact 75

TK-M075

Designed in this catalogue for external thickness. Select the interval that contains the nominal thickness. Support the part without loading the frame and approach contact with the ratchet. A reading increment is not an accuracy claim. This size provides 50-75 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

75 mm



RANGE / COMPATIBLE ACCESSORY

50-75 mm

TK-A02

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.55

Specification	Value	Reference
Envelope	160 mm x 82 mm	L x B
Reading step	0.001 mm	Not accuracy
Contact	Flat anvils	Profile
Mass	310 g	Illustrative
Order code	TK-M075	Accessory TK-A02


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Contact 100

TK-M100

Designed in this catalogue for external thickness. Select the interval that contains the nominal thickness. Support the part without loading the frame and approach contact with the ratchet. A reading increment is not an accuracy claim. This size provides 75-100 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

100 mm



RANGE / COMPATIBLE ACCESSORY

75-100 mm

TK-A02

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.79

Specification	Value	Reference
Envelope	185 mm x 95 mm	L x B
Reading step	0.001 mm	Not accuracy
Contact	Flat anvils	Profile
Mass	380 g	Illustrative
Order code	TK-M100	Accessory TK-A02


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Contact 125

TK-M125

Designed in this catalogue for external thickness. Select the interval that contains the nominal thickness. Support the part without loading the frame and approach contact with the ratchet. A reading increment is not an accuracy claim. This size provides 100-125 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

125 mm



RANGE / COMPATIBLE ACCESSORY

100-125 mm

TK-A02

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.02

Specification	Value	Reference
Envelope	210 mm x 107 mm	L x B
Reading step	0.001 mm	Not accuracy
Contact	Flat anvils	Profile
Mass	450 g	Illustrative
Order code	TK-M125	Accessory TK-A02


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Contact 150

TK-M150

Designed in this catalogue for external thickness. Select the interval that contains the nominal thickness. Support the part without loading the frame and approach contact with the ratchet. A reading increment is not an accuracy claim. This size provides 125-150 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

150 mm



RANGE / COMPATIBLE ACCESSORY

125-150 mm

TK-A02

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.26

Specification	Value	Reference
Envelope	235 mm x 120 mm	L x B
Reading step	0.001 mm	Not accuracy
Contact	Flat anvils	Profile
Mass	520 g	Illustrative
Order code	TK-M150	Accessory TK-A02


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Bridge 100

TK-D100

Designed in this catalogue for recess and shoulder depth. Rest the bridge fully on the reference surface. Align the stem with the feature being measured. A narrow recess may require another contact profile; check the stem and bridge dimensions first. This size provides 0-100 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

100 mm



RANGE / COMPATIBLE ACCESSORY

0-100 mm

TK-A03

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.70

Specification	Value	Reference
Envelope	150 mm x 90 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat stem end	Profile
Mass	150 g	Illustrative
Order code	TK-D100	Accessory TK-A03


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Bridge 150

TK-D150

Designed in this catalogue for recess and shoulder depth. Rest the bridge fully on the reference surface. Align the stem with the feature being measured. A narrow recess may require another contact profile; check the stem and bridge dimensions first. This size provides 0-150 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

150 mm



RANGE / COMPATIBLE ACCESSORY

0-150 mm

TK-A03

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.89

Specification	Value	Reference
Envelope	200 mm x 100 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat stem end	Profile
Mass	210 g	Illustrative
Order code	TK-D150	Accessory TK-A03


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Bridge 200

TK-D200

Designed in this catalogue for recess and shoulder depth. Rest the bridge fully on the reference surface. Align the stem with the feature being measured. A narrow recess may require another contact profile; check the stem and bridge dimensions first. This size provides 0-200 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

200 mm



RANGE / COMPATIBLE ACCESSORY

0-200 mm

TK-A03

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.08

Specification	Value	Reference
Envelope	250 mm x 110 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat stem end	Profile
Mass	270 g	Illustrative
Order code	TK-D200	Accessory TK-A03


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Bridge 250

TK-D250

Designed in this catalogue for recess and shoulder depth. Rest the bridge fully on the reference surface. Align the stem with the feature being measured. A narrow recess may require another contact profile; check the stem and bridge dimensions first. This size provides 0-250 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

250 mm



RANGE / COMPATIBLE ACCESSORY

0-250 mm

TK-A03

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.26

Specification	Value	Reference
Envelope	300 mm x 120 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat stem end	Profile
Mass	330 g	Illustrative
Order code	TK-D250	Accessory TK-A03


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Bridge 300

TK-D300

Designed in this catalogue for recess and shoulder depth. Rest the bridge fully on the reference surface. Align the stem with the feature being measured. A narrow recess may require another contact profile; check the stem and bridge dimensions first. This size provides 0-300 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

300 mm



RANGE / COMPATIBLE ACCESSORY

0-300 mm

TK-A03

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.46

Specification	Value	Reference
Envelope	350 mm x 130 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat stem end	Profile
Mass	390 g	Illustrative
Order code	TK-D300	Accessory TK-A03


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Bridge 400

TK-D400

Designed in this catalogue for recess and shoulder depth. Rest the bridge fully on the reference surface. Align the stem with the feature being measured. A narrow recess may require another contact profile; check the stem and bridge dimensions first. This size provides 0-400 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

400 mm



RANGE / COMPATIBLE ACCESSORY

0-400 mm

TK-A03

ORTHOGRAPHIC ENVELOPE / SCALE 1:3.17

Specification	Value	Reference
Envelope	450 mm x 140 mm	L x B
Reading step	0.01 mm	Not accuracy
Contact	Flat stem end	Profile
Mass	450 g	Illustrative
Order code	TK-D400	Accessory TK-A03


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Line 150

TK-R150

Designed in this catalogue for layout and quick linear checks. Read square to the graduation and keep the rule flat against the work. These rules are for layout and quick checks, rather than substitutions for fine contact instruments. This size provides 0-150 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

150 mm



RANGE / COMPATIBLE ACCESSORY

0-150 mm

TK-A04

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.06

Specification	Value	Reference
Envelope	150 mm x 20 mm	L x B
Reading step	0.5 mm	Not accuracy
Contact	Graduated edge	Profile
Mass	25 g	Illustrative
Order code	TK-R150	Accessory TK-A04


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Line 200

TK-R200

Designed in this catalogue for layout and quick linear checks. Read square to the graduation and keep the rule flat against the work. These rules are for layout and quick checks, rather than substitutions for fine contact instruments. This size provides 0-200 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

200 mm



RANGE / COMPATIBLE ACCESSORY

0-200 mm

TK-A04

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.41

Specification	Value	Reference
Envelope	200 mm x 22 mm	L x B
Reading step	0.5 mm	Not accuracy
Contact	Graduated edge	Profile
Mass	43 g	Illustrative
Order code	TK-R200	Accessory TK-A04


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Line 300

TK-R300

Designed in this catalogue for layout and quick linear checks. Read square to the graduation and keep the rule flat against the work. These rules are for layout and quick checks, rather than substitutions for fine contact instruments. This size provides 0-300 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

300 mm



RANGE / COMPATIBLE ACCESSORY

0-300 mm

TK-A04

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.11

Specification	Value	Reference
Envelope	300 mm x 24 mm	L x B
Reading step	0.5 mm	Not accuracy
Contact	Graduated edge	Profile
Mass	61 g	Illustrative
Order code	TK-R300	Accessory TK-A04


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Line 400

TK-R400

Designed in this catalogue for layout and quick linear checks. Read square to the graduation and keep the rule flat against the work. These rules are for layout and quick checks, rather than substitutions for fine contact instruments. This size provides 0-400 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

400 mm



RANGE / COMPATIBLE ACCESSORY

0-400 mm

TK-A04

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.82

Specification	Value	Reference
Envelope	400 mm x 26 mm	L x B
Reading step	0.5 mm	Not accuracy
Contact	Graduated edge	Profile
Mass	79 g	Illustrative
Order code	TK-R400	Accessory TK-A04


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Line 500

TK-R500

Designed in this catalogue for layout and quick linear checks. Read square to the graduation and keep the rule flat against the work. These rules are for layout and quick checks, rather than substitutions for fine contact instruments. This size provides 0-500 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

500 mm



RANGE / COMPATIBLE ACCESSORY

0-500 mm

TK-A04

ORTHOGRAPHIC ENVELOPE / SCALE 1:3.52

Specification	Value	Reference
Envelope	500 mm x 28 mm	L x B
Reading step	0.5 mm	Not accuracy
Contact	Graduated edge	Profile
Mass	97 g	Illustrative
Order code	TK-R500	Accessory TK-A04


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Line 600

TK-R600

Designed in this catalogue for layout and quick linear checks. Read square to the graduation and keep the rule flat against the work. These rules are for layout and quick checks, rather than substitutions for fine contact instruments. This size provides 0-600 mm. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

600 mm



RANGE / COMPATIBLE ACCESSORY

0-600 mm

TK-A04

ORTHOGRAPHIC ENVELOPE / SCALE 1:4.23

Specification	Value	Reference
Envelope	600 mm x 30 mm	L x B
Reading step	0.5 mm	Not accuracy
Contact	Graduated edge	Profile
Mass	115 g	Illustrative
Order code	TK-R600	Accessory TK-A04

SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Right 75

TK-S075

Designed in this catalogue for right-angle reference. Seat the stock on a clean edge and compare the blade to the adjacent face. Keep the reference surfaces free of burrs. A square checks the relationship of two faces; it does not give a numerical angle reading. This size provides 75 mm blade. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

75 mm blade



RANGE / COMPATIBLE ACCESSORY

75 mm blade TK-A05

ORTHOGRAPHIC ENVELOPE / SCALE 1:0.94

Specification	Value	Reference
Envelope	75 mm x 50 mm	L x B
Reading step	Not a readout	Not accuracy
Contact	Blade and stock	Profile
Mass	110 g	Illustrative
Order code	TK-S075	Accessory TK-A05


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Right 100

TK-S100

Designed in this catalogue for right-angle reference. Seat the stock on a clean edge and compare the blade to the adjacent face. Keep the reference surfaces free of burrs. A square checks the relationship of two faces; it does not give a numerical angle reading. This size provides 100 mm blade. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

100 mm blade



RANGE / COMPATIBLE ACCESSORY

100 mm blade TK-A05

ORTHOGRAPHIC ENVELOPE / SCALE 1:0.94

Specification	Value	Reference
Envelope	100 mm x 50 mm	L x B
Reading step	Not a readout	Not accuracy
Contact	Blade and stock	Profile
Mass	190 g	Illustrative
Order code	TK-S100	Accessory TK-A05


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Right 150

TK-S150

Designed in this catalogue for right-angle reference. Seat the stock on a clean edge and compare the blade to the adjacent face. Keep the reference surfaces free of burrs. A square checks the relationship of two faces; it does not give a numerical angle reading. This size provides 150 mm blade. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

150 mm blade



RANGE / COMPATIBLE ACCESSORY

150 mm blade

TK-A05

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.42

Specification	Value	Reference
Envelope	150 mm x 75 mm	L x B
Reading step	Not a readout	Not accuracy
Contact	Blade and stock	Profile
Mass	270 g	Illustrative
Order code	TK-S150	Accessory TK-A05


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Right 200

TK-S200

Designed in this catalogue for right-angle reference. Seat the stock on a clean edge and compare the blade to the adjacent face. Keep the reference surfaces free of burrs. A square checks the relationship of two faces; it does not give a numerical angle reading. This size provides 200 mm blade. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

200 mm blade



RANGE / COMPATIBLE ACCESSORY

200 mm blade

TK-A05

ORTHOGRAPHIC ENVELOPE / SCALE 1:1.89

Specification	Value	Reference
Envelope	200 mm x 100 mm	L x B
Reading step	Not a readout	Not accuracy
Contact	Blade and stock	Profile
Mass	350 g	Illustrative
Order code	TK-S200	Accessory TK-A05


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Right 250

TK-S250

Designed in this catalogue for right-angle reference. Seat the stock on a clean edge and compare the blade to the adjacent face. Keep the reference surfaces free of burrs. A square checks the relationship of two faces; it does not give a numerical angle reading. This size provides 250 mm blade. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

250 mm blade



RANGE / COMPATIBLE ACCESSORY

250 mm blade TK-A05

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.36

Specification	Value	Reference
Envelope	250 mm x 125 mm	L x B
Reading step	Not a readout	Not accuracy
Contact	Blade and stock	Profile
Mass	430 g	Illustrative
Order code	TK-S250	Accessory TK-A05


SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Right 300

TK-S300

Designed in this catalogue for right-angle reference. Seat the stock on a clean edge and compare the blade to the adjacent face. Keep the reference surfaces free of burrs. A square checks the relationship of two faces; it does not give a numerical angle reading. This size provides 300 mm blade. Compare the envelope, contact geometry and accessory code before copying the order code into a request.

300 mm blade



RANGE / COMPATIBLE ACCESSORY

300 mm blade TK-A05

ORTHOGRAPHIC ENVELOPE / SCALE 1:2.83

Specification	Value	Reference
Envelope	300 mm x 150 mm	L x B
Reading step	Not a readout	Not accuracy
Contact	Blade and stock	Profile
Mass	510 g	Illustrative
Order code	TK-S300	Accessory TK-A05

SPECIMEN PRODUCT / CHECK CURRENT REQUIREMENTS BEFORE ANY REAL PROCUREMENT

Start with the feature.

A family decision comes before the size decision. Follow this guide to the first compatible record, then verify geometry.

Feature	Family	Size / pages
External or internal span	C / Sliding calipers	75-300 mm / 6-11
External thickness	M / Outside micrometers	Six 25 mm intervals / 12-17
Recess or shoulder depth	D / Depth gauges	100-400 mm / 18-23
Layout and quick length check	R / Steel rules	150-600 mm / 24-29
Right-angle relationship	S / Engineers squares	75-300 mm blades / 30-35


WORKED LOOKUP / EXTERNAL SPAN UP TO 150 MM

Start with the span task. Open the caliper family, then find a range that contains 150 mm. TK-C150 is on page 8. Its envelope is 240 x 52 mm and its reading step is 0.01 mm.

Carry TK-C150 into the request. Check the flat-jaw profile and the clearance around the work. The compatible storage accessory is TK-A01 on page 38. The page-39 index returns the same SKU/page pair.

Compare capacity. Keep the task.

Maximum range by family, in millimetres. Square blade length is shown as a separate physical size; it is not a measured range.



SOURCE / maximum CAPACITY per family in catalogue.json. Each family uses its own contact method; this chart does not rank accuracy.

Keep the record with the tool.

Five accessory codes match the five product families. Compatibility is defined here rather than inferred from appearance.

TK-A01

Caliper sleeve

All C-family tools

A padded wrap with an internal code card. Length adjusts to the envelope; no reference face is used as a closure.

TK-A02

Micrometer rest

All M-family tools

A bench rest supporting the frame during a comparison. Contact faces remain clear of the support surface.

TK-A03

Depth-gauge case

All D-family tools

A rigid storage layout with separate bridge and stem clearance. Check the chosen envelope before allocating a pocket.

TK-A04

Rule edge guard

All R-family tools

A removable storage guard for the graduated edge. Remove it before reading the rule against a surface.

TK-A05

Square wrap

All S-family tools

A fabric wrap with a stock pocket and blade cover. Store against the labelled reference surfaces.

Find the code.
Return to the detail.

Every product code appears once. Pages are generated from the same record order as the merged catalogue.

ORDER CODE	PAGE	ORDER CODE	PAGE	ORDER CODE	PAGE
TK-C075	6	TK-M125	16	TK-R300	26
TK-C100	7	TK-M150	17	TK-R400	27
TK-C150	8	TK-D100	18	TK-R500	28
TK-C200	9	TK-D150	19	TK-R600	29
TK-C250	10	TK-D200	20	TK-S075	30
TK-C300	11	TK-D250	21	TK-S100	31
TK-M025	12	TK-D300	22	TK-S150	32
TK-M050	13	TK-D400	23	TK-S200	33
TK-M075	14	TK-R150	24	TK-S250	34
TK-M100	15	TK-R200	25	TK-S300	35

Accessory index / TK-A01, TK-A02, TK-A03, TK-A04, TK-A05: page 38.

The right tool starts with the right task.

Original catalogue and native drawings by Ayobami. products and illustrative specifications.
Google Fonts: IBM Plex Sans and IBM Plex Mono, SIL Open Font License.