1. The probability of a leap year selected at random contain 53					
Sunday is:					
(a) 53/ 366	(b) 1/7	(c) 2/7	(d) 53/365		
2. A bag contains	3 red and 2 b	olue marbles. A i	marble is drawn at		
random. The proba	ability of drav	wing a black ball	is:		
(a) 3/5	(b) 2/5	(c) 0/5	(d) 1/5		
3. The probability	that it will ra	in tomorrow is 0).85. What is the		
probability that it w					
(a) 0.25	(b) 0.145	(c) 3/20	(d) none of these		
-	-		ed from the numbers		
(1, 2, 3,,15)	-				
	• •	(c) 2/15	• •		
5. What are the to					
• •	• •	(c) 8	• •		
-	-	number selecte	ed at random from the		
numbers (1,2,3,			4.00		
* *	, ,	, ,	(d) none of these		
7. The sum of the	•				
		0 (d) non			
		are given; choos	se the correct answer		
for that which is no	ot possible.	() = (=			
			(d) none of these.		
		nultaneously, tha	an the probability of		
getting at least two	o heads, is:	(- \ 1 ₂	(1) 4 (0		
(a) 1/4 (
10. A letter is cho					
♦ ASSASSINATIO					
(a) 6/13	(b) //13_	(c) 1	(d) none of these.		
11 A dias is the second	Find the	uahahilitu af aat	··		
	-		ting an even number.		
(A) 2/3	(b) I	(C) 5/6	(D) 1/2		
12. Two coins are thrown at the same time. Find the probability of					
getting both heads		(5) 0			
(A) 3/4 (B) 1/4	(C) 1/2	(D) U			
13. Two dice are the	hrown simult	aneously. The p	robability of getting a		

1

sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4/9)			
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.							
• • •	(B) 27/50	(C) 1/4	(D) 2	29/100			
•	a blue ball is d	ouble that of a		the probability the number of			
16. A box of	f 600 bulbs co random from ve bulb is:	ontains 12 defect this box. Then (C)	ctive bulbs. O the probabili				
mixed thoro	oughly. One ca lity that the nu	imbers 2 to 101 ard is drawn fro imber on card i (C) 3/10	m this box ra s a perfect so	ndomly, then quare.			
18. What is the probability of getting 53 Mondays in a leap year? (A) 1/7 (B) 53/366 (C) 2/7 (D) 7/366							
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) 1/26 (B) 3/26 (C) 7/52 (D) 1/13							
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312 ,then the probability that it will point to an odd number is: (A) 1/6 (B) 1/12 (C) 2/12 (D) 5/12							
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) 3/4 (B) 1/2 (C) 1 (D) 1/4							

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:							
(A) 364/365	(B) 31/365	(C) 1/365	(D) 1/133225				
2. Then the pr	x is chosen at random x is chosen at random x	< 2 is?	umbers -2, -1, 0 , 1,				
a marble is dr red is 2/3, the	24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is: (A) 10 (B) 6 (C) 8 (D) 7						
25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) 7/50 (B) 4/25 (C) 1/25 (D) 2/25							
26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?							
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) $\frac{4}{21}$				
27. Runs scored by batsman in 5 one day matches are 50, 70, 82, 93, and 20. The standard deviation is							
•		c) 25.29	d) 25.69				
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.							
	b) 13, 18		d) 13, 16				
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is							
a) ¹ / ₂	b) $^{1}/_{3}$		d) $^{1}/_{6}$				
	ate between 0 an o) 7	d 3. The value of c) 27 d	E(X²) is <mark>) 9</mark>				
31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?							

32.Out of the probability?	he following valu	ues, which	one is not p	ossible in	
a) $P(x) = 1$ c) $P(x) = 0.5$	b) ∑ x P(d) P(x)	(x) = 3 = - 0.5			
33.If E(x) =	2 and E(z) = 4, t b) 6	then E(z - ː c) 0	•) Insufficient d	ata
34.The cova	ariance of two in	ndependen	t random va	ır <mark>iab</mark> le is	
a) 1	b) 0_	c) - 1	C	d) Undefined	
35.If Σ P(x) a) 0	b) = k² – 8 then, th b) 1	ne value of		d) Insufficient c	lata
, ,	0.5 and x = 4, th b) 0.5	, ,		l) 2	
37.In a disc is always?	rete probability	distributio	n, the sum	of all probabilit	ies
•	b) Infinite	c) 1_	d)) Undefined	
38.If the pr	obability of hitti	ng the targ	jet is 0.4, fir	nd mean and	
	b) 0.6, 0.	24	c) 0.4, 0.1	6 d) 0.6, 0).16
-	obability that a l % and if 10 bom b) 6, 2.4	-	pped, find n	-	
a) 2	e mean of tossing by 4 c) sthe mean and v	8 (d) 1 r standard r	ıormal distribu	tion?

c) 5

d) 7

a) 3

b) 4

		and varia						
		e of a rand b) E(X			•		d) (E(X))2	
43.Mean of a random variable X is given by a) E(X)								
44.N a) 0	44.Mean of a constant 'a' is a) 0 b) a c) a/2 d) 1							
45.Variance of a constant 'a' is . a) 0								
46.Find the mean and variance of X?								
	Х	0	1	2	3	4		
	f(x)	1/9	2/9	3/9	2/9	1/9		
a) 2,	, 4/3	b) 3	, 4/3	(c) 2, 2/3		d) 3, 2/3	

47. Find the expectation of a random variable X?

	X	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) ().5		b) 1.5	_	c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

b) npq

c) np2q

d) npq2

49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**

- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx

50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a) \sqrt{np} b) \sqrt{pq} c) (np)2 d) \sqrt{npq}