```
$ echo "Updated file 1" >> file1
  git add file1
  git commit -m "Updated file1"
  warning: in the working copy of 'file1', LF will be replaced by CRLF the next time Git touches it
  [master bf3672c] Updated file1
   1 file changed, 1 insertion(+)
 DELL@DESKTOP-TMOAPDB MINGW64 ~ (master)
$ echo "Updated file 2" >> file2
 git add file2
 git commit -m "Updated file2"
  warning: in the working copy of 'file2', LF will be replaced by CRLF the next time Git touches it
  [master 252b7e8] Updated file2
1 file changed, 1 insertion(+)
$ echo "Updated file 3" >> child_folder/file3
 git add child folder/file3
  git commit -m "Updated file3"
  warning: in the working copy of 'child folder/file3', LF will be replaced by CRLF the next time Git touches it
  [master f44cb42] Updated file3
   1 file changed, 1 insertion(+)
$ echo "Final update to file 1" >> file1
  echo "Final update to file 2" >> file2
echo "Final update to file 3" >> child_folder/file3
  git add .
  git commit -m "Final update to all files"
 warning: in the working copy of 'child_folder/file3', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'file1', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'file2', LF will be replaced by CRLF the next time Git touches it [master 915bb99] Final update to all files
   3 files changed, 3 insertions(+)
$ git tag Done
```

```
DELL@DESKTOP-TMOAPDB MINGW64 ~ (master)
$ git tag Done
       DELL@DESKTOP-TMOAPDB MINGW64 ~ (master)
$ git log --oneline --graph --all
        * 915bb99 (HEAD -> master, tag: Done) Final update to all files
       * f44cb42 Updated file3
       * 252b7e8 Updated file2
       * bf3672c Updated file1
       * f3e8e60 Initial commit - Added all files
       DELL@DESKTOP-TMOAPDB MINGW64 ~ (master)
  $ git reflog
       915bb99 (HEAD -> master, tag: Done) HEAD@{0}: commit: Final update to all files
       f44cb42 HEAD@{1}: commit: Updated file3
       252b7e8 HEAD@{2}: commit: Updated file2
       bf3672c HEAD@{3}: commit: Updated file1
       f3e8e60 HEAD@{4}: commit (initial): Initial commit - Added all files
       DELL@DESKTOP-TMOAPDB MINGW64 ~ (master)
  $ git tag
       Done
      DELL@DESKTOP-TMOAPDB MINGW64 ~ (master)
○≰Ⅱ
    $ git commit -m "Initial commit - Added all files"
    [master (root-commit) f3e8e60] Initial commit - Added all files
       200 files changed, 106514 insertions(+)
       create mode 100644 .anaconda/navigator/Code/Cache/Cache_Data/data_0
       create mode 100644 .anaconda/navigator/Code/Cache/Cache_Data/data_1
       create mode 100644 .anaconda/navigator/Code/Cache/Cache_Data/data_2
       create mode 100644 .anaconda/navigator/Code/Cache/Cache Data/data 3
       create mode 100644 .anaconda/navigator/Code/Cache/Cache_Data/f_000001
       create mode 100644 .anaconda/navigator/Code/Cache/Cache_Data/index
       create \ mode \ 100644 \ . anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/81f31306087c1a66\_0 \ . anaconda/navigator/CachedData/b58957e67e907b2bd/chrome/js/81f31306087c1a66\_0 \ . anaconda/navigator/CachedData/b58957e907b2bd/chrome/js/81f3106087b2bd/chrome/js/81f
       create \ \textit{mode 100644}\ . anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a\_0, anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/9afc2813cdd7e26a_0, anaconda/navigator/Code/CachedData/b5895adf4c5307b2bd/chrome/js/9afc2813cdd7e26a_0, anaconda/navigator/Code/CachedData/b5895adf4c5307b2bd/chrome/js/9afc2813cdd7e26a_0, anaconda/navigator/Code/CachedData/b5895adf4c5307b2bd/chrome/js/9afc2813cdd7e26a_0, anaconda/navigator/Code/CachedData/b5895adf4c5307b2bd/chrome/js/9afc2813cdd7e26a_0, anaconda/navigator/Code/CachedData/b5895adf4c5307b2bd/chrome/js/9afc2813cdd7e26a_0, anaconda/navigator/CachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/bachedData/b
      create mode 100644 .anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/e4bb52fd6c528d19_0 create mode 100644 .anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/fe41bfe3ab25a977_0
       create mode 100644 .anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/index
       create \ \textit{mode 100644 .a} anaconda/navigator/\texttt{Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/js/index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/the-real-index-dir/
       create mode 100644 .anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/wasm/index
       create mode 100644 .anaconda/navigator/Code/CachedData/b58957e67ee1e712cebf466b995adf4c5307b2bd/chrome/wasm/index-dir/the-real-index
       create \ \textit{mode 100644 .} an a conda/navigator/Code/Cached Profiles Data/\_default\_profile\_/extensions.builtin.cache
       create \ mode \ 100644 \ . ana conda/navigator/Code/CachedProfilesData/\_default\_profile\_/extensions. user. cachedeline \ ana conda/navigator/Code/CachedProfilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_default\_profilesData/\_defa
       create mode 100644 .anaconda/navigator/Code/Code Cache/js/index
      create mode 100644 .anaconda/navigator/Code/Code Cache/js/index-dir/the-real-index create mode 100644 .anaconda/navigator/Code/Code Cache/wasm/index
       create mode 100644 .anaconda/navigator/Code/Code Cache/wasm/index-dir/the-real-index
       create mode 100644 .anaconda/navigator/Code/Crashpad/metadata
       create mode 100644 .anaconda/navigator/Code/Crashpad/settings.dat
       create mode 100644 .anaconda/navigator/Code/DawnCache/data_0
       create mode 100644 .anaconda/navigator/Code/DawnCache/data_1
```

```
**Sigitinit**
Reinitialized existing Git repository in C:/Users/DELL/AppOata/Roaming/SPB_16.6/.git/

**DELLEDESCION-THOURDER MINAGEA ~ (master)

**S #Addir child folder
touch file1 file2

**DELLEDESCION-THOURDER MINAGEA ~ (master)

**S touch child_folder/file3.tot

**S touch child_folder/file3.tot

**PELLEDESCION-THOURDER MINAGEA ~ (master)

**PELLEDESCION-THOURDER MINAGEA ~ (master)
```