Pseudocode

☐ Make the Ice cream menu with the flavors & prices

☐ create the add on prices

- Extra scoops cost $1.00 each after the first one
- Sprinkles cost $0.50
- A cup costs $0.25
- A cone costs $0.75

☐ Declares the variables that'll hold

- The customers name
- Whether they want to order again
- What their choice is
- The price
- The amount spent and the change.
- How many ice creams they want
- How many scoops they want
- Whether they want sprinkles
- Whether they want a cup or cone
- The total for the whole order

☐ Dialogue

- Welcomes the customer to the Ice cream shop
- Asks for their name

☐ Get Customer Name

- Store the customer's name.
- Greet the customer by their name.

☐ Main Interaction

- Use a While loop to run the main interaction.
- Display the ice cream menu.
- Ask the customer how many ice creams they want (1-10).
- Use a for loop to go through each ice cream.
- Ask the customer to choose a flavor by selecting a number.
- Ask how many scoops they want (1-3).
- Ask if they want sprinkles.
- Ask if they want a cup or cone.
- Get the price of the selected ice cream.
- Add the add-on prices to get the cost of that ice cream.
- Add the cost to the total.
- Ask the customer for their money.

☐ Check Answers

- Use a while loop to keep the customer until they give a real answer
- For yes or no questions, keep asking until they type y or n.

☐ Check Money

- use a while loop to check if the customer has enough money
- Show the customer the total for the full order before they pay

☐ Draw the Ice Creams

- Tell the customer how many ice creams they got and tell them bye
- Use a for loop to draw the ice cream.
  - Draw sprinkles on top if they got them.
  - Draw one scoop for each scoop they ordered.
  - Draw a cone or a cup at the bottom.