

Examples of vector space

① \mathbb{F}^n is a vector space over \mathbb{F} .
(\mathbb{F} is any field).

② \mathbb{C}^n is a vector space over \mathbb{R} .

Note that \mathbb{R}^n is NOT a vector space over \mathbb{C} .

③ $M_{m \times n}(\mathbb{F})$ = the set of all $m \times n$ matrices with entries from \mathbb{F} .
is a vector space over \mathbb{F} .

Created with Doceri

④ $\mathbb{F}[x]$ = set of all polynomials with coefficients from \mathbb{F} .

$$a_0 + a_1x + \dots + a_nx^n$$

$\mathbb{F}[x]$ is a vector space over \mathbb{F} .

The zero polynomial is the zero vector.

⑤ $V = \{ f: \mathbb{R} \rightarrow \mathbb{R} \mid f \text{ is a function} \}$

$$(f+g)(x) = f(x) + g(x)$$

$$(cf)(x) = cf(x)$$

V is a vector space.

Created with Doceri

$$\textcircled{6} \quad V = \{f: \mathbb{R} \rightarrow \mathbb{R} \mid f \text{ is continuous}\}$$

V is a vector space over \mathbb{R} .

$$\textcircled{7} \quad V = \{ (x_1, x_2, \dots, x_n, \dots) : x_i \in \mathbb{R} \}$$

$$\text{For } x = (x_1, x_2, \dots, x_n, \dots)$$

$$y = (y_1, y_2, \dots, y_n, \dots)$$

$$x + y = (x_1 + y_1, x_2 + y_2, \dots, x_n + y_n, \dots)$$

$$\alpha x = (\alpha x_1, \alpha x_2, \dots, \alpha x_n, \dots)$$

V is a vector space over \mathbb{R} .

Created with Doceri

Subspace of a vector space

Let V be a vector space over \mathbb{F} .
A nonempty subset W of V is called a subspace of V if W is itself a vector space over \mathbb{F} under the operations restricted to W .

Remark: For W to be a subspace of V , it must be closed under vector addition and scalar multiplication, i.e.,
if $w_1, w_2 \in W$, then $w_1 + w_2 \in W$.
& if $w \in W$, then $\alpha \cdot w \in W \quad \forall \alpha \in \mathbb{F}$.

Created with Doceri

Theorem: A nonempty subset W of V is a subspace of V if and only if W is closed under addition and scalar multiplication
 if and only if $c_1 w_1 + c_2 w_2 \in W$ whenever $w_1, w_2 \in W, c_1, c_2 \in \mathbb{F}$.

Example: ① $V = \mathbb{F}[x]$, the vector space of polynomials.
 $W = \{ p(x) \in V : \deg(p(x)) \leq n \text{ or } p(x) = 0 \}$
 Then W is a subspace of V .

Created with Doceri



② $V = M_{n \times n}(\mathbb{R})$
 $W = \{ A \in V : \text{trace}(A) = 0 \}$

Is W a subspace of V ?

• $0 \in W$ ($\because \text{trace}(0) = 0$)

• Let $A, B \in W, \alpha, \beta \in \mathbb{R}$.

Then $\text{trace}(\alpha A + \beta B)$
 $= \text{trace}(\alpha A) + \text{trace}(\beta B)$
 $= \alpha \text{trace}(A) + \beta \text{trace}(B)$
 $= \alpha \cdot 0 + \beta \cdot 0 = 0$

$\Rightarrow \alpha A + \beta B \in W$. $\therefore W$ is a subspace.

Created with Doceri



Remark :: For any vector space V ,

$W = \{0\}$ is a subspace of V .
(called the zero subspace)

Also, $W = V$ is a subspace of V .

• For $V = \mathbb{R}$ over the field \mathbb{R} ,
 $\{0\}$ and \mathbb{R} are the only subspaces.

Created with Doceri

