


DP Class - 5

Special class

→ DP → [Merge Interval]

$n=5$




L.B

Student → guru

n=5

dimana


any → number




1-10
















$[1 \rightarrow n]$



Student - 1 guess






Gamble

- $I \propto \frac{1600}{\alpha}$
 - $II \propto 1600 \alpha$
 - $III \propto 1600 \alpha$
 - $IV \propto 1000 \alpha$
 - $V \propto 1000$
- (11) 48



L.B

1
2
3
4
5
6
7
8
9
10





[6, 2, 4]





$T_1 \rightarrow N \cdot L \rightarrow s_{n-1}$

$T_2 \rightarrow N \cdot L \rightarrow s_{n-2}$

$T_3 \rightarrow N \cdot L \rightarrow s_{n-3}$

$T_4 \rightarrow N \cdot L \rightarrow s_{n-4}$


} min $\rightarrow$ find the

$pair \langle int, int \rangle \rightarrow min$


$\langle 0, 1 \rangle \rightarrow max$

$\langle 0, 2 \rangle$

$\langle 0, 3 \rangle$



{0, 0} → <u>5</u> {0, 1} → <u>10</u> {0, 2} → <u>15</u> {0, 3} → <u>15</u> {0, 4} → <u>20</u>	{0, 5} → <u>20</u> {0, 6} → 20 {1, 1} → <u>10</u> {1, 2} → <u>15</u> {1, 3} → 15		
---	--	--	--



Last DP

less

Kal → Tuesday























