





Mega Class: HEAP

Special class

① 347. Top k freq. element

Read & Think $\rightarrow$ 8:14 PM



Num freq.
1 → 5

2 → 4

3 → 6

4 → 3

5 → 1

$K = 3$

~~{1, 5}~~

~~{2, 4}~~

{4, 2}

{5, 1}

{6, 3}

Min.

→ Top
K
freq.
el.

② 1753. Max. Score from Removing
Stones.

8:45 PM → Think I heard

Stones

$\Rightarrow$

2

2

2

2

$\Rightarrow$ 1

1

4

3

2

1

1

0

6

5

4

3

2

1

1

2

3

4

5

6

0

0

0

② solve

②

2

④

1

②

③

①

1

②

0

①

①

0


①

0

⑥


③ 355. Design Twitter

Big



① Post Tweet (user ID, Tweet ID)

↳ make a new Tweet with Tweet ID, By
user ID



② vector<int> getNewfeeds(int userID)

→ 10 most recent tweet IDs { Time }

→ Tweet returns



{ TID₁, TID₂, TID₃ ... }

↳ Posted by userID

↳ Users who the userID
follows

③ follow (follower ID, followee ID)

user ID with { } will start following { }

④ unfollow (follower ID, followee ID)

user ID with { } will unfollow followee ID,

① user ID $\rightarrow$ integer

☆
(image, text, video et.)

② Tweet $\rightarrow$ $\left. \begin{array}{l} \text{int TweetID;} \\ \text{int time;} \end{array} \right\}$ Structure

③ Global Time

④ Map $\{ \text{userid}, \text{vector} < \text{Tweet} > \}$ $\rightarrow$ user to Tweets Map

⑤ Map $\{ \text{userid}, \text{vector} < \text{userIDs} > \}$ $\rightarrow$ follower

④ LC 621. Task Scheduler

10:38 PM → Think & Read

$\{A, A, A, B, B, B\}$

$n = 3$

Man heq.

① $\xrightarrow{\text{freq. map}}$
 $A \rightarrow 3$
 $B \rightarrow 3$

$\{2, A\}$
 $\{2, B\}$

① Current Task = $\{3, A\} \rightarrow$ 'A', 1 cycle, Time = 1
 $\downarrow$
 $\{2, A\}$

② Pop $\rightarrow \{3, B\}$ 'B', 2 cycle, time = 2
 $\downarrow$
 $\{2, B\}$

$\{A, A, A, A, B, B, B, C\}$ $N = 3$

$\text{cycle} = N + 1$

$\text{cycle} = 3$

$\text{true} = 1$

$\{4, A\} \rightarrow$

'A'

$\{3, B\} \rightarrow$

'B'

2

$\text{true} = 2$

$\{1, C\} \rightarrow$

'C'



$\text{true} = 3$

$A \rightarrow B \rightarrow C \rightarrow \text{idle} \rightarrow$

$\text{true} = 4$

~~$\{4, A\}$~~

~~$\{3, B\}$~~

~~$\{1, C\}$~~

(B)

$A \rightarrow B \rightarrow C \rightarrow \text{idle} \rightarrow$

cycle = 4 time = 4

$\{3, A\} \Rightarrow 'A', 3, 5$

$\{2, B\} \Rightarrow 'B', \boxed{2}, 6$
↓

~~$\{3, A\}$~~

~~$\{2, B\}$~~

$A \rightarrow B \rightarrow C \rightarrow \text{idle} \rightarrow A \rightarrow B \rightarrow \text{idle} \rightarrow \text{idle} \rightarrow$
time = 8

④

$A \rightarrow B \rightarrow C \rightarrow id \rightarrow A \rightarrow B \rightarrow id \rightarrow id$

cycle $\Rightarrow 4$, then 8

$\{2, A\} \rightarrow$

'A'

3

9

$\{1, B\} \rightarrow$

'B'

2

10

id

11

id

12

~~$\{2, A\}$~~
 ~~$\{1, B\}$~~

A
↓
B
↓
id
↓
id

$\textcircled{\curvearrowright} A \rightarrow B \rightarrow C \rightarrow id \rightarrow A \rightarrow B \rightarrow id \rightarrow id$
 $\rightarrow A \rightarrow B \rightarrow id \rightarrow id \rightarrow A$

cycle 4, time 12

$\{1, A\} \rightarrow 'A'$



13

$\textcircled{13}$

$\{\text{~~1, A~~}\}$

$$A = 4$$

$$B = 3$$

$$C = 1$$

$$\boxed{\begin{array}{c} \cancel{A, 1}, \cancel{B, 2} \rightarrow A, 2, B, 2 \\ A, 1, B, 1 \end{array}}$$

$$A \rightarrow B \rightarrow C \rightarrow idl \rightarrow A \rightarrow B \rightarrow idl \rightarrow idl$$

$$\rightarrow A \rightarrow B \rightarrow idl \rightarrow idl$$

$$\rightarrow h$$