

RUN INSTRUCTIONS FOR SELECTED PRACTICAL FILES

1. FCFS.txt → FCFS.java

How to run:

```
gedit FCFS.java
```

```
javac FCFS.java
```

```
java FCFS
```

2. SJF.txt → SJF.java

How to run:

```
gedit SJF.java
```

```
javac SJF.java
```

```
java SJF
```

3. PriorityScheduling.txt → PriorityScheduling.java

How to run:

```
gedit PriorityScheduling.java
```

```
javac PriorityScheduling.java
```

```
java PriorityScheduling
```

4. RR.txt → RR.java

How to run:

```
gedit RR.java
```

```
javac RR.java
```

```
java RR
```

5. FIFO.txt → FIFO.java

How to run:

```
gedit FIFO.java
```

```
javac FIFO.java
```

java FIFO

6. LRU.txt → LRU.java

How to run:

gedit LRU.java

javac LRU.java

java LRU

7. OptimalPageReplacement.txt → Optimal.java

How to run:

gedit Optimal.java

javac Optimal.java

java Optimal

8. Math App.txt → MathApp.java

Compile & run:

javac MathApp.java

java MathApp

9. MACRO PASS 1.txt → MacroPass1.java

Place macro_input.txt in SAME folder.

Run:

javac MacroPass1.java

java MacroPass1

10. MACRO PASS 2.txt → MacroPass2.java

Must be in SAME folder as:

MDT.txt

MNT.txt

KPD TAB.txt

PNTAB.txt

intermediate.txt

Run:

```
javac MacroPass2.java
```

```
java MacroPass2
```

11. MACRO.txt (macro definitions only)

This file is used as input to MacroPass1.

Do NOT run. Only provide to Pass1 program.

12. Assembler Pass 1.txt → AssemblerPass1.java

Input file: input.asm in same folder.

Run:

```
javac AssemblerPass1.java
```

```
java AssemblerPass1
```

Generates:

intermediate.txt

symtab.txt

littab.txt

pooltab.txt

13. Assembler Pass 2.txt → AssemblerPass2.java

Place in SAME folder as Pass 1 outputs.

Run:

```
javac AssemblerPass2.java
```

```
java AssemblerPass2
```

14. Assembler.txt

This is just the initial assembly source.

Do NOT run. Provide as input to Pass 1.

General Linux Commands:

ls – list files

`cd dir – open folder`

`gedit file.java`

`javac file.java`

`java ClassName`

`python3 file.py`