IET, C-DAC

500 MCQ PRACTICE QUESTION BANK

Core Java

Moderate to Difficult | Conceptual | Code Output | Error Analysis | Tricky Applications

Purpose

A subject-wise practice resource for engineering graduates preparing for C-DAC course examinations. Questions are freshly authored for practice and are not represented as actual or leaked C-DAC examination questions.

Coverage

JVM/JDK/JRE; language fundamentals; classes and objects; inheritance and polymorphism; strings and wrappers; exception handling; collections and generics; lambdas and streams; multithreading; I/O and serialization; JDBC.

Instructions

Each question has four options and one best answer. Attempt the questions before consulting the consolidated answer key at the end. For code questions, assume standard language behavior and the stated code fragment is complete for the operation being tested.

Question count: 500 **Options:** A–D **Answer key:** Included

IET, C-DAC

QUESTION PAPER

Core Java — 500 Questions

Q1.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5040
B. 5041
C. 5039
D. 5037

Q2.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+25)%7==0) c++; System.out.println(c);

A. 1
B. 2
C. 3
D. 0

Q3.

How many times is c incremented?
int c=0; for(int i=1;i<=4;i++) if((i+8)%11==0) c++; System.out.println(c);

A. 1
B. 2
C. 3
D. 4

Q4.

What is the output?
int x=15, s=0; do { s+=x++; } while(x<19); System.out.println(s);

A. 63
B. 66
C. 65
D. 67

Q5.

Determine the output.
int x=19; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 26
B. 30
C. 28
D. 29

Q6.

What is the output?
int x=7, s=0; do { s+=x++; } while(x<9); System.out.println(s);

A. 12
B. 15
C. 16
D. 14

IET, C-DAC

Q7.

Determine the output.
int x=5; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 60
B. 62
C. 58
D. 61

Q8.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 7
B. 6
C. 3
D. 5

Q9.

What is printed?
int s=0; for(int i=1;i<=5;i++) s += 6*i+11; System.out.println(s);

A. 142
B. 145
C. 144
D. 146

Q10.

What is autoboxing?

A. Conversion from String to bytecode
B. Casting an object to an interface
C. Automatic conversion between a primitive and its corresponding wrapper type
D. Automatic garbage collection

Q11.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 121
B. 119
C. 120
D. 117

Q12.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5037
B. 5040
C. 5039
D. 5041

Q13.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 23*i+5; System.out.println(s);

A. 679
B. 676
C. 680
D. 678

IET, C-DAC

Q14.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=7+i; System.out.println(s);

A. 24
B. 27
C. 28
D. 26

Q15.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (14+i)%10; System.out.println(s);

A. 456780
B. 45678
C. 87654
D. 4567

Q16.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (25+i)%10; System.out.println(s);

A. 56789
B. 567890
C. 5678
D. 98765

Q17.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+11)%10==0) c++; System.out.println(c);

A. 1
B. 0
C. 2
D. 3

Q18.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+25)%4==0) c++; System.out.println(c);

A. 2
B. 4
C. 3
D. 1

Q19.

What is the output?
int x=25, s=0; do { s+=x++; } while(x<29); System.out.println(s);

A. 107
B. 103
C. 105
D. 106

Q20.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5040
B. 5039
C. 5041
D. 5037

IET, C-DAC

Q21.

What happens when run() is called directly on a Thread object?

A. It always creates a new thread
B. It restarts a terminated thread
C. It acquires the object's monitor automatically
D. It executes as an ordinary method on the current thread

Q22.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. 2
B. -1
C. 3
D. 1

Q23.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 2*i+4; System.out.println(s);

A. 63
B. 65
C. 67
D. 66

Q24.

Which component converts Java bytecode into machine-specific execution?

A. JAR manifest
B. javac source parser only
C. JVM
D. Javadoc

Q25.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 7
B. 6
C. 5
D. 3

Q26.

Evaluate the Java bitwise expression.
System.out.println((19 & 7) ^ (12 | 2));

A. 13
B. 14
C. 12
D. 10

Q27.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=14+i; System.out.println(s);

A. 68
B. 69
C. 65
D. 67

IET, C-DAC

Q28.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (14+i)%10; System.out.println(s);

A. 45
B. 4
C. 54
D. 450

Q29.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<6;i++) s += (9+i)%10; System.out.println(s);

A. 432109
B. 90123
C. 901234
D. 9012340

Q30.

Determine the output.
int x=9; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 43
B. 47
C. 46
D. 45

Q31.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+6)%12==0) c++; System.out.println(c);

A. 2
B. 1
C. 3
D. 0

Q32.

Evaluate the Java bitwise expression.
System.out.println((22 & 7) ^ (9 | 2));

A. 12
B. 10
C. 14
D. 13

Q33.

What does a stream intermediate operation such as filter() usually return?

A. An array
B. A boolean
C. A thread
D. Another stream

Q34.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (9+i)%10; System.out.println(s);

A. 90
B. 09
C. 900
D. 9

IET, C-DAC

Q35.

What is printed?
int s=0; for(int i=1;i<=5;i++) s += 19*i+2; System.out.println(s);

A. 295
B. 294
C. 292
D. 296

Q36.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 18*i+4; System.out.println(s);

A. 403
B. 402
C. 399
D. 401

Q37.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 4*i+4; System.out.println(s);

A. 37
B. 36
C. 33
D. 35

Q38.

Determine the output.
int x=19; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 13
B. 14
C. 12
D. 10

Q39.

Evaluate the Java bitwise expression.
System.out.println((21 & 7) ^ (12 | 2));

A. 8
B. 12
C. 10
D. 11

Q40.

Which method starts a new thread of execution when called on a Thread object?

A. run()
B. sleep()
C. start()
D. yield()

Q41.

Evaluate the Java bitwise expression.
System.out.println((8 & 7) ^ (5 | 2));

A. 6
B. 8
C. 7
D. 4

IET, C-DAC

Q42.

How many times is c incremented?
int c=0; for(int i=1;i<=4;i++) if((i+6)%5==0) c++; System.out.println(c);

A. 1
B. 4
C. 2
D. 3

Q43.

What is the output?
int x=10, s=0; do { s+=x++; } while(x<15); System.out.println(s);

A. 57
B. 59
C. 61
D. 60

Q44.

Find the printed value.
int p=1; for(int i=1;i<=6;i++) p*=i; System.out.println(p);

A. 719
B. 720
C. 721
D. 717

Q45.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=23+i; System.out.println(s);

A. 47
B. 49
C. 48
D. 45

Q46.

Evaluate the Java bitwise expression.
System.out.println((6 & 7) ^ (3 | 2));

A. 4
B. 5
C. 2
D. 6

Q47.

What is the output?
int x=22, s=0; do { s+=x++; } while(x<28); System.out.println(s);

A. 144
B. 147
C. 148
D. 146

Q48.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+4)%2==0) c++; System.out.println(c);

A. 3
B. 4
C. 2
D. 1

IET, C-DAC

Q49.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+2)%4==0) c++; System.out.println(c);

A. 3
B. 2
C. 1
D. 4

Q50.

Determine the output.
int x=7; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 65
B. 64
C. 61
D. 63

Q51.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 24*i+10; System.out.println(s);

A. 743
B. 741
C. 739
D. 742

Q52.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5039
B. 5037
C. 5041
D. 5040

Q53.

Which statement about HashMap is correct?

A. It permits one null key and multiple null values
B. It rejects all null values
C. It is synchronized by default
D. It sorts keys automatically

Q54.

What is the output?
int x=16, s=0; do { s+=x++; } while(x<23); System.out.println(s);

A. 130
B. 134
C. 132
D. 133

Q55.

Evaluate the Java bitwise expression.
System.out.println((12 & 7) ^ (8 | 2));

A. 15
B. 14
C. 13
D. 11

IET, C-DAC

Q56.

Determine the output.
int x=22; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 83
B. 82
C. 84
D. 80

Q57.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+24)%5==0) c++; System.out.println(c);

A. 3
B. 2
C. 1
D. 4

Q58.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+17)%4==0) c++; System.out.println(c);

A. 4
B. 3
C. 2
D. 5

Q59.

What is printed?
int s=0; for(int i=1;i<=5;i++) s += 2*i+4; System.out.println(s);

A. 49
B. 51
C. 47
D. 50

Q60.

What is the output?
int x=17, s=0; do { s+=x++; } while(x<19); System.out.println(s);

A. 32
B. 34
C. 35
D. 36

Q61.

What does try-with-resources do?

A. Catches every Throwable
B. Creates a background thread
C. Automatically closes declared AutoCloseable resources
D. Retries a failed operation

Q62.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (6+i)%10; System.out.println(s);

A. 678901
B. 2109876
C. 67890120
D. 6789012

IET, C-DAC

Q63.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 12*i+7; System.out.println(s);

A. 49
B. 51
C. 50
D. 47

Q64.

What is method overriding?

A. A constructor calls another class
B. Two methods differ only by return type
C. A method calls itself
D. A subclass supplies a compatible implementation of an inherited instance method

Q65.

What is the output?
int x=13, s=0; do { s+=x++; } while(x<15); System.out.println(s);

A. 28
B. 24
C. 26
D. 27

Q66.

Determine the output.
int x=6; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 99
B. 97
C. 101
D. 100

Q67.

Determine the output.
int x=24; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 0
B. 1
C. -3
D. -1

Q68.

Evaluate the Java bitwise expression.
System.out.println((13 & 7) ^ (3 | 2));

A. 7
B. 5
C. 3
D. 6

Q69.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=15+i; System.out.println(s);

A. 15
B. 16
C. 12
D. 14

IET, C-DAC

Q70.

Evaluate the Java bitwise expression.
System.out.println((9 & 7) ^ (4 | 2));

A. 8
B. 7
C. 6
D. 4

Q71.

Determine the output.
int x=9; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 39
B. 37
C. 41
D. 40

Q72.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+9)%9==0) c++; System.out.println(c);

A. 3
B. 0
C. 1
D. 2

Q73.

Determine the output.
int x=19; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 91
B. 93
C. 92
D. 89

Q74.

Which statement about an interface default method is correct?

A. It must be private
B. It cannot be overridden
C. It is a constructor
D. It may provide an implementation inherited by implementing classes

Q75.

Determine the output.
int x=10; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 92
B. 91
C. 90
D. 88

Q76.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=4+i; System.out.println(s);

A. 15
B. 18
C. 19
D. 17

IET, C-DAC

Q77.

What does the super keyword refer to in an instance context?

A. The current thread
B. The immediate superclass portion/reference context
C. The current object only
D. The package containing the class

Q78.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 23*i+4; System.out.println(s);

A. 672
B. 671
C. 669
D. 673

Q79.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 9*i+11; System.out.println(s);

A. 46
B. 50
C. 48
D. 49

Q80.

Evaluate the Java bitwise expression.
System.out.println((11 & 7) ^ (9 | 2));

A. 5
B. 7
C. 9
D. 8

Q81.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 9*i+7; System.out.println(s);

A. 232
B. 230
C. 228
D. 231

Q82.

Which keyword is used to explicitly invoke a superclass constructor?

A. super
B. this
C. extends
D. implements

Q83.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+13)%12==0) c++; System.out.println(c);

A. 2
B. 3
C. 0
D. 1

IET, C-DAC

Q84.

Which interface is a functional interface?

A. RandomAccess
B. Runnable
C. Serializable
D. Cloneable

Q85.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+13)%5==0) c++; System.out.println(c);

A. 3
B. 4
C. 1
D. 2

Q86.

Which method compares String contents lexicographically?

A. ==
B. intern()
C. compareTo()
D. hashCode()

Q87.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+14)%9==0) c++; System.out.println(c);

A. 1
B. 2
C. 4
D. 3

Q88.

Evaluate the Java bitwise expression.
System.out.println((14 & 7) ^ (5 | 2));

A. 1
B. 2
C. 0
D. -2

Q89.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 7
B. 5
C. 6
D. 3

Q90.

Which statement about static methods is correct?

A. They participate in runtime overriding
B. They are hidden rather than dynamically overridden
C. They can use this directly
D. They require an object reference to be invoked

IET, C-DAC

Q91.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (25+i)%10; System.out.println(s);

A. 56
B. 765
C. 5670
D. 567

Q92.

Evaluate the Java bitwise expression.
System.out.println((8 & 7) ^ (5 | 2));

A. 7
B. 6
C. 8
D. 4

Q93.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (7+i)%10; System.out.println(s);

A. 78
B. 87
C. 780
D. 7

Q94.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (11+i)%10; System.out.println(s);

A. 12
B. 1230
C. 321
D. 123

Q95.

Evaluate the Java bitwise expression.
System.out.println((8 & 7) ^ (7 | 2));

A. 6
B. 4
C. 8
D. 7

Q96.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=10+i; System.out.println(s);

A. 23
B. 21
C. 19
D. 22

Q97.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+11)%7==0) c++; System.out.println(c);

A. 4
B. 1
C. 3
D. 2

IET, C-DAC

Q98.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (3+i)%10; System.out.println(s);

A. 6543
B. 345
C. 3456
D. 34560

Q99.

Evaluate the Java bitwise expression.
System.out.println((4 & 7) ^ (4 | 2));

A. 3
B. -1
C. 2
D. 1

Q100.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+17)%6==0) c++; System.out.println(c);

A. 4
B. 3
C. 2
D. 1

Q101.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 21*i+11; System.out.println(s);

A. 85
B. 86
C. 84
D. 82

Q102.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+17)%8==0) c++; System.out.println(c);

A. 3
B. 1
C. 4
D. 2

Q103.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 25*i+4; System.out.println(s);

A. 550
B. 548
C. 546
D. 549

Q104.

What is the output?
int x=13, s=0; do { s+=x++; } while(x<15); System.out.println(s);

A. 28
B. 24
C. 27
D. 26

IET, C-DAC

Q105.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+11)%6==0) c++; System.out.println(c);

A. 4
B. 2
C. 3
D. 1

Q106.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=4+i; System.out.println(s);

A. 18
B. 17
C. 15
D. 19

Q107.

What does the synchronized instance method lock?

A. The Class object in all cases
B. The monitor of the current object
C. The current thread object
D. The method's stack frame

Q108.

Find the printed value.
int p=1; for(int i=1;i<=6;i++) p*=i; System.out.println(p);

A. 717
B. 719
C. 721
D. 720

Q109.

Find the printed value.
int p=1; for(int i=1;i<=6;i++) p*=i; System.out.println(p);

A. 721
B. 717
C. 720
D. 719

Q110.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=19+i; System.out.println(s);

A. 63
B. 60
C. 64
D. 62

Q111.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 21
B. 23
C. 24
D. 25

IET, C-DAC

Q112.

Determine the output.
int x=22; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 93
B. 91
C. 94
D. 95

Q113.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<6;i++) s += (19+i)%10; System.out.println(s);

A. 9012340
B. 90123
C. 432109
D. 901234

Q114.

What is the output?
int x=20, s=0; do { s+=x++; } while(x<27); System.out.println(s);

A. 160
B. 161
C. 162
D. 158

Q115.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 120
B. 121
C. 117
D. 119

Q116.

Determine the output.
int x=6; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 52
B. 55
C. 54
D. 56

Q117.

Evaluate the Java bitwise expression.
System.out.println((24 & 7) ^ (7 | 2));

A. 7
B. 6
C. 8
D. 4

Q118.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+21)%7==0) c++; System.out.println(c);

A. 0
B. 2
C. 1
D. 3

IET, C-DAC

Q119.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=13+i; System.out.println(s);

A. 63
B. 61
C. 64
D. 65

Q120.

Determine the output.
int x=19; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 70
B. 71
C. 68
D. 72

Q121.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=9+i; System.out.println(s);

A. 34
B. 30
C. 32
D. 33

Q122.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (14+i)%10; System.out.println(s);

A. 45670
B. 456
C. 4567
D. 7654

Q123.

What is the output?
int x=13, s=0; do { s+=x++; } while(x<18); System.out.println(s);

A. 76
B. 75
C. 74
D. 72

Q124.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=12+i; System.out.println(s);

A. 43
B. 41
C. 39
D. 42

Q125.

What is the output?
int x=6, s=0; do { s+=x++; } while(x<9); System.out.println(s);

A. 20
B. 18
C. 21
D. 22

IET, C-DAC

Q126.

Evaluate the Java bitwise expression.
System.out.println((24 & 7) ^ (4 | 2));

A. 7
B. 5
C. 6
D. 3

Q127.

Determine the output.
int x=22; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 57
B. 54
C. 58
D. 56

Q128.

Determine the output.
int x=11; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 14
B. 17
C. 18
D. 16

Q129.

Determine the output.
int x=18; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 13
B. 14
C. 15
D. 11

Q130.

Evaluate the Java bitwise expression.
System.out.println((8 & 7) ^ (3 | 2));

A. 3
B. 2
C. 4
D. 0

Q131.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. 1
B. -1
C. 2
D. 3

Q132.

Which memory area stores per-class runtime structures such as method metadata?

A. Metaspace (class metadata area)
B. Program counter register
C. Heap object header only
D. Java stack frame

IET, C-DAC

Q133.

What is the output?
int x=8, s=0; do { s+=x++; } while(x<14); System.out.println(s);

A. 64
B. 62
C. 60
D. 63

Q134.

Evaluate the Java bitwise expression.
System.out.println((5 & 7) ^ (6 | 2));

A. 3
B. 2
C. 0
D. 4

Q135.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 14*i+2; System.out.println(s);

A. 403
B. 405
C. 407
D. 406

Q136.

What is the output?
int x=19, s=0; do { s+=x++; } while(x<24); System.out.println(s);

A. 102
B. 104
C. 105
D. 106

Q137.

What is the output?
int x=6, s=0; do { s+=x++; } while(x<10); System.out.println(s);

A. 30
B. 29
C. 31
D. 27

Q138.

Evaluate the Java bitwise expression.
System.out.println((13 & 7) ^ (10 | 2));

A. 15
B. 12
C. 16
D. 14

Q139.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+2)%6==0) c++; System.out.println(c);

A. 4
B. 3
C. 1
D. 2

IET, C-DAC

Q140.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 18*i+12; System.out.println(s);

A. 449
B. 447
C. 450
D. 451

Q141.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+3)%3==0) c++; System.out.println(c);

A. 2
B. 4
C. 3
D. 1

Q142.

Evaluate the Java bitwise expression.
System.out.println((4 & 7) ^ (7 | 2));

A. 0
B. 4
C. 2
D. 3

Q143.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+23)%10==0) c++; System.out.println(c);

A. 3
B. 4
C. 1
D. 2

Q144.

Evaluate the Java bitwise expression.
System.out.println((5 & 7) ^ (11 | 2));

A. 13
B. 11
C. 14
D. 15

Q145.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 12*i+6; System.out.println(s);

A. 87
B. 89
C. 90
D. 91

Q146.

What is the output?
int x=4, s=0; do { s+=x++; } while(x<10); System.out.println(s);

A. 39
B. 38
C. 40
D. 36

IET, C-DAC

Q147.

Determine the output.
int x=23; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 38
B. 41
C. 40
D. 42

Q148.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. 1
B. 3
C. -1
D. 2

Q149.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 24*i+9; System.out.println(s);

A. 90
B. 89
C. 91
D. 87

Q150.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5040
B. 5037
C. 5041
D. 5039

Q151.

Determine the output.
int x=19; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 43
B. 42
C. 39
D. 41

Q152.

Evaluate the Java bitwise expression.
System.out.println((5 & 7) ^ (6 | 2));

A. 4
B. 2
C. 0
D. 3

Q153.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. -1
B. 3
C. 1
D. 2

IET, C-DAC

Q154.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+4)%4==0) c++; System.out.println(c);

A. 2
B. 0
C. 3
D. 1

Q155.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 7
B. 5
C. 3
D. 6

Q156.

What is printed?
int s=0; for(int i=1;i<=4;i++) s += 8*i+4; System.out.println(s);

A. 95
B. 93
C. 97
D. 96

Q157.

What is the output?
int x=6, s=0; do { s+=x++; } while(x<10); System.out.println(s);

A. 30
B. 29
C. 31
D. 27

Q158.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+5)%3==0) c++; System.out.println(c);

A. 2
B. 3
C. 4
D. 5

Q159.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 15*i+9; System.out.println(s);

A. 116
B. 117
C. 114
D. 118

Q160.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 5
B. 3
C. 7
D. 6

IET, C-DAC

Q161.

Determine the output.
int x=4; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 65
B. 62
C. 66
D. 64

Q162.

Find the printed value.
int p=1; for(int i=1;i<=6;i++) p*=i; System.out.println(p);

A. 717
B. 719
C. 720
D. 721

Q163.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (25+i)%10; System.out.println(s);

A. 5678901
B. 56789010
C. 1098765
D. 567890

Q164.

Evaluate the Java bitwise expression.
System.out.println((25 & 7) ^ (11 | 2));

A. 11
B. 9
C. 7
D. 10

Q165.

Which access modifier allows access within the same package and from subclasses in other packages through inheritance rules?

A. volatile
B. protected
C. default only
D. private

Q166.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 10*i+5; System.out.println(s);

A. 75
B. 76
C. 74
D. 72

Q167.

What is the output?
int x=12, s=0; do { s+=x++; } while(x<19); System.out.println(s);

A. 102
B. 106
C. 105
D. 104

IET, C-DAC

Q168.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 25
B. 24
C. 23
D. 21

Q169.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=3+i; System.out.println(s);

A. 8
B. 5
C. 7
D. 9

Q170.

Evaluate the Java bitwise expression.
System.out.println((10 & 7) ^ (8 | 2));

A. 7
B. 5
C. 8
D. 9

Q171.

Evaluate the Java bitwise expression.
System.out.println((4 & 7) ^ (6 | 2));

A. 1
B. 2
C. 3
D. -1

Q172.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. 3
B. 1
C. 2
D. -1

Q173.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 21*i+10; System.out.println(s);

A. 82
B. 84
C. 83
D. 80

Q174.

Evaluate the Java bitwise expression.
System.out.println((14 & 7) ^ (10 | 2));

A. 13
B. 9
C. 11
D. 12

IET, C-DAC

Q175.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+11)%3==0) c++; System.out.println(c);

A. 4
B. 1
C. 2
D. 3

Q176.

What is the output?
int x=16, s=0; do { s+=x++; } while(x<19); System.out.println(s);

A. 48
B. 51
C. 52
D. 50

Q177.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+25)%10==0) c++; System.out.println(c);

A. 1
B. 2
C. 3
D. 0

Q178.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+19)%3==0) c++; System.out.println(c);

A. 3
B. 1
C. 2
D. 4

Q179.

Determine the output.
int x=8; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 52
B. 51
C. 49
D. 53

Q180.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (13+i)%10; System.out.println(s);

A. 3456
B. 345
C. 6543
D. 34560

Q181.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<6;i++) s += (19+i)%10; System.out.println(s);

A. 90123
B. 901234
C. 432109
D. 9012340

IET, C-DAC

Q182.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=23+i; System.out.println(s);

A. 75
B. 72
C. 74
D. 76

Q183.

Which collection preserves insertion order and permits duplicates?

A. HashSet
B. TreeSet
C. ArrayList
D. EnumSet

Q184.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+7)%2==0) c++; System.out.println(c);

A. 3
B. 5
C. 4
D. 6

Q185.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+10)%4==0) c++; System.out.println(c);

A. 4
B. 1
C. 3
D. 2

Q186.

Evaluate the Java bitwise expression.
System.out.println((4 & 7) ^ (6 | 2));

A. 2
B. -1
C. 3
D. 1

Q187.

What is the output?
int x=16, s=0; do { s+=x++; } while(x<18); System.out.println(s);

A. 33
B. 32
C. 30
D. 34

Q188.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+22)%11==0) c++; System.out.println(c);

A. 0
B. 2
C. 1
D. 3

IET, C-DAC

Q189.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 7
B. 5
C. 3
D. 6

Q190.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 6
B. 3
C. 5
D. 7

Q191.

What is the output?
int x=3, s=0; do { s+=x++; } while(x<10); System.out.println(s);

A. 42
B. 39
C. 41
D. 43

Q192.

Which Map implementation maintains keys in their natural sorted order by default?

A. TreeMap
B. IdentityHashMap
C. WeakHashMap
D. HashMap

Q193.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=18+i; System.out.println(s);

A. 60
B. 57
C. 59
D. 61

Q194.

Evaluate the Java bitwise expression.
System.out.println((15 & 7) ^ (11 | 2));

A. 12
B. 13
C. 11
D. 9

Q195.

What is the output?
int x=10, s=0; do { s+=x++; } while(x<12); System.out.println(s);

A. 20
B. 18
C. 22
D. 21

IET, C-DAC

Q196.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=23+i; System.out.println(s);

A. 76
B. 72
C. 75
D. 74

Q197.

Determine the output.
int x=18; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 59
B. 63
C. 62
D. 61

Q198.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (6+i)%10; System.out.println(s);

A. 678
B. 6780
C. 876
D. 67

Q199.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (25+i)%10; System.out.println(s);

A. 5678
B. 8765
C. 56780
D. 567

Q200.

Determine the output.
int x=17; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 45
B. 49
C. 47
D. 48

Q201.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=10+i; System.out.println(s);

A. 49
B. 53
C. 51
D. 52

Q202.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+15)%10==0) c++; System.out.println(c);

A. 4
B. 1
C. 2
D. 3

IET, C-DAC

Q203.

What is the purpose of the transient modifier?

A. Make a field thread-safe
B. Make a method abstract
C. Exclude a field from default Java serialization
D. Prevent inheritance

Q204.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=23+i; System.out.println(s);

A. 45
B. 49
C. 48
D. 47

Q205.

Evaluate the Java bitwise expression.
System.out.println((2 & 7) ^ (10 | 2));

A. 7
B. 8
C. 5
D. 9

Q206.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (23+i)%10; System.out.println(s);

A. 6543
B. 3456
C. 345
D. 34560

Q207.

What is the output?
int x=10, s=0; do { s+=x++; } while(x<14); System.out.println(s);

A. 47
B. 43
C. 46
D. 45

Q208.

What is the purpose of a generic type parameter?

A. Make all objects immutable
B. Improve network throughput
C. Provide compile-time type safety and reduce explicit casts
D. Force runtime reflection

Q209.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+7)%5==0) c++; System.out.println(c);

A. 1
B. 4
C. 2
D. 3

IET, C-DAC

Q210.

Determine the output.
int x=25; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 22
B. 24
C. 23
D. 20

Q211.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (15+i)%10; System.out.println(s);

A. 560
B. 5
C. 65
D. 56

Q212.

Evaluate the Java bitwise expression.
System.out.println((5 & 7) ^ (7 | 2));

A. 2
B. -1
C. 1
D. 3

Q213.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 19*i+3; System.out.println(s);

A. 63
B. 62
C. 64
D. 60

Q214.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=15+i; System.out.println(s);

A. 32
B. 33
C. 31
D. 29

Q215.

What is printed?
int s=0; for(int i=0;i<3;i++) if(i%2==0) s+=19+i; System.out.println(s);

A. 39
B. 41
C. 37
D. 40

Q216.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 20*i+11; System.out.println(s);

A. 154
B. 153
C. 152
D. 150

IET, C-DAC

Q217.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=20+i; System.out.println(s);

A. 19
B. 21
C. 17
D. 20

Q218.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=19+i; System.out.println(s);

A. 62
B. 64
C. 63
D. 60

Q219.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 19*i+4; System.out.println(s);

A. 65
B. 64
C. 66
D. 62

Q220.

How many times is c incremented?
int c=0; for(int i=1;i<=4;i++) if((i+24)%12==0) c++; System.out.println(c);

A. 0
B. 2
C. 1
D. 3

Q221.

Determine the output.
int x=13; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 16
B. 18
C. 17
D. 14

Q222.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 23*i+10; System.out.println(s);

A. 169
B. 168
C. 167
D. 165

Q223.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 25*i+12; System.out.println(s);

A. 99
B. 98
C. 96
D. 100

IET, C-DAC

Q224.

What is the output?
int x=14, s=0; do { s+=x++; } while(x<18); System.out.println(s);

A. 63
B. 61
C. 62
D. 59

Q225.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5041
B. 5040
C. 5037
D. 5039

Q226.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+2)%10==0) c++; System.out.println(c);

A. 1
B. 2
C. 0
D. 3

Q227.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=19+i; System.out.println(s);

A. 39
B. 41
C. 37
D. 40

Q228.

Evaluate the Java bitwise expression.
System.out.println((11 & 7) ^ (2 | 2));

A. -2
B. 2
C. 0
D. 1

Q229.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+6)%3==0) c++; System.out.println(c);

A. 3
B. 1
C. 4
D. 2

Q230.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=6+i; System.out.println(s);

A. 25
B. 23
C. 24
D. 21

IET, C-DAC

Q231.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+15)%5==0) c++; System.out.println(c);

A. 4
B. 2
C. 1
D. 3

Q232.

Evaluate the Java bitwise expression.
System.out.println((19 & 7) ^ (8 | 2));

A. 6
B. 8
C. 9
D. 10

Q233.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=5+i; System.out.println(s);

A. 6
B. 5
C. 4
D. 2

Q234.

What is the output?
int x=13, s=0; do { s+=x++; } while(x<16); System.out.println(s);

A. 42
B. 39
C. 43
D. 41

Q235.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (2+i)%10; System.out.println(s);

A. 2340
B. 234
C. 23
D. 432

Q236.

Determine the output.
int x=18; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 63
B. 61
C. 59
D. 62

Q237.

What is the output?
int x=18, s=0; do { s+=x++; } while(x<21); System.out.println(s);

A. 57
B. 58
C. 56
D. 54

IET, C-DAC

Q238.

What is printed?
int s=0; for(int i=1;i<=4;i++) s += 8*i+7; System.out.println(s);

A. 107
B. 109
C. 108
D. 105

Q239.

Which collection is designed for FIFO producer-consumer use and has blocking operations?

A. BlockingQueue
B. TreeSet
C. ArrayDeque only
D. HashMap

Q240.

Which JDBC method is used to execute a SELECT query and obtain a ResultSet?

A. setAutoCommit()
B. executeUpdate()
C. commit()
D. executeQuery()

Q241.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (4+i)%10; System.out.println(s);

A. 4
B. 45
C. 54
D. 450

Q242.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 120
B. 117
C. 119
D. 121

Q243.

Determine the output.
int x=25; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 71
B. 74
C. 73
D. 75

Q244.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+11)%3==0) c++; System.out.println(c);

A. 6
B. 3
C. 5
D. 4

IET, C-DAC

Q245.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+2)%3==0) c++; System.out.println(c);

A. 5
B. 3
C. 4
D. 6

Q246.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (24+i)%10; System.out.println(s);

A. 456789
B. 45678900
C. 4567890
D. 0987654

Q247.

What is the output?
int x=23, s=0; do { s+=x++; } while(x<29); System.out.println(s);

A. 150
B. 154
C. 153
D. 152

Q248.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=17+i; System.out.println(s);

A. 81
B. 80
C. 79
D. 77

Q249.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 24*i+2; System.out.println(s);

A. 683
B. 687
C. 686
D. 685

Q250.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=8+i; System.out.println(s);

A. 27
B. 31
C. 30
D. 29

Q251.

Evaluate the Java bitwise expression.
System.out.println((19 & 7) ^ (4 | 2));

A. 4
B. 2
C. 6
D. 5

IET, C-DAC

Q252.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (10+i)%10; System.out.println(s);

A. 012340
B. 0123
C. 43210
D. 01234

Q253.

Evaluate the Java bitwise expression.
System.out.println((2 & 7) ^ (5 | 2));

A. 6
B. 4
C. 5
D. 2

Q254.

Determine the output.
int x=4; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 101
B. 99
C. 100
D. 97

Q255.

What is the output?
int x=6, s=0; do { s+=x++; } while(x<12); System.out.println(s);

A. 50
B. 52
C. 48
D. 51

Q256.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=14+i; System.out.println(s);

A. 27
B. 30
C. 31
D. 29

Q257.

Evaluate the Java bitwise expression.
System.out.println((3 & 7) ^ (6 | 2));

A. 6
B. 5
C. 2
D. 4

Q258.

What is the output?
int x=7, s=0; do { s+=x++; } while(x<9); System.out.println(s);

A. 16
B. 14
C. 15
D. 12

IET, C-DAC

Q259.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 120
B. 121
C. 119
D. 117

Q260.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=18+i; System.out.println(s);

A. 15
B. 18
C. 17
D. 19

Q261.

Determine the output.
int x=7; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 65
B. 63
C. 64
D. 61

Q262.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=18+i; System.out.println(s);

A. 57
B. 60
C. 59
D. 61

Q263.

Determine the output.
int x=13; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 85
B. 87
C. 89
D. 88

Q264.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 6*i+4; System.out.println(s);

A. 149
B. 151
C. 150
D. 147

Q265.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=11+i; System.out.println(s);

A. 40
B. 38
C. 36
D. 39

IET, C-DAC

Q266.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 13*i+6; System.out.println(s);

A. 93
B. 97
C. 95
D. 96

Q267.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 117
B. 119
C. 121
D. 120

Q268.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 9*i+5; System.out.println(s);

A. 288
B. 286
C. 284
D. 287

Q269.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 3
B. 6
C. 7
D. 5

Q270.

How many times is c incremented?
int c=0; for(int i=1;i<=2;i++) if((i+11)%9==0) c++; System.out.println(c);

A. 1
B. 3
C. 0
D. 2

Q271.

Determine the output.
int x=15; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 68
B. 66
C. 64
D. 67

Q272.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (23+i)%10; System.out.println(s);

A. 3456789
B. 9876543
C. 345678
D. 34567890

IET, C-DAC

Q273.

Evaluate the Java bitwise expression.
System.out.println((6 & 7) ^ (12 | 2));

A. 9
B. 5
C. 7
D. 8

Q274.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=24+i; System.out.println(s);

A. 75
B. 79
C. 77
D. 78

Q275.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (7+i)%10; System.out.println(s);

A. 87
B. 7
C. 780
D. 78

Q276.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+24)%8==0) c++; System.out.println(c);

A. 0
B. 3
C. 1
D. 2

Q277.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5041
B. 5037
C. 5039
D. 5040

Q278.

What is the result of comparing two String objects with ==?

A. It performs lexicographic ordering
B. It compares hash codes only
C. It compares reference identity
D. It always compares character contents

Q279.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=5+i; System.out.println(s);

A. 32
B. 31
C. 29
D. 33

IET, C-DAC

Q280.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 3
B. 6
C. 7
D. 5

Q281.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (8+i)%10; System.out.println(s);

A. 89
B. 8
C. 890
D. 98

Q282.

What is printed?
int s=0; for(int i=0;i<3;i++) if(i%2==0) s+=9+i; System.out.println(s);

A. 19
B. 21
C. 17
D. 20

Q283.

What is printed?
int s=0; for(int i=1;i<=5;i++) s += 20*i+6; System.out.println(s);

A. 330
B. 329
C. 327
D. 331

Q284.

Evaluate the Java bitwise expression.
System.out.println((19 & 7) ^ (6 | 2));

A. 4
B. 2
C. 6
D. 5

Q285.

Which JDBC object is best suited for parameterized SQL and helps prevent SQL injection?

A. ResultSetMetaData
B. PreparedStatement
C. DriverManager
D. Statement

Q286.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5041
B. 5039
C. 5040
D. 5037

IET, C-DAC

Q287.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=16+i; System.out.println(s);

A. 76
B. 73
C. 75
D. 77

Q288.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 23*i+6; System.out.println(s);

A. 157
B. 156
C. 153
D. 155

Q289.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 120
B. 121
C. 119
D. 117

Q290.

Determine the output.
int x=22; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 77
B. 76
C. 75
D. 73

Q291.

Determine the output.
int x=11; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 101
B. 100
C. 97
D. 99

Q292.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=5+i; System.out.println(s);

A. 11
B. 13
C. 12
D. 9

Q293.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 25
B. 24
C. 21
D. 23

IET, C-DAC

Q294.

What is the output?
int x=24, s=0; do { s+=x++; } while(x<30); System.out.println(s);

A. 156
B. 158
C. 159
D. 160

Q295.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (14+i)%10; System.out.println(s);

A. 456780
B. 4567
C. 87654
D. 45678

Q296.

Determine the output.
int x=13; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 89
B. 87
C. 88
D. 85

Q297.

What does ConcurrentModificationException commonly indicate?

A. Two threads always deadlocked
B. A class could not be loaded
C. A fail-fast iterator detected structural modification outside its permitted iterator operation
D. The heap is full

Q298.

What is the output?
int x=20, s=0; do { s+=x++; } while(x<26); System.out.println(s);

A. 135
B. 136
C. 134
D. 132

Q299.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=7+i; System.out.println(s);

A. 7
B. 4
C. 6
D. 8

Q300.

What is the output?
int x=18, s=0; do { s+=x++; } while(x<20); System.out.println(s);

A. 34
B. 38
C. 37
D. 36

IET, C-DAC

Q301.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 21*i+4; System.out.println(s);

A. 465
B. 462
C. 464
D. 466

Q302.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5039
B. 5037
C. 5041
D. 5040

Q303.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. 1
B. -1
C. 3
D. 2

Q304.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (6+i)%10; System.out.println(s);

A. 67
B. 876
C. 678
D. 6780

Q305.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (17+i)%10; System.out.println(s);

A. 78
B. 7
C. 87
D. 780

Q306.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5041
B. 5040
C. 5039
D. 5037

Q307.

How many times is c incremented?
int c=0; for(int i=1;i<=4;i++) if((i+19)%12==0) c++; System.out.println(c);

A. 3
B. 1
C. 2
D. 0

IET, C-DAC

Q308.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=3+i; System.out.println(s);

A. 23
B. 25
C. 24
D. 21

Q309.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (2+i)%10; System.out.println(s);

A. 23
B. 234
C. 432
D. 2340

Q310.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=4+i; System.out.println(s);

A. 3
B. 1
C. 4
D. 5

Q311.

What is printed?
int s=0; for(int i=0;i<3;i++) if(i%2==0) s+=6+i; System.out.println(s);

A. 13
B. 15
C. 14
D. 11

Q312.

Determine the output.
int x=12; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 8
B. 9
C. 7
D. 5

Q313.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=20+i; System.out.println(s);

A. 89
B. 93
C. 91
D. 92

Q314.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 25*i+2; System.out.println(s);

A. 156
B. 155
C. 153
D. 157

IET, C-DAC

Q315.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. 3
B. 2
C. -1
D. 1

Q316.

Evaluate the Java bitwise expression.
System.out.println((18 & 7) ^ (12 | 2));

A. 11
B. 13
C. 12
D. 9

Q317.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (23+i)%10; System.out.println(s);

A. 3456
B. 345
C. 34560
D. 6543

Q318.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<6;i++) s += (21+i)%10; System.out.println(s);

A. 654321
B. 12345
C. 123456
D. 1234560

IET, C-DAC

Q319.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. 3
B. 2
C. -1
D. 1

Q320.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 10*i+9; System.out.println(s);

A. 47
B. 48
C. 45
D. 49

Q321.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 23*i+5; System.out.println(s);

A. 676
B. 680
C. 678
D. 679

Q322.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 15*i+6; System.out.println(s);

A. 105
B. 108
C. 109
D. 107

Q323.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=25+i; System.out.println(s);

A. 25
B. 24
C. 22
D. 26

Q324.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=24+i; System.out.println(s);

A. 77
B. 78
C. 75
D. 79

Q325.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 117
B. 120
C. 121
D. 119

Q326.

Evaluate the Java bitwise expression.
System.out.println((16 & 7) ^ (7 | 2));

A. 8
B. 6
C. 4
D. 7

Q327.

How many times is c incremented?
int c=0; for(int i=1;i<=4;i++) if((i+15)%3==0) c++; System.out.println(c);

A. 2
B. 4
C. 3
D. 1

Q328.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (11+i)%10; System.out.println(s);

A. 1234
B. 12345
C. 54321
D. 123450

IET, C-DAC

Q329.

Which lock is intrinsic to every Java object?

A. Monitor lock
B. StampedLock field
C. ReadWriteLock field
D. Semaphore permit

Q330.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+10)%5==0) c++; System.out.println(c);

A. 1
B. 3
C. 4
D. 2

Q331.

What does volatile guarantee for a shared variable?

A. Mutual exclusion for every method
B. Visibility and ordering constraints, not atomicity for compound operations
C. Atomic increment
D. Persistence after JVM shutdown

Q332.

Which statement about Java constructors is correct?

A. A constructor can be abstract
B. A constructor is inherited
C. A constructor must be static
D. A constructor has no return type, not even void

Q333.

What is the output?
int x=14, s=0; do { s+=x++; } while(x<18); System.out.println(s);

A. 59
B. 62
C. 61
D. 63

Q334.

Evaluate the Java bitwise expression.
System.out.println((19 & 7) ^ (5 | 2));

A. 5
B. 3
C. 4
D. 1

Q335.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 21
B. 23
C. 25
D. 24

IET, C-DAC

Q336.

Determine the output.
int x=4; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 38
B. 39
C. 36
D. 40

Q337.

Which class is immutable?

A. StringBuilder
B. String
C. StringBuffer
D. ArrayList

Q338.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 21*i+10; System.out.println(s);

A. 659
B. 658
C. 657
D. 655

Q339.

Determine the output.
int x=6; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 9
B. 7
C. 5
D. 8

Q340.

Determine the output.
int x=17; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 61
B. 59
C. 60
D. 57

Q341.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=25+i; System.out.println(s);

A. 80
B. 82
C. 81
D. 78

Q342.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+22)%2==0) c++; System.out.println(c);

A. 3
B. 6
C. 4
D. 5

IET, C-DAC

Q343.

What is the output?
int x=2, s=0; do { s+=x++; } while(x<5); System.out.println(s);

A. 9
B. 6
C. 10
D. 8

Q344.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 25
B. 23
C. 24
D. 21

Q345.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 18*i+10; System.out.println(s);

A. 75
B. 73
C. 71
D. 74

Q346.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5041
B. 5039
C. 5037
D. 5040

Q347.

Which keyword prevents a class from being subclassed?

A. final
B. transient
C. volatile
D. static

Q348.

What is printed?
int s=0; for(int i=1;i<=2;i++) s += 20*i+11; System.out.println(s);

A. 83
B. 79
C. 82
D. 81

Q349.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=8+i; System.out.println(s);

A. 29
B. 27
C. 30
D. 31

IET, C-DAC

Q350.

Find the printed value.
int p=1; for(int i=1;i<=2;i++) p*=i; System.out.println(p);

A. -1
B. 1
C. 2
D. 3

Q351.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<6;i++) s += (15+i)%10; System.out.println(s);

A. 5678900
B. 56789
C. 567890
D. 098765

Q352.

Which exception is checked by the compiler?

A. NullPointerException
B. IOException
C. ArithmeticException
D. ArrayIndexOutOfBoundsException

Q353.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (6+i)%10; System.out.println(s);

A. 678
B. 6789
C. 9876
D. 67890

Q354.

Evaluate the Java bitwise expression.
System.out.println((4 & 7) ^ (10 | 2));

A. 15
B. 13
C. 14
D. 11

Q355.

What is printed?
int s=0; for(int i=1;i<=4;i++) s += 16*i+9; System.out.println(s);

A. 196
B. 193
C. 195
D. 197

Q356.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5040
B. 5041
C. 5037
D. 5039

IET, C-DAC

Q357.

Evaluate the Java bitwise expression.
System.out.println((23 & 7) ^ (12 | 2));

A. 9
B. 10
C. 8
D. 6

Q358.

Determine the output.
int x=14; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 50
B. 52
C. 54
D. 53

Q359.

Determine the output.
int x=15; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 18
B. 19
C. 17
D. 15

Q360.

Evaluate the Java bitwise expression.
System.out.println((9 & 7) ^ (3 | 2));

A. -1
B. 1
C. 3
D. 2

Q361.

Determine the output.
int x=8; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 20
B. 19
C. 18
D. 16

Q362.

Determine the output.
int x=17; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 47
B. 49
C. 45
D. 48

Q363.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 2*i+2; System.out.println(s);

A. 17
B. 18
C. 19
D. 15

IET, C-DAC

Q364.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=11+i; System.out.println(s);

A. 39
B. 40
C. 36
D. 38

Q365.

What is the output?
int x=25, s=0; do { s+=x++; } while(x<32); System.out.println(s);

A. 193
B. 197
C. 196
D. 195

Q366.

Determine the output.
int x=21; for(int i=0;i<6;i++) x=(x*3+i)%101; System.out.println(x);

A. 32
B. 35
C. 36
D. 34

Q367.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (19+i)%10; System.out.println(s);

A. 9010
B. 109
C. 90
D. 901

Q368.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+14)%3==0) c++; System.out.println(c);

A. 5
B. 3
C. 4
D. 2

Q369.

Find the printed value.
int p=1; for(int i=1;i<=5;i++) p*=i; System.out.println(p);

A. 120
B. 117
C. 119
D. 121

Q370.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (7+i)%10; System.out.println(s);

A. 78901
B. 7890
C. 789010
D. 10987

IET, C-DAC

Q371.

Find the printed value.
int p=1; for(int i=1;i<=6;i++) p*=i; System.out.println(p);

A. 719
B. 720
C. 721
D. 717

Q372.

Evaluate the Java bitwise expression.
System.out.println((21 & 7) ^ (9 | 2));

A. 15
B. 14
C. 11
D. 13

Q373.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 3
B. 5
C. 7
D. 6

Q374.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (17+i)%10; System.out.println(s);

A. 78901
B. 789010
C. 7890
D. 10987

Q375.

What is printed?
int s=0; for(int i=0;i<3;i++) if(i%2==0) s+=17+i; System.out.println(s);

A. 35
B. 37
C. 36
D. 33

Q376.

What is the output?
int x=23, s=0; do { s+=x++; } while(x<25); System.out.println(s);

A. 48
B. 46
C. 47
D. 44

Q377.

What does the finally block generally provide?

A. A replacement for catch
B. A way to declare checked exceptions
C. A cleanup path that normally executes whether or not an exception is thrown
D. A guarantee that the JVM never exits

IET, C-DAC

Q378.

Evaluate the Java bitwise expression.
System.out.println((10 & 7) ^ (9 | 2));

A. 6
B. 9
C. 10
D. 8

Q379.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (23+i)%10; System.out.println(s);

A. 345678
B. 34567890
C. 3456789
D. 9876543

Q380.

Find the printed value.
int p=1; for(int i=1;i<=6;i++) p*=i; System.out.println(p);

A. 721
B. 720
C. 719
D. 717

Q381.

Evaluate the Java bitwise expression.
System.out.println((14 & 7) ^ (5 | 2));

A. 1
B. 2
C. -2
D. 0

Q382.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (24+i)%10; System.out.println(s);

A. 456
B. 654
C. 45
D. 4560

Q383.

What is the output?
int x=4, s=0; do { s+=x++; } while(x<9); System.out.println(s);

A. 30
B. 27
C. 29
D. 31

Q384.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (2+i)%10; System.out.println(s);

A. 2
B. 23
C. 32
D. 230

IET, C-DAC

Q385.

Determine the output.
int x=14; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 23
B. 25
C. 26
D. 27

Q386.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 2*i+3; System.out.println(s);

A. 78
B. 76
C. 77
D. 74

Q387.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+15)%10==0) c++; System.out.println(c);

A. 1
B. 2
C. 4
D. 3

Q388.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=3+i; System.out.println(s);

A. 5
B. 9
C. 8
D. 7

Q389.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (7+i)%10; System.out.println(s);

A. 87
B. 78
C. 7
D. 780

Q390.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (2+i)%10; System.out.println(s);

A. 23456
B. 234560
C. 65432
D. 2345

Q391.

How many times is c incremented?
int c=0; for(int i=1;i<=4;i++) if((i+13)%11==0) c++; System.out.println(c);

A. 1
B. 3
C. 0
D. 2

IET, C-DAC

Q392.

What is printed?
int s=0; for(int i=1;i<=4;i++) s += 16*i+7; System.out.println(s);

A. 188
B. 189
C. 187
D. 185

Q393.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5040
B. 5041
C. 5039
D. 5037

Q394.

Determine the output.
int x=2; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 60
B. 58
C. 59
D. 56

Q395.

What is the output?
int x=4, s=0; do { s+=x++; } while(x<11); System.out.println(s);

A. 50
B. 49
C. 48
D. 46

Q396.

What is the output?
int x=20, s=0; do { s+=x++; } while(x<27); System.out.println(s);

A. 158
B. 160
C. 161
D. 162

Q397.

What is printed?
int s=0; for(int i=1;i<=4;i++) s += 16*i+4; System.out.println(s);

A. 177
B. 176
C. 175
D. 173

Q398.

What is the output?
int x=15, s=0; do { s+=x++; } while(x<22); System.out.println(s);

A. 125
B. 127
C. 123
D. 126

IET, C-DAC

Q399.

What is printed?
int s=0; for(int i=1;i<=3;i++) s += 14*i+11; System.out.println(s);

A. 114
B. 117
C. 116
D. 118

Q400.

Determine the output.
int x=18; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 61
B. 59
C. 62
D. 63

Q401.

Determine the output.
int x=18; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 89
B. 88
C. 90
D. 86

Q402.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (4+i)%10; System.out.println(s);

A. 456789
B. 45678900
C. 0987654
D. 4567890

Q403.

Evaluate the Java bitwise expression.
System.out.println((18 & 7) ^ (10 | 2));

A. 9
B. 5
C. 7
D. 8

Q404.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+12)%10==0) c++; System.out.println(c);

A. 3
B. 2
C. 0
D. 1

Q405.

Evaluate the Java bitwise expression.
System.out.println((18 & 7) ^ (7 | 2));

A. 6
B. 4
C. 5
D. 2

IET, C-DAC

Q406.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (24+i)%10; System.out.println(s);

A. 4567890
B. 45678900
C. 456789
D. 0987654

Q407.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (6+i)%10; System.out.println(s);

A. 6789
B. 09876
C. 67890
D. 678900

Q408.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5040
B. 5041
C. 5039
D. 5037

Q409.

What is the output?
int x=24, s=0; do { s+=x++; } while(x<28); System.out.println(s);

A. 101
B. 102
C. 103
D. 99

Q410.

What is the output?
int x=6, s=0; do { s+=x++; } while(x<9); System.out.println(s);

A. 18
B. 21
C. 22
D. 20

Q411.

What is printed?
int s=0; for(int i=0;i<2;i++) if(i%2==0) s+=5+i; System.out.println(s);

A. 6
B. 2
C. 5
D. 4

Q412.

Evaluate the Java bitwise expression.
System.out.println((19 & 7) ^ (6 | 2));

A. 5
B. 4
C. 2
D. 6

IET, C-DAC

Q413.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (5+i)%10; System.out.println(s);

A. 1098765
B. 5678901
C. 56789010
D. 567890

Q414.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 15*i+6; System.out.println(s);

A. 459
B. 462
C. 463
D. 461

Q415.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=17+i; System.out.println(s);

A. 37
B. 35
C. 33
D. 36

Q416.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+20)%3==0) c++; System.out.println(c);

A. 5
B. 3
C. 2
D. 4

Q417.

What is printed?
int s=0; for(int i=0;i<4;i++) if(i%2==0) s+=17+i; System.out.println(s);

A. 33
B. 37
C. 36
D. 35

Q418.

What is the contract between equals() and hashCode()?

A. Equal objects must have equal hash codes
B. equals must compare memory addresses
C. hashCode must be unique
D. Different objects must always have different hash codes

Q419.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=10+i; System.out.println(s);

A. 53
B. 52
C. 49
D. 51

IET, C-DAC

Q420.

Determine the output.
int x=20; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 22
B. 23
C. 21
D. 19

Q421.

Determine the output.
int x=6; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 54
B. 55
C. 56
D. 52

Q422.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 23
B. 25
C. 21
D. 24

Q423.

What is the output?
int x=17, s=0; do { s+=x++; } while(x<23); System.out.println(s);

A. 118
B. 117
C. 116
D. 114

Q424.

What is the output?
int x=18, s=0; do { s+=x++; } while(x<20); System.out.println(s);

A. 37
B. 34
C. 38
D. 36

Q425.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (3+i)%10; System.out.println(s);

A. 345
B. 543
C. 34
D. 3450

Q426.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (19+i)%10; System.out.println(s);

A. 9
B. 90
C. 09
D. 900

IET, C-DAC

Q427.

Determine the output.
int x=18; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 86
B. 90
C. 88
D. 89

Q428.

Determine the output.
int x=12; for(int i=0;i<7;i++) x=(x*3+i)%101; System.out.println(x);

A. 22
B. 19
C. 21
D. 23

Q429.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=16+i; System.out.println(s);

A. 54
B. 53
C. 51
D. 55

Q430.

Find the printed value.
int p=1; for(int i=1;i<=3;i++) p*=i; System.out.println(p);

A. 7
B. 3
C. 5
D. 6

Q431.

What is the output?
int x=6, s=0; do { s+=x++; } while(x<11); System.out.println(s);

A. 39
B. 37
C. 40
D. 41

Q432.

What is printed?
int s=0; for(int i=0;i<5;i++) if(i%2==0) s+=21+i; System.out.println(s);

A. 66
B. 70
C. 68
D. 69

Q433.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 22*i+4; System.out.println(s);

A. 486
B. 487
C. 483
D. 485

IET, C-DAC

Q434.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (8+i)%10; System.out.println(s);

A. 8
B. 89
C. 98
D. 890

Q435.

Evaluate the Java bitwise expression.
System.out.println((4 & 7) ^ (3 | 2));

A. 7
B. 6
C. 8
D. 4

Q436.

What is printed?
int s=0; for(int i=0;i<3;i++) if(i%2==0) s+=24+i; System.out.println(s);

A. 50
B. 49
C. 51
D. 47

Q437.

What is the output?
int x=14, s=0; do { s+=x++; } while(x<20); System.out.println(s);

A. 99
B. 100
C. 98
D. 96

Q438.

What is printed?
int s=0; for(int i=1;i<=4;i++) s += 4*i+10; System.out.println(s);

A. 79
B. 77
C. 81
D. 80

Q439.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+22)%6==0) c++; System.out.println(c);

A. 2
B. 3
C. 1
D. 4

Q440.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<7;i++) s += (20+i)%10; System.out.println(s);

A. 0123456
B. 01234560
C. 6543210
D. 012345

IET, C-DAC

Q441.

Determine the output.
int x=17; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 53
B. 54
C. 50
D. 52

Q442.

Which statement about Java garbage collection is correct?

A. System.gc() guarantees immediate collection
B. finalize() is guaranteed to run exactly once
C. The exact time of collection is not guaranteed
D. Only local variables are collected

Q443.

Evaluate the Java bitwise expression.
System.out.println((21 & 7) ^ (9 | 2));

A. 11
B. 14
C. 13
D. 15

Q444.

Evaluate the Java bitwise expression.
System.out.println((24 & 7) ^ (8 | 2));

A. 11
B. 9
C. 7
D. 10

Q445.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+18)%7==0) c++; System.out.println(c);

A. 4
B. 2
C. 1
D. 3

Q446.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+12)%2==0) c++; System.out.println(c);

A. 2
B. 1
C. 3
D. 4

Q447.

Determine the output.
int x=15; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 32
B. 35
C. 34
D. 36

IET, C-DAC

Q448.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 17*i+7; System.out.println(s);

A. 399
B. 400
C. 398
D. 396

Q449.

What is the output?
int x=10, s=0; do { s+=x++; } while(x<15); System.out.println(s);

A. 59
B. 57
C. 61
D. 60

Q450.

What is the output?
int x=13, s=0; do { s+=x++; } while(x<15); System.out.println(s);

A. 27
B. 24
C. 26
D. 28

Q451.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (3+i)%10; System.out.println(s);

A. 3456
B. 345670
C. 34567
D. 76543

Q452.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 21
B. 24
C. 23
D. 25

Q453.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=9+i; System.out.println(s);

A. 47
B. 45
C. 49
D. 48

Q454.

What is the output?
int x=8, s=0; do { s+=x++; } while(x<10); System.out.println(s);

A. 17
B. 16
C. 18
D. 14

IET, C-DAC

Q455.

What is printed?
int s=0; for(int i=1;i<=5;i++) s += 2*i+5; System.out.println(s);

A. 55
B. 56
C. 52
D. 54

Q456.

Evaluate the Java bitwise expression.
System.out.println((7 & 7) ^ (7 | 2));

A. 1
B. 0
C. -1
D. -3

Q457.

Evaluate the Java bitwise expression.
System.out.println((14 & 7) ^ (3 | 2));

A. 4
B. 6
C. 5
D. 2

Q458.

How many times is c incremented?
int c=0; for(int i=1;i<=7;i++) if((i+13)%12==0) c++; System.out.println(c);

A. 3
B. 2
C. 1
D. 0

Q459.

How many times is c incremented?
int c=0; for(int i=1;i<=3;i++) if((i+17)%5==0) c++; System.out.println(c);

A. 2
B. 3
C. 4
D. 1

Q460.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (17+i)%10; System.out.println(s);

A. 789
B. 78900
C. 0987
D. 7890

Q461.

Find the printed value.
int p=1; for(int i=1;i<=6;i++) p*=i; System.out.println(p);

A. 720
B. 721
C. 719
D. 717

IET, C-DAC

Q462.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+11)%7==0) c++; System.out.println(c);

A. 2
B. 1
C. 3
D. 4

Q463.

What is the output?
int x=25, s=0; do { s+=x++; } while(x<28); System.out.println(s);

A. 79
B. 75
C. 78
D. 77

Q464.

Determine the output.
int x=11; for(int i=0;i<5;i++) x=(x*3+i)%101; System.out.println(x);

A. 5
B. 3
C. 4
D. 1

Q465.

What is the output?
int x=3, s=0; do { s+=x++; } while(x<6); System.out.println(s);

A. 12
B. 13
C. 9
D. 11

Q466.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<5;i++) s += (16+i)%10; System.out.println(s);

A. 67890
B. 09876
C. 678900
D. 6789

Q467.

Find the printed value.
int p=1; for(int i=1;i<=4;i++) p*=i; System.out.println(p);

A. 25
B. 24
C. 23
D. 21

Q468.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 13*i+5; System.out.println(s);

A. 398
B. 399
C. 396
D. 400

IET, C-DAC

Q469.

Evaluate the Java bitwise expression.
System.out.println((18 & 7) ^ (11 | 2));

A. 10
B. 6
C. 9
D. 8

Q470.

What is the output?
int x=4, s=0; do { s+=x++; } while(x<6); System.out.println(s);

A. 9
B. 10
C. 8
D. 6

Q471.

What is printed?
int s=0; for(int i=0;i<7;i++) if(i%2==0) s+=25+i; System.out.println(s);

A. 111
B. 109
C. 113
D. 112

Q472.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 20*i+11; System.out.println(s);

A. 636
B. 634
C. 637
D. 638

Q473.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 25*i+7; System.out.println(s);

A. 567
B. 566
C. 564
D. 568

Q474.

What is printed?
int s=0; for(int i=1;i<=4;i++) s += 15*i+11; System.out.println(s);

A. 194
B. 195
C. 193
D. 191

Q475.

How many times is c incremented?
int c=0; for(int i=1;i<=4;i++) if((i+16)%3==0) c++; System.out.println(c);

A. 3
B. 2
C. 4
D. 1

IET, C-DAC

Q476.

What is the output?
int x=10, s=0; do { s+=x++; } while(x<12); System.out.println(s);

A. 20
B. 18
C. 22
D. 21

Q477.

Determine the output.
int x=6; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 99
B. 101
C. 97
D. 100

Q478.

Determine the output.
int x=4; for(int i=0;i<3;i++) x=(x*3+i)%101; System.out.println(x);

A. 12
B. 11
C. 9
D. 13

Q479.

Determine the output.
int x=2; for(int i=0;i<2;i++) x=(x*3+i)%101; System.out.println(x);

A. 16
B. 19
C. 18
D. 20

Q480.

What is the output?
int x=20, s=0; do { s+=x++; } while(x<25); System.out.println(s);

A. 109
B. 110
C. 111
D. 107

Q481.

Find the printed value.
int p=1; for(int i=1;i<=7;i++) p*=i; System.out.println(p);

A. 5041
B. 5039
C. 5040
D. 5037

Q482.

Evaluate the Java bitwise expression.
System.out.println((14 & 7) ^ (5 | 2));

A. 1
B. 2
C. 0
D. -2

IET, C-DAC

Q483.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<3;i++) s += (15+i)%10; System.out.println(s);

A. 567
B. 765
C. 5670
D. 56

Q484.

What is the output?
int x=5, s=0; do { s+=x++; } while(x<12); System.out.println(s);

A. 55
B. 56
C. 53
D. 57

Q485.

What is the output?
int x=2, s=0; do { s+=x++; } while(x<9); System.out.println(s);

A. 34
B. 35
C. 36
D. 32

Q486.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (13+i)%10; System.out.println(s);

A. 43
B. 34
C. 3
D. 340

Q487.

What is printed?
int s=0; for(int i=1;i<=6;i++) s += 8*i+9; System.out.println(s);

A. 221
B. 222
C. 223
D. 219

Q488.

Evaluate the Java bitwise expression.
System.out.println((24 & 7) ^ (4 | 2));

A. 5
B. 3
C. 7
D. 6

Q489.

Evaluate the Java bitwise expression.
System.out.println((16 & 7) ^ (10 | 2));

A. 11
B. 7
C. 9
D. 10

IET, C-DAC

Q490.

Determine the output.
int x=25; for(int i=0;i<4;i++) x=(x*3+i)%101; System.out.println(x);

A. 20
B. 22
C. 23
D. 24

Q491.

What is the output?
int x=24, s=0; do { s+=x++; } while(x<29); System.out.println(s);

A. 129
B. 130
C. 127
D. 131

Q492.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<4;i++) s += (11+i)%10; System.out.println(s);

A. 1234
B. 4321
C. 12340
D. 123

Q493.

Evaluate the Java bitwise expression.
System.out.println((17 & 7) ^ (3 | 2));

A. 2
B. 1
C. -1
D. 3

Q494.

What is printed?
int s=0; for(int i=0;i<6;i++) if(i%2==0) s+=20+i; System.out.println(s);

A. 65
B. 63
C. 66
D. 67

Q495.

What is printed?
int s=0; for(int i=1;i<=7;i++) s += 24*i+4; System.out.println(s);

A. 701
B. 699
C. 697
D. 700

Q496.

How many times is c incremented?
int c=0; for(int i=1;i<=6;i++) if((i+22)%9==0) c++; System.out.println(c);

A. 2
B. 3
C. 1
D. 4

IET, C-DAC

Q497.

What is printed?
int s=0; for(int i=0;i<3;i++) if(i%2==0) s+=8+i; System.out.println(s);

A. 18
B. 15
C. 19
D. 17

Q498.

How many times is c incremented?
int c=0; for(int i=1;i<=5;i++) if((i+9)%3==0) c++; System.out.println(c);

A. 3
B. 2
C. 1
D. 4

Q499.

What is the output?
int x=9, s=0; do { s+=x++; } while(x<14); System.out.println(s);

A. 55
B. 56
C. 52
D. 54

Q500.

What is printed? Assume normal left-to-right loop execution.
String s=""; for(int i=0;i<2;i++) s += (3+i)%10; System.out.println(s);

A. 3
B. 340
C. 34
D. 43

IET, C-DAC

CONSOLIDATED ANSWER KEY

Answers are listed by question number. Each key corresponds to the option order shown in the question section.

1. A	2. D	3. A	4. B	5. D
6. B	7. D	8. B	9. B	10. C
11. C	12. B	13. A	14. B	15. B
16. A	17. B	18. D	19. D	20. A
21. D	22. A	23. D	24. C	25. B
26. A	27. A	28. A	29. C	30. C
31. D	32. D	33. D	34. A	35. A
36. B	37. B	38. A	39. D	40. C
41. C	42. A	43. D	44. B	45. C
46. B	47. B	48. D	49. C	50. B
51. D	52. D	53. A	54. D	55. B
56. A	57. C	58. C	59. D	60. C
61. C	62. D	63. C	64. D	65. D
66. D	67. A	68. D	69. A	70. B
71. D	72. B	73. C	74. D	75. B
76. B	77. B	78. A	79. D	80. D
81. D	82. A	83. C	84. B	85. C
86. C	87. A	88. A	89. C	90. B
91. D	92. A	93. A	94. D	95. D
96. D	97. B	98. C	99. C	100. D
101. A	102. B	103. D	104. C	105. D
106. A	107. B	108. D	109. C	110. A
111. C	112. C	113. D	114. B	115. A
116. B	117. A	118. A	119. C	120. B
121. D	122. C	123. B	124. D	125. C
126. C	127. A	128. B	129. B	130. A
131. C	132. A	133. D	134. A	135. D
136. C	137. A	138. A	139. C	140. C
141. D	142. D	143. C	144. C	145. C
146. A	147. B	148. D	149. A	150. A
151. B	152. D	153. D	154. B	155. D

156. D	157. A	158. A	159. B	160. D
161. A	162. C	163. A	164. D	165. B
166. A	167. C	168. B	169. A	170. C
171. B	172. C	173. C	174. D	175. B
176. B	177. D	178. B	179. A	180. A
181. B	182. A	183. C	184. A	185. B
186. A	187. A	188. A	189. D	190. A
191. A	192. A	193. A	194. A	195. D
196. C	197. C	198. A	199. A	200. D
201. D	202. B	203. C	204. C	205. B
206. B	207. C	208. C	209. A	210. C
211. D	212. A	213. A	214. A	215. D
216. B	217. D	218. C	219. A	220. A
221. C	222. B	223. A	224. C	225. B
226. C	227. D	228. D	229. B	230. C
231. C	232. C	233. B	234. A	235. B
236. D	237. A	238. C	239. A	240. D
241. B	242. A	243. B	244. B	245. B
246. C	247. C	248. B	249. C	250. C
251. D	252. D	253. C	254. C	255. D
256. B	257. B	258. C	259. A	260. B
261. C	262. B	263. D	264. C	265. D
266. D	267. D	268. D	269. B	270. C
271. D	272. A	273. D	274. D	275. D
276. A	277. D	278. C	279. A	280. B
281. A	282. D	283. A	284. D	285. B
286. C	287. A	288. B	289. A	290. B
291. B	292. C	293. B	294. C	295. D
296. C	297. C	298. A	299. A	300. C
301. A	302. D	303. D	304. C	305. A
306. B	307. D	308. C	309. B	310. C
311. C	312. A	313. D	314. A	315. B
316. C	317. A	318. C	319. B	320. B

321. D	322. B	323. A	324. B	325. B
326. D	327. D	328. B	329. A	330. A
331. B	332. D	333. B	334. C	335. D
336. B	337. B	338. B	339. D	340. C
341. C	342. A	343. A	344. C	345. D
346. D	347. A	348. C	349. C	350. C
351. C	352. B	353. B	354. C	355. A
356. A	357. A	358. D	359. A	360. D
361. B	362. D	363. B	364. A	365. C
366. B	367. D	368. D	369. A	370. A
371. B	372. B	373. D	374. A	375. C
376. C	377. C	378. B	379. C	380. B
381. A	382. A	383. A	384. B	385. C
386. C	387. A	388. C	389. B	390. A
391. C	392. A	393. A	394. C	395. B
396. C	397. B	398. D	399. B	400. C
401. A	402. D	403. D	404. C	405. C
406. A	407. C	408. A	409. B	410. B
411. C	412. A	413. B	414. B	415. D
416. C	417. C	418. A	419. B	420. A
421. B	422. D	423. B	424. A	425. A
426. B	427. D	428. A	429. A	430. D
431. C	432. D	433. A	434. B	435. A
436. A	437. A	438. D	439. C	440. A
441. A	442. C	443. B	444. D	445. C
446. B	447. B	448. A	449. D	450. A
451. C	452. B	453. D	454. A	455. A
456. B	457. C	458. D	459. D	460. D
461. A	462. B	463. C	464. C	465. A
466. A	467. B	468. B	469. C	470. A
471. D	472. C	473. A	474. A	475. D
476. D	477. D	478. A	479. B	480. B
481. C	482. A	483. A	484. B	485. B

486. B	**487. B**	**488. D**	**489. D**	**490. C**
491. B	**492. A**	**493. A**	**494. C**	**495. D**
496. C	**497. A**	**498. C**	**499. A**	**500. C**

Reference basis: C-DAC official PG-DAC/PGCP-AC course brochure and publicly available module outlines for topic coverage; publicly available C-DAC evaluation guidance for the objective-question format and difficulty framework. Questions in this booklet are independently authored practice items, not copied past-paper questions.

Official course outline: https://cdac.gov.in/index.aspx?courseid=0&id=DAC
C-DAC evaluation guideline reference: publicly available C-DAC evaluation guideline PDF (search result/source reference used during preparation).

IET, C-DAC