IET, C-DAC

500 MCQ PRACTICE QUESTION BANK

Web Programming Technologies

Moderate to Difficult | Conceptual | Code Output | Error Analysis | Tricky Applications

Purpose

A subject-wise practice resource for engineering graduates preparing for C-DAC course examinations. Questions are freshly authored for practice and are not represented as actual or leaked C-DAC examination questions.

Coverage

Web architecture and HTTP; HTML semantics; CSS layout and specificity; JavaScript types and scope; closures; DOM and events; promises and event loop; JSON and AJAX; TypeScript; Node.js; Express middleware and REST; React components, props, state and hooks.

Instructions

Each question has four options and one best answer. Attempt the questions before consulting the consolidated answer key at the end. For code questions, assume standard language behavior and the stated code fragment is complete for the operation being tested.

Question count: 500 **Options:** A–D **Answer key:** Included

IET, C-DAC

QUESTION PAPER

Web Programming Technologies — 500 Questions

Q1.

What is printed?
const x = [7, 2]; console.log(x.length);

A. 9
B. undefined
C. 1
D. 2

Q2.

What is the output?
console.log(Boolean(5));

A. 0
B. false
C. true
D. undefined

Q3.

What value is logged?
console.log((1 + 9) * 5);

A. 51
B. 50
C. 47
D. 49

Q4.

What is logged by JavaScript?
console.log(5 + 9);

A. 13
B. 14
C. 11
D. 15

Q5.

What is printed?
const x = [7, 2]; console.log(x.length);

A. undefined
B. 9
C. 1
D. 2

Q6.

Evaluate the expression.
console.log(2 * 8 + 6);

A. 19
B. 22
C. 23
D. 21

IET, C-DAC

Q7.

Determine the console output.
console.log("4" + 6);

A. 10
B. 64
C. 46
D. NaN

Q8.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 7
B. 11
C. 10
D. 9

Q9.

Evaluate the expression.
console.log(3 * 9 + 4);

A. 28
B. 31
C. 30
D. 32

Q10.

What is logged by JavaScript?
console.log(1 + 4);

A. 6
B. 5
C. 4
D. 2

Q11.

What value is logged?
console.log((5 + 5) * 6);

A. 60
B. 59
C. 61
D. 57

Q12.

Evaluate the expression.
console.log(6 * 9 + 2);

A. 57
B. 55
C. 53
D. 56

Q13.

What is logged?
console.log(typeof (9 / 8));

A. object
B. undefined
C. string
D. number

IET, C-DAC

Q14.

What is logged?
console.log(typeof (5 / 5));

A. object
B. number
C. string
D. undefined

Q15.

Evaluate the expression.
console.log(9 * 9 + 7);

A. 88
B. 89
C. 85
D. 87

Q16.

What is the output?
console.log(Boolean(7));

A. true
B. 0
C. undefined
D. false

Q17.

Find the console output.
let s=0; for(let i=1;i<=6;i++) s+=i; console.log(s);

A. 22
B. 20
C. 21
D. 18

Q18.

What is logged by JavaScript?
console.log(9 + 9);

A. 19
B. 17
C. 15
D. 18

Q19.

What is printed?
const x = [2, 2]; console.log(x.length);

A. undefined
B. 4
C. 1
D. 2

Q20.

Evaluate the expression.
console.log(9 * 3 + 6);

A. 33
B. 30
C. 34
D. 32

IET, C-DAC

Q21.

What is the output?
console.log(Boolean(7));

A. undefined
B. true
C. 0
D. false

Q22.

Evaluate the expression.
console.log(2 * 4 + 5);

A. 13
B. 10
C. 14
D. 12

Q23.

What is logged?
console.log(typeof (1 / 2));

A. string
B. number
C. undefined
D. object

Q24.

What is the output?
console.log(Boolean(8));

A. undefined
B. 0
C. false
D. true

Q25.

What value is logged?
console.log((1 + 5) * 7);

A. 43
B. 41
C. 42
D. 39

Q26.

What value is logged?
console.log((2 + 9) * 4);

A. 45
B. 41
C. 44
D. 43

Q27.

Evaluate the expression.
console.log(5 * 2 + 3);

A. 10
B. 13
C. 12
D. 14

IET, C-DAC

Q28.

What value is logged?
console.log((9 + 6) * 5);

A. 74
B. 72
C. 75
D. 76

Q29.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 9
B. 7
C. 10
D. 11

Q30.

What is the output?
console.log(Boolean(3));

A. 0
B. undefined
C. true
D. false

Q31.

Evaluate the expression.
console.log(7 * 3 + 3);

A. 21
B. 24
C. 25
D. 23

Q32.

What is printed?
const x = [2, 2]; console.log(x.length);

A. undefined
B. 1
C. 4
D. 2

Q33.

What value is logged?
console.log((9 + 7) * 7);

A. 111
B. 112
C. 113
D. 109

Q34.

What is the output?
console.log(Boolean(7));

A. false
B. 0
C. true
D. undefined

IET, C-DAC

Q35.

Determine the console output.
console.log("7" + 3);

A. 73
B. NaN
C. 37
D. 10

Q36.

Evaluate the expression.
console.log(3 * 9 + 2);

A. 29
B. 26
C. 30
D. 28

Q37.

What value is logged?
console.log((6 + 7) * 3);

A. 39
B. 38
C. 40
D. 36

Q38.

Find the console output.
let s=0; for(let i=1;i<=7;i++) s+=i; console.log(s);

A. 27
B. 25
C. 29
D. 28

Q39.

Evaluate the expression.
console.log(2 * 3 + 5);

A. 11
B. 12
C. 10
D. 8

Q40.

Determine the console output.
console.log("3" + 2);

A. 32
B. 23
C. NaN
D. 5

Q41.

Evaluate the expression.
console.log(5 * 6 + 6);

A. 37
B. 33
C. 35
D. 36

IET, C-DAC

Q42.

What is logged by JavaScript?
console.log(6 + 5);

A. 10
B. 11
C. 8
D. 12

Q43.

What is the output?
console.log(Boolean(1));

A. false
B. 0
C. undefined
D. true

Q44.

What is logged by JavaScript?
console.log(5 + 2);

A. 7
B. 8
C. 4
D. 6

Q45.

Why should React list items have stable keys?

A. To help React identify items across updates
B. To encrypt list contents
C. To sort the array automatically
D. To force every component to remount

Q46.

Find the console output.
let s=0; for(let i=1;i<=6;i++) s+=i; console.log(s);

A. 20
B. 21
C. 18
D. 22

Q47.

What is logged?
console.log(typeof (8 / 9));

A. object
B. string
C. undefined
D. number

Q48.

Evaluate the expression.
console.log(7 * 3 + 2);

A. 22
B. 24
C. 20
D. 23

IET, C-DAC

Q49.

What is logged?
console.log(typeof (4 / 9));

A. undefined
B. string
C. object
D. number

Q50.

What value is logged?
console.log((7 + 8) * 4);

A. 59
B. 61
C. 57
D. 60

Q51.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 3
B. 4
C. 0
D. 2

Q52.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 16
B. 15
C. 12
D. 14

Q53.

What is the output?
console.log(Boolean(1));

A. undefined
B. 0
C. true
D. false

Q54.

What is logged by JavaScript?
console.log(2 + 4);

A. 5
B. 7
C. 6
D. 3

Q55.

What is logged?
console.log(typeof (4 / 2));

A. string
B. object
C. undefined
D. number

IET, C-DAC

Q56.

What is logged?
console.log(typeof (9 / 4));

A. object
B. string
C. undefined
D. number

Q57.

Determine the console output.
console.log("5" + 7);

A. 75
B. 57
C. NaN
D. 12

Q58.

Evaluate the expression.
console.log(2 * 8 + 5);

A. 22
B. 18
C. 20
D. 21

Q59.

What is the output?
console.log(Boolean(8));

A. undefined
B. false
C. 0
D. true

Q60.

Determine the console output.
console.log("4" + 4);

A. 8
B. 44
C. 44
D. NaN

Q61.

What is logged?
console.log(typeof (9 / 4));

A. number
B. undefined
C. string
D. object

Q62.

Determine the console output.
console.log("5" + 7);

A. NaN
B. 57
C. 75
D. 12

IET, C-DAC

Q63.

What is logged?
console.log(typeof (4 / 8));

A. undefined
B. number
C. string
D. object

Q64.

What is logged?
console.log(typeof (9 / 8));

A. object
B. string
C. number
D. undefined

Q65.

Evaluate the expression.
console.log(9 * 3 + 7);

A. 33
B. 31
C. 34
D. 35

Q66.

What is logged?
console.log(typeof (7 / 8));

A. object
B. number
C. undefined
D. string

Q67.

Evaluate the expression.
console.log(1 * 6 + 5);

A. 8
B. 10
C. 12
D. 11

Q68.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 11
B. 9
C. 10
D. 7

Q69.

What is logged by JavaScript?
console.log(1 + 7);

A. 9
B. 7
C. 5
D. 8

IET, C-DAC

Q70.

What is logged by JavaScript?
console.log(6 + 5);

A. 12
B. 10
C. 8
D. 11

Q71.

What is logged by JavaScript?
console.log(3 + 3);

A. 6
B. 3
C. 5
D. 7

Q72.

What is logged by JavaScript?
console.log(3 + 6);

A. 8
B. 10
C. 9
D. 6

Q73.

What value is logged?
console.log((7 + 3) * 3);

A. 31
B. 30
C. 27
D. 29

Q74.

Evaluate the expression.
console.log(1 * 4 + 3);

A. 4
B. 7
C. 8
D. 6

Q75.

What value is logged?
console.log((4 + 3) * 7);

A. 48
B. 50
C. 46
D. 49

Q76.

Evaluate the expression.
console.log(4 * 3 + 2);

A. 14
B. 15
C. 13
D. 11

IET, C-DAC

Q77.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 12
B. 14
C. 16
D. 15

Q78.

What is the purpose of npm package-lock.json?

A. Define browser routes
B. Record a reproducible dependency tree with resolved versions
C. Replace package.json scripts
D. Store environment passwords

Q79.

What is printed?
const x = [7, 8]; console.log(x.length);

A. 15
B. 1
C. undefined
D. 2

Q80.

What value is logged?
console.log((1 + 6) * 6);

A. 39
B. 42
C. 43
D. 41

Q81.

Evaluate the expression.
console.log(5 * 4 + 5);

A. 25
B. 22
C. 26
D. 24

Q82.

Evaluate the expression.
console.log(8 * 9 + 2);

A. 71
B. 75
C. 74
D. 73

Q83.

What is logged by JavaScript?
console.log(5 + 8);

A. 10
B. 12
C. 14
D. 13

IET, C-DAC

Q84.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 4
B. 0
C. 2
D. 3

Q85.

What is logged by JavaScript?
console.log(1 + 4);

A. 6
B. 5
C. 2
D. 4

Q86.

What value is logged?
console.log((1 + 7) * 4);

A. 32
B. 31
C. 29
D. 33

Q87.

What is logged by JavaScript?
console.log(1 + 2);

A. 0
B. 4
C. 3
D. 2

Q88.

What is middleware in Express commonly used for?

A. Run request/response processing logic in the middleware chain
B. Persist React state across devices
C. Define CSS variables
D. Compile JSX in the browser

Q89.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 14
B. 12
C. 16
D. 15

Q90.

What value is logged?
console.log((7 + 5) * 6);

A. 69
B. 73
C. 71
D. 72

IET, C-DAC

Q91.

What value is logged?
console.log((3 + 2) * 3);

A. 12
B. 16
C. 14
D. 15

Q92.

What value is logged?
console.log((8 + 7) * 3);

A. 42
B. 44
C. 46
D. 45

Q93.

What is printed?
const x = [9, 5]; console.log(x.length);

A. 2
B. undefined
C. 14
D. 1

Q94.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 6
B. 7
C. 3
D. 5

Q95.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 7
B. 10
C. 9
D. 11

Q96.

Determine the console output.
console.log("4" + 7);

A. 74
B. 11
C. NaN
D. 47

Q97.

Evaluate the expression.
console.log(5 * 8 + 6);

A. 47
B. 46
C. 43
D. 45

IET, C-DAC

Q98.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 11
B. 7
C. 9
D. 10

Q99.

Find the console output.
let s=0; for(let i=1;i<=7;i++) s+=i; console.log(s);

A. 28
B. 29
C. 27
D. 25

Q100.

What is the output?
console.log(Boolean(3));

A. false
B. true
C. 0
D. undefined

Q101.

What is logged by JavaScript?
console.log(4 + 2);

A. 7
B. 6
C. 3
D. 5

Q102.

Determine the console output.
console.log("3" + 7);

A. 73
B. NaN
C. 10
D. 37

Q103.

Determine the console output.
console.log("3" + 4);

A. 43
B. 7
C. NaN
D. 34

Q104.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 11
B. 7
C. 10
D. 9

IET, C-DAC

Q105.

What value is logged?
console.log((3 + 5) * 4);

A. 31
B. 32
C. 33
D. 29

Q106.

What is printed?
const x = [1, 2]; console.log(x.length);

A. 2
B. 1
C. 3
D. undefined

Q107.

Which JavaScript method creates a new array by transforming each element?

A. filter()
B. reduce()
C. some()
D. map()

Q108.

What is printed?
const x = [6, 9]; console.log(x.length);

A. 2
B. undefined
C. 15
D. 1

Q109.

What is the output?
console.log(Boolean(7));

A. false
B. true
C. undefined
D. 0

Q110.

What value is logged?
console.log((8 + 4) * 3);

A. 36
B. 35
C. 33
D. 37

Q111.

What is logged by JavaScript?
console.log(2 + 4);

A. 7
B. 5
C. 6
D. 3

IET, C-DAC

Q112.

What is the output?
console.log(Boolean(5));

A. 0
B. true
C. false
D. undefined

Q113.

Find the console output.
let s=0; for(let i=1;i<=7;i++) s+=i; console.log(s);

A. 27
B. 29
C. 25
D. 28

Q114.

What value is logged?
console.log((4 + 2) * 6);

A. 33
B. 36
C. 37
D. 35

Q115.

What is logged?
console.log(typeof (1 / 8));

A. object
B. number
C. string
D. undefined

Q116.

Determine the console output.
console.log("3" + 6);

A. 9
B. 36
C. NaN
D. 63

Q117.

Which React concept is used to pass data from a parent component to a child?

A. DOM attributes only
B. Props
C. Reducer dispatch only
D. State setter only

Q118.

What value is logged?
console.log((8 + 8) * 3);

A. 48
B. 49
C. 45
D. 47

IET, C-DAC

Q119.

What is logged?
console.log(typeof (4 / 5));

A. string
B. number
C. undefined
D. object

Q120.

What value is logged?
console.log((9 + 6) * 5);

A. 74
B. 72
C. 76
D. 75

Q121.

What is logged by JavaScript?
console.log(2 + 2);

A. 3
B. 1
C. 5
D. 4

Q122.

What is the output?
console.log(Boolean(1));

A. false
B. 0
C. undefined
D. true

Q123.

What is logged by JavaScript?
console.log(8 + 2);

A. 9
B. 7
C. 10
D. 11

Q124.

What is printed?
const x = [4, 3]; console.log(x.length);

A. 7
B. 2
C. 1
D. undefined

Q125.

What is logged?
console.log(typeof (9 / 7));

A. undefined
B. number
C. string
D. object

IET, C-DAC

Q126.

What is printed?
const x = [6, 5]; console.log(x.length);

A. undefined
B. 2
C. 11
D. 1

Q127.

What does event bubbling mean in the DOM?

A. An event is delayed until page unload
B. An event propagates from the target toward ancestor elements
C. An event is sent only to the window
D. An event is converted into a promise

Q128.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 14
B. 12
C. 16
D. 15

Q129.

What is printed?
const x = [1, 3]; console.log(x.length);

A. undefined
B. 1
C. 4
D. 2

Q130.

Which React hook is intended for synchronizing a component with an external system?

A. useMemo
B. useEffect
C. useId
D. useRef

Q131.

Determine the console output.
console.log("8" + 2);

A. NaN
B. 10
C. 82
D. 28

Q132.

What is the output?
console.log(Boolean(5));

A. false
B. undefined
C. true
D. 0

IET, C-DAC

Q133.

Find the console output.
let s=0; for(let i=1;i<=6;i++) s+=i; console.log(s);

A. 20
B. 21
C. 18
D. 22

Q134.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 6
B. 7
C. 5
D. 3

Q135.

What is logged by JavaScript?
console.log(5 + 3);

A. 5
B. 8
C. 7
D. 9

Q136.

What is the output?
console.log(Boolean(8));

A. undefined
B. true
C. false
D. 0

Q137.

Determine the console output.
console.log("7" + 9);

A. NaN
B. 79
C. 97
D. 16

Q138.

What value is logged?
console.log((2 + 4) * 5);

A. 31
B. 30
C. 29
D. 27

Q139.

Evaluate the expression.
console.log(4 * 4 + 2);

A. 18
B. 15
C. 19
D. 17

IET, C-DAC

Q140.

Determine the console output.
console.log("5" + 9);

A. 95
B. 59
C. 14
D. NaN

Q141.

What value is logged?
console.log((3 + 5) * 7);

A. 53
B. 56
C. 55
D. 57

Q142.

What is the output?
console.log(Boolean(5));

A. true
B. 0
C. false
D. undefined

Q143.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 0
B. 4
C. 3
D. 2

Q144.

What value is logged?
console.log((3 + 4) * 5);

A. 32
B. 34
C. 35
D. 36

Q145.

Evaluate the expression.
console.log(1 * 2 + 7);

A. 9
B. 10
C. 6
D. 8

Q146.

What is printed?
const x = [9, 6]; console.log(x.length);

A. 2
B. undefined
C. 1
D. 15

IET, C-DAC

Q147.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 12
B. 14
C. 15
D. 16

Q148.

Determine the console output.
console.log("9" + 9);

A. 99
B. 18
C. 99
D. NaN

Q149.

Determine the console output.
console.log("1" + 4);

A. 14
B. 5
C. 41
D. NaN

Q150.

What is the output?
console.log(Boolean(1));

A. undefined
B. false
C. 0
D. true

Q151.

What is printed?
const x = [7, 2]; console.log(x.length);

A. 2
B. 1
C. 9
D. undefined

Q152.

Determine the console output.
console.log("4" + 6);

A. 46
B. 10
C. 64
D. NaN

Q153.

Find the console output.
let s=0; for(let i=1;i<=7;i++) s+=i; console.log(s);

A. 27
B. 25
C. 29
D. 28

IET, C-DAC

Q154.

What is logged?
console.log(typeof (2 / 7));

A. undefined
B. number
C. string
D. object

Q155.

What is printed?
const x = [9, 7]; console.log(x.length);

A. 1
B. 16
C. 2
D. undefined

Q156.

Evaluate the expression.
console.log(5 * 9 + 4);

A. 50
B. 46
C. 48
D. 49

Q157.

Evaluate the expression.
console.log(6 * 7 + 7);

A. 50
B. 48
C. 46
D. 49

Q158.

What value is logged?
console.log((8 + 4) * 5);

A. 61
B. 57
C. 59
D. 60

Q159.

What is logged by JavaScript?
console.log(3 + 9);

A. 9
B. 12
C. 13
D. 11

Q160.

What is logged?
console.log(typeof (4 / 4));

A. object
B. number
C. string
D. undefined

IET, C-DAC

Q161.

Which Node.js API is commonly used for non-blocking file operations?

A. while(true)
B. fs.promises
C. console.table
D. process.exit

Q162.

What value is logged?
console.log((6 + 4) * 5);

A. 47
B. 50
C. 51
D. 49

Q163.

Evaluate the expression.
console.log(4 * 4 + 2);

A. 18
B. 15
C. 19
D. 17

Q164.

What is logged?
console.log(typeof (8 / 4));

A. string
B. object
C. number
D. undefined

Q165.

What value is logged?
console.log((1 + 2) * 6);

A. 18
B. 17
C. 19
D. 15

Q166.

What is logged?
console.log(typeof (3 / 3));

A. string
B. undefined
C. object
D. number

Q167.

What value is logged?
console.log((3 + 9) * 7);

A. 84
B. 81
C. 85
D. 83

IET, C-DAC

Q168.

What is logged?
console.log(typeof (1 / 3));

A. number
B. object
C. undefined
D. string

Q169.

Evaluate the expression.
console.log(6 * 7 + 3);

A. 44
B. 46
C. 42
D. 45

Q170.

Which status code indicates that a request succeeded and a resource was created?

A. 301
B. 201
C. 404
D. 204

Q171.

What is printed?
const x = [3, 2]; console.log(x.length);

A. 1
B. 5
C. 2
D. undefined

Q172.

What is the output?
console.log(Boolean(7));

A. true
B. undefined
C. 0
D. false

Q173.

Determine the console output.
console.log("4" + 7);

A. NaN
B. 47
C. 74
D. 11

Q174.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 2
B. 0
C. 3
D. 4

IET, C-DAC

Q175.

What is logged by JavaScript?
console.log(6 + 6);

A. 12
B. 11
C. 9
D. 13

Q176.

Determine the console output.
console.log("6" + 2);

A. 8
B. 26
C. NaN
D. 62

Q177.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 10
B. 7
C. 9
D. 11

Q178.

What is the output?
console.log(Boolean(5));

A. 0
B. false
C. true
D. undefined

Q179.

What is printed?
const x = [6, 7]; console.log(x.length);

A. 2
B. 1
C. undefined
D. 13

Q180.

What is logged by JavaScript?
console.log(5 + 4);

A. 9
B. 10
C. 8
D. 6

Q181.

Which Express response method sends a JSON response?

A. res.json()
B. req.json()
C. res.next()
D. app.parse()

IET, C-DAC

Q182.

Determine the console output.
console.log("5" + 2);

A. 52
B. NaN
C. 25
D. 7

Q183.

What is printed?
const x = [3, 5]; console.log(x.length);

A. 2
B. 1
C. 8
D. undefined

Q184.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 15
B. 12
C. 14
D. 16

Q185.

What is printed?
const x = [4, 2]; console.log(x.length);

A. 2
B. undefined
C. 6
D. 1

Q186.

What is the output?
console.log(Boolean(8));

A. false
B. true
C. undefined
D. 0

Q187.

What is logged by JavaScript?
console.log(5 + 4);

A. 10
B. 6
C. 9
D. 8

Q188.

What is the purpose of HTTP PATCH?

A. Create a tunnel
B. Delete a cookie
C. Retrieve a representation only
D. Apply a partial modification to a resource

IET, C-DAC

Q189.

What is logged?
console.log(typeof (6 / 9));

A. string
B. object
C. number
D. undefined

Q190.

Determine the console output.
console.log("6" + 6);

A. NaN
B. 66
C. 66
D. 12

Q191.

What is printed?
const x = [1, 3]; console.log(x.length);

A. 4
B. 2
C. 1
D. undefined

Q192.

What is logged?
console.log(typeof (1 / 9));

A. string
B. object
C. number
D. undefined

Q193.

Evaluate the expression.
console.log(4 * 8 + 6);

A. 35
B. 39
C. 38
D. 37

Q194.

What is printed?
const x = [5, 8]; console.log(x.length);

A. 13
B. 1
C. undefined
D. 2

Q195.

What is logged by JavaScript?
console.log(1 + 6);

A. 7
B. 6
C. 4
D. 8

IET, C-DAC

Q196.

Evaluate the expression.
console.log(1 * 6 + 3);

A. 9
B. 10
C. 8
D. 6

Q197.

Determine the console output.
console.log("9" + 3);

A. 93
B. 12
C. 39
D. NaN

Q198.

What is printed?
const x = [2, 5]; console.log(x.length);

A. 7
B. undefined
C. 2
D. 1

Q199.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 9
B. 7
C. 10
D. 11

Q200.

Which HTTP status code indicates that the server understood the request but refuses to authorize it?

A. 403
B. 500
C. 302
D. 401

Q201.

Find the console output.
let s=0; for(let i=1;i<=7;i++) s+=i; console.log(s);

A. 27
B. 28
C. 25
D. 29

Q202.

Evaluate the expression.
console.log(4 * 3 + 5);

A. 18
B. 17
C. 14
D. 16

IET, C-DAC

Q203.

What is logged by JavaScript?
console.log(8 + 6);

A. 11
B. 13
C. 15
D. 14

Q204.

Determine the console output.
console.log("1" + 4);

A. 41
B. 14
C. NaN
D. 5

Q205.

What is logged?
console.log(typeof (7 / 9));

A. object
B. undefined
C. number
D. string

Q206.

What is the output?
console.log(Boolean(4));

A. 0
B. false
C. undefined
D. true

Q207.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 5
B. 3
C. 6
D. 7

Q208.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 2
B. 0
C. 3
D. 4

Q209.

Which statement about TypeScript interfaces is correct?

A. They describe structural types and are generally erased at runtime
B. They create runtime objects automatically
C. They replace JavaScript execution
D. They can only describe primitive values

IET, C-DAC

Q210.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 14
B. 12
C. 15
D. 16

Q211.

What is logged?
console.log(typeof (9 / 2));

A. string
B. object
C. number
D. undefined

Q212.

What is logged?
console.log(typeof (9 / 4));

A. object
B. undefined
C. number
D. string

Q213.

What is printed?
const x = [9, 4]; console.log(x.length);

A. 1
B. undefined
C. 13
D. 2

Q214.

What is the output?
console.log(Boolean(6));

A. undefined
B. true
C. 0
D. false

Q215.

Determine the console output.
console.log("4" + 8);

A. NaN
B. 48
C. 12
D. 84

Q216.

What is the output?
console.log(Boolean(5));

A. 0
B. true
C. undefined
D. false

IET, C-DAC

Q217.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 16
B. 15
C. 12
D. 14

Q218.

What is the output?
console.log(Boolean(7));

A. undefined
B. false
C. 0
D. true

Q219.

What value is logged?
console.log((1 + 3) * 3);

A. 13
B. 12
C. 11
D. 9

Q220.

Determine the console output.
console.log("5" + 8);

A. 58
B. 13
C. 85
D. NaN

Q221.

What is logged by JavaScript?
console.log(7 + 4);

A. 8
B. 11
C. 10
D. 12

Q222.

What is printed?
const x = [8, 6]; console.log(x.length);

A. 1
B. 2
C. 14
D. undefined

Q223.

What is logged?
console.log(typeof (3 / 4));

A. object
B. number
C. undefined
D. string

IET, C-DAC

Q224.

Determine the console output.
console.log("9" + 7);

A. 79
B. NaN
C. 16
D. 97

Q225.

Determine the console output.
console.log("8" + 6);

A. 14
B. 86
C. NaN
D. 68

Q226.

What is the output?
console.log(Boolean(6));

A. false
B. true
C. undefined
D. 0

Q227.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 5
B. 3
C. 7
D. 6

Q228.

Evaluate the expression.
console.log(4 * 6 + 5);

A. 26
B. 29
C. 28
D. 30

Q229.

What is the output?
console.log(Boolean(9));

A. true
B. undefined
C. 0
D. false

Q230.

What is a controlled React input?

A. An input rendered only on the server
B. An input whose displayed value is driven by React state/props
C. An input that cannot be edited
D. An input with no event handler

IET, C-DAC

Q231.

What is the output?
console.log(Boolean(5));

A. 0
B. false
C. undefined
D. true

Q232.

What is printed?
const x = [4, 7]; console.log(x.length);

A. undefined
B. 11
C. 1
D. 2

Q233.

What does JSON.stringify() do?

A. Sends an HTTP request
B. Parses JSON text into an object
C. Validates an HTML document
D. Converts a JavaScript value into a JSON string

Q234.

Determine the console output.
console.log("9" + 2);

A. 29
B. NaN
C. 11
D. 92

Q235.

What is logged by JavaScript?
console.log(4 + 3);

A. 8
B. 6
C. 4
D. 7

Q236.

What is logged by JavaScript?
console.log(4 + 8);

A. 12
B. 13
C. 11
D. 9

Q237.

What is the output?
console.log(Boolean(9));

A. false
B. undefined
C. true
D. 0

IET, C-DAC

Q238.

What is the output?
console.log(Boolean(8));

A. 0
B. undefined
C. false
D. true

Q239.

Evaluate the expression.
console.log(8 * 6 + 5);

A. 52
B. 50
C. 54
D. 53

Q240.

Evaluate the expression.
console.log(3 * 5 + 5);

A. 19
B. 17
C. 21
D. 20

Q241.

Evaluate the expression.
console.log(8 * 9 + 7);

A. 76
B. 80
C. 78
D. 79

Q242.

Which attribute associates a label with a form control?

A. for (matching the control id)
B. async
C. target
D. rel

Q243.

What is logged?
console.log(typeof (8 / 4));

A. string
B. object
C. undefined
D. number

Q244.

Evaluate the expression.
console.log(9 * 7 + 4);

A. 66
B. 64
C. 68
D. 67

IET, C-DAC

Q245.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 2
B. 4
C. 3
D. 0

Q246.

Determine the console output.
console.log("6" + 6);

A. NaN
B. 66
C. 66
D. 12

Q247.

What is printed?
const x = [6, 6]; console.log(x.length);

A. 1
B. undefined
C. 12
D. 2

Q248.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 12
B. 16
C. 15
D. 14

Q249.

What is printed?
const x = [9, 9]; console.log(x.length);

A. undefined
B. 18
C. 2
D. 1

Q250.

What is the output?
console.log(Boolean(5));

A. true
B. 0
C. false
D. undefined

Q251.

What value is logged?
console.log((1 + 7) * 2);

A. 16
B. 17
C. 15
D. 13

IET, C-DAC

Q252.

What value is logged?
console.log((7 + 5) * 5);

A. 61
B. 59
C. 57
D. 60

Q253.

What does fetch() return?

A. A synchronous Response object
B. A Promise that resolves to a Response
C. An XMLHttpRequest instance
D. A WebSocket

Q254.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 15
B. 12
C. 14
D. 16

Q255.

What is printed?
const x = [8, 7]; console.log(x.length);

A. undefined
B. 2
C. 1
D. 15

Q256.

What is logged by JavaScript?
console.log(8 + 4);

A. 13
B. 11
C. 9
D. 12

Q257.

What is logged by JavaScript?
console.log(4 + 4);

A. 9
B. 5
C. 7
D. 8

Q258.

Find the console output.
let s=0; for(let i=1;i<=6;i++) s+=i; console.log(s);

A. 18
B. 20
C. 21
D. 22

IET, C-DAC

Q259.

Evaluate the expression.
console.log(4 * 5 + 3);

A. 24
B. 22
C. 20
D. 23

Q260.

What is the output?
console.log(Boolean(3));

A. true
B. 0
C. undefined
D. false

Q261.

What value is logged?
console.log((8 + 2) * 3);

A. 29
B. 27
C. 31
D. 30

Q262.

What is the key property of a REST resource identifier?

A. It is always a session cookie
B. It identifies a resource independently of a particular representation
C. It must be a database row number
D. It must be a JavaScript variable name

Q263.

What is printed?
const x = [8, 9]; console.log(x.length);

A. 17
B. undefined
C. 1
D. 2

Q264.

Determine the console output.
console.log("1" + 2);

A. 21
B. 12
C. 3
D. NaN

Q265.

What is the output?
console.log(Boolean(9));

A. 0
B. false
C. undefined
D. true

IET, C-DAC

Q266.

What is printed?
const x = [1, 8]; console.log(x.length);

A. 1
B. 2
C. undefined
D. 9

Q267.

Evaluate the expression.
console.log(5 * 9 + 5);

A. 50
B. 47
C. 51
D. 49

Q268.

Evaluate the expression.
console.log(2 * 4 + 5);

A. 10
B. 13
C. 12
D. 14

Q269.

What is logged?
console.log(typeof (8 / 4));

A. string
B. number
C. object
D. undefined

Q270.

What is logged?
console.log(typeof (8 / 8));

A. object
B. undefined
C. number
D. string

Q271.

What is logged by JavaScript?
console.log(4 + 2);

A. 5
B. 7
C. 6
D. 3

Q272.

Evaluate the expression.
console.log(7 * 2 + 7);

A. 20
B. 22
C. 21
D. 18

IET, C-DAC

Q273.

What is logged by JavaScript?
console.log(8 + 2);

A. 10
B. 7
C. 9
D. 11

Q274.

What is printed?
const x = [9, 8]; console.log(x.length);

A. 1
B. undefined
C. 17
D. 2

Q275.

What value is logged?
console.log((3 + 7) * 2);

A. 19
B. 20
C. 21
D. 17

Q276.

What is printed?
const x = [8, 2]; console.log(x.length);

A. 2
B. undefined
C. 1
D. 10

Q277.

What is logged by JavaScript?
console.log(9 + 8);

A. 16
B. 17
C. 18
D. 14

Q278.

What value is logged?
console.log((6 + 6) * 2);

A. 25
B. 23
C. 21
D. 24

Q279.

What is the output?
console.log(Boolean(9));

A. true
B. undefined
C. 0
D. false

IET, C-DAC

Q280.

Determine the console output.
console.log("1" + 9);

A. 91
B. 19
C. 10
D. NaN

Q281.

Determine the console output.
console.log("6" + 6);

A. NaN
B. 66
C. 12
D. 66

Q282.

Which HTTP method is defined as safe and idempotent for retrieving a representation?

A. GET
B. POST
C. CONNECT
D. PATCH

Q283.

Find the console output.
let s=0; for(let i=1;i<=7;i++) s+=i; console.log(s);

A. 25
B. 28
C. 29
D. 27

Q284.

What is the output?
console.log(Boolean(7));

A. false
B. undefined
C. 0
D. true

Q285.

What is printed?
const x = [3, 5]; console.log(x.length);

A. 1
B. undefined
C. 8
D. 2

Q286.

Evaluate the expression.
console.log(4 * 4 + 7);

A. 24
B. 20
C. 23
D. 22

IET, C-DAC

Q287.

Determine the console output.
console.log("9" + 3);

A. 39
B. 93
C. 12
D. NaN

Q288.

Evaluate the expression.
console.log(9 * 2 + 3);

A. 20
B. 22
C. 21
D. 18

Q289.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 7
B. 9
C. 10
D. 11

Q290.

What value is logged?
console.log((1 + 6) * 5);

A. 35
B. 36
C. 34
D. 32

Q291.

Evaluate the expression.
console.log(9 * 7 + 2);

A. 64
B. 62
C. 65
D. 66

Q292.

What is printed?
const x = [8, 6]; console.log(x.length);

A. 1
B. undefined
C. 14
D. 2

Q293.

What is printed?
const x = [7, 4]; console.log(x.length);

A. 1
B. 11
C. 2
D. undefined

IET, C-DAC

Q294.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 7
B. 6
C. 5
D. 3

Q295.

What is printed?
const x = [1, 5]; console.log(x.length);

A. 6
B. 1
C. undefined
D. 2

Q296.

What is the output?
console.log(Boolean(4));

A. 0
B. false
C. true
D. undefined

Q297.

Determine the console output.
console.log("9" + 2);

A. 92
B. 29
C. NaN
D. 11

Q298.

What value is logged?
console.log((7 + 6) * 7);

A. 88
B. 91
C. 92
D. 90

Q299.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 0
B. 4
C. 3
D. 2

Q300.

What value is logged?
console.log((9 + 5) * 5);

A. 70
B. 67
C. 69
D. 71

IET, C-DAC

Q301.

What is logged?
console.log(typeof (9 / 4));

A. number
B. undefined
C. string
D. object

Q302.

What is logged by JavaScript?
console.log(9 + 8);

A. 16
B. 14
C. 17
D. 18

Q303.

What is the output?
console.log(Boolean(3));

A. 0
B. false
C. true
D. undefined

Q304.

What value is logged?
console.log((5 + 8) * 2);

A. 25
B. 23
C. 27
D. 26

Q305.

What is the output?
console.log(Boolean(8));

A. true
B. undefined
C. 0
D. false

Q306.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 6
B. 3
C. 5
D. 7

Q307.

What is the output?
console.log(Boolean(3));

A. true
B. 0
C. undefined
D. false

IET, C-DAC

Q308.

What does the CSS box-sizing: border-box rule change?

A. Borders become invisible
B. Margins become part of content width
C. Elements become flex containers
D. Width and height include padding and border

Q309.

What is the output?
console.log(Boolean(2));

A. false
B. undefined
C. true
D. 0

Q310.

What is logged by JavaScript?
console.log(9 + 9);

A. 17
B. 18
C. 19
D. 15

Q311.

Determine the console output.
console.log("2" + 6);

A. 62
B. 26
C. 8
D. NaN

Q312.

What is the output?
console.log(Boolean(5));

A. 0
B. true
C. false
D. undefined

Q313.

Evaluate the expression.
console.log(7 * 3 + 2);

A. 24
B. 22
C. 20
D. 23

Q314.

Evaluate the expression.
console.log(9 * 3 + 5);

A. 33
B. 32
C. 29
D. 31

IET, C-DAC

Q315.

What is logged by JavaScript?
console.log(5 + 3);

A. 9
B. 5
C. 7
D. 8

Q316.

Determine the console output.
console.log("1" + 3);

A. 13
B. 31
C. NaN
D. 4

Q317.

What is printed?
const x = [6, 6]; console.log(x.length);

A. 1
B. 12
C. undefined
D. 2

Q318.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 14
B. 15
C. 16
D. 12

Q319.

What value is logged?
console.log((1 + 5) * 5);

A. 31
B. 30
C. 29
D. 27

Q320.

What is the output?
console.log(Boolean(4));

A. true
B. undefined
C. false
D. 0

Q321.

What value is logged?
console.log((5 + 4) * 5);

A. 46
B. 42
C. 44
D. 45

IET, C-DAC

Q322.

What is logged?
console.log(typeof (3 / 5));

A. number
B. string
C. object
D. undefined

Q323.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 7
B. 10
C. 11
D. 9

Q324.

What is printed?
const x = [3, 6]; console.log(x.length);

A. 9
B. 1
C. undefined
D. 2

Q325.

Which HTML element is semantically intended for the main navigation links?

A. <aside>
B. <mark>
C. <nav>
D. <figure>

Q326.

What is logged?
console.log(typeof (9 / 3));

A. number
B. string
C. undefined
D. object

Q327.

Determine the console output.
console.log("6" + 9);

A. 15
B. 96
C. NaN
D. 69

Q328.

What is printed?
const x = [8, 3]; console.log(x.length);

A. undefined
B. 2
C. 11
D. 1

IET, C-DAC

Q329.

Determine the console output.
console.log("7" + 2);

A. 9
B. 27
C. 72
D. NaN

Q330.

What value is logged?
console.log((6 + 7) * 3);

A. 40
B. 38
C. 36
D. 39

Q331.

What is printed?
const x = [5, 3]; console.log(x.length);

A. 8
B. 2
C. undefined
D. 1

Q332.

What is logged?
console.log(typeof (6 / 4));

A. string
B. undefined
C. object
D. number

Q333.

What is the output?
console.log(Boolean(9));

A. undefined
B. true
C. 0
D. false

Q334.

What is logged by JavaScript?
console.log(1 + 5);

A. 5
B. 3
C. 7
D. 6

Q335.

What is logged?
console.log(typeof (1 / 3));

A. undefined
B. number
C. object
D. string

IET, C-DAC

Q336.

What value is logged?
console.log((3 + 2) * 2);

A. 11
B. 10
C. 7
D. 9

Q337.

What is logged?
console.log(typeof (3 / 3));

A. number
B. string
C. undefined
D. object

Q338.

Evaluate the expression.
console.log(3 * 7 + 2);

A. 23
B. 20
C. 22
D. 24

Q339.

What is printed?
const x = [8, 3]; console.log(x.length);

A. 2
B. undefined
C. 1
D. 11

Q340.

What is logged by JavaScript?
console.log(1 + 9);

A. 7
B. 10
C. 9
D. 11

Q341.

What value is logged?
console.log((6 + 8) * 5);

A. 70
B. 69
C. 71
D. 67

Q342.

What value is logged?
console.log((2 + 3) * 5);

A. 25
B. 22
C. 24
D. 26

IET, C-DAC

Q343.

What is printed?
const x = [1, 5]; console.log(x.length);

A. 2
B. 6
C. undefined
D. 1

Q344.

What does HTTP 304 indicate?

A. Not Modified; a cached representation may be reused
B. Unsupported media type
C. Permanent redirect
D. Payload too large

Q345.

What is printed?
const x = [4, 4]; console.log(x.length);

A. 8
B. 1
C. undefined
D. 2

Q346.

What is logged by JavaScript?
console.log(3 + 3);

A. 3
B. 6
C. 5
D. 7

Q347.

What is the purpose of Promise.all()?

A. Run promises on separate CPU cores
B. Fulfil when all input promises fulfil, or reject when one rejects
C. Resolve only the first promise
D. Convert callbacks to generators

Q348.

Determine the console output.
console.log("2" + 7);

A. NaN
B. 72
C. 27
D. 9

Q349.

What is the output?
console.log(Boolean(4));

A. 0
B. true
C. undefined
D. false

IET, C-DAC

Q350.

What value is logged?
console.log((3 + 3) * 6);

A. 33
B. 37
C. 36
D. 35

Q351.

Evaluate the expression.
console.log(3 * 3 + 3);

A. 9
B. 13
C. 12
D. 11

Q352.

Determine the console output.
console.log("6" + 8);

A. 86
B. 14
C. NaN
D. 68

Q353.

Determine the console output.
console.log("5" + 8);

A. 58
B. 85
C. 13
D. NaN

Q354.

Which JavaScript construct schedules a callback after the current call stack and microtasks are processed?

A. setTimeout callback task
B. Variable declaration
C. JSON.parse
D. Synchronous function call

Q355.

Which declaration is block-scoped?

A. let
B. globalThis property
C. var
D. function-scoped var

Q356.

What is logged?
console.log(typeof (1 / 4));

A. object
B. number
C. undefined
D. string

IET, C-DAC

Q357.

What value is logged?
console.log((8 + 3) * 5);

A. 55
B. 56
C. 52
D. 54

Q358.

What does the await keyword do inside an async function?

A. Creates a new operating-system thread
B. Blocks the entire JavaScript engine
C. Converts a promise into a callback
D. Suspends that function until the awaited promise settles

Q359.

What is logged?
console.log(typeof (9 / 9));

A. string
B. object
C. number
D. undefined

Q360.

What is logged?
console.log(typeof (9 / 3));

A. string
B. undefined
C. number
D. object

IET, C-DAC

Q361.

What value is logged?
console.log((8 + 8) * 7);

A. 113
B. 112
C. 111
D. 109

Q362.

Evaluate the expression.
console.log(1 * 4 + 6);

A. 9
B. 10
C. 11
D. 7

Q363.

What value is logged?
console.log((9 + 9) * 5);

A. 89
B. 91
C. 87
D. 90

Q364.

What is printed?
const x = [9, 9]; console.log(x.length);

A. 1
B. 18
C. undefined
D. 2

Q365.

What is the primary role of the DOM?

A. Encrypt HTTP requests
B. Represent a document as a programmable object tree
C. Store server-side sessions
D. Compile CSS into machine code

Q366.

What is logged?
console.log(typeof (2 / 4));

A. number
B. object
C. undefined
D. string

Q367.

Determine the console output.
console.log("5" + 8);

A. 13
B. 58
C. NaN
D. 85

Q368.

What is logged by JavaScript?
console.log(2 + 7);

A. 10
B. 6
C. 9
D. 8

Q369.

What is logged?
console.log(typeof (7 / 9));

A. number
B. undefined
C. object
D. string

Q370.

Determine the console output.
console.log("4" + 6);

A. NaN
B. 10
C. 46
D. 64

IET, C-DAC

Q371.

What is printed?
const x = [4, 6]; console.log(x.length);

A. undefined
B. 10
C. 2
D. 1

Q372.

What is printed?
const x = [7, 4]; console.log(x.length);

A. 1
B. undefined
C. 11
D. 2

Q373.

What is CORS primarily concerned with?

A. CSS inheritance
B. Database normalization
C. JavaScript garbage collection
D. Browser-enforced cross-origin access rules

Q374.

Evaluate the expression.
console.log(2 * 5 + 2);

A. 13
B. 12
C. 11
D. 9

Q375.

What is logged by JavaScript?
console.log(6 + 3);

A. 9
B. 6
C. 10
D. 8

Q376.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 3
B. 5
C. 6
D. 7

Q377.

What is the output?
console.log(Boolean(8));

A. false
B. 0
C. true
D. undefined

IET, C-DAC

Q378.

What is logged?
console.log(typeof (5 / 2));

A. undefined
B. object
C. number
D. string

Q379.

What is the output?
console.log(Boolean(8));

A. 0
B. undefined
C. true
D. false

Q380.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 3
B. 0
C. 2
D. 4

Q381.

Find the console output.
let s=0; for(let i=1;i<=7;i++) s+=i; console.log(s);

A. 27
B. 29
C. 28
D. 25

Q382.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 16
B. 12
C. 15
D. 14

Q383.

What is printed?
const x = [2, 5]; console.log(x.length);

A. 7
B. 2
C. undefined
D. 1

Q384.

What is the output?
console.log(Boolean(3));

A. false
B. 0
C. true
D. undefined

IET, C-DAC

Q385.

What is logged?
console.log(typeof (2 / 6));

A. string
B. undefined
C. object
D. number

Q386.

Evaluate the expression.
console.log(5 * 2 + 4);

A. 15
B. 13
C. 14
D. 11

Q387.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 12
B. 14
C. 16
D. 15

Q388.

What is logged?
console.log(typeof (2 / 9));

A. undefined
B. number
C. object
D. string

Q389.

What is logged by JavaScript?
console.log(6 + 9);

A. 14
B. 12
C. 15
D. 16

Q390.

What is logged by JavaScript?
console.log(4 + 2);

A. 7
B. 3
C. 6
D. 5

Q391.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 12
B. 14
C. 15
D. 16

IET, C-DAC

Q392.

What is logged by JavaScript?
console.log(5 + 3);

A. 8
B. 9
C. 5
D. 7

Q393.

What is logged by JavaScript?
console.log(6 + 9);

A. 12
B. 14
C. 15
D. 16

Q394.

Evaluate the expression.
console.log(5 * 5 + 5);

A. 30
B. 29
C. 31
D. 27

Q395.

What is printed?
const x = [5, 9]; console.log(x.length);

A. 1
B. 2
C. 14
D. undefined

Q396.

What is logged by JavaScript?
console.log(2 + 9);

A. 10
B. 12
C. 11
D. 8

Q397.

What is logged by JavaScript?
console.log(4 + 3);

A. 8
B. 6
C. 4
D. 7

Q398.

Determine the console output.
console.log("7" + 2);

A. NaN
B. 9
C. 27
D. 72

IET, C-DAC

Q399.

What is logged?
console.log(typeof (1 / 6));

A. undefined
B. object
C. number
D. string

Q400.

Find the console output.
let s=0; for(let i=1;i<=3;i++) s+=i; console.log(s);

A. 7
B. 3
C. 6
D. 5

Q401.

What is logged?
console.log(typeof (3 / 6));

A. string
B. number
C. object
D. undefined

Q402.

What is logged?
console.log(typeof (7 / 2));

A. string
B. object
C. number
D. undefined

Q403.

Determine the console output.
console.log("4" + 3);

A. 34
B. 43
C. NaN
D. 7

Q404.

What is logged?
console.log(typeof (8 / 7));

A. number
B. undefined
C. string
D. object

Q405.

Evaluate the expression.
console.log(7 * 9 + 6);

A. 68
B. 66
C. 69
D. 70

IET, C-DAC

Q406.

What is logged?
console.log(typeof (3 / 6));

A. object
B. undefined
C. string
D. number

Q407.

What is the output?
console.log(Boolean(2));

A. true
B. false
C. undefined
D. 0

Q408.

Evaluate the expression.
console.log(2 * 2 + 4);

A. 7
B. 8
C. 9
D. 5

Q409.

Determine the console output.
console.log("6" + 5);

A. 11
B. 56
C. 65
D. NaN

Q410.

What is the output?
console.log(Boolean(2));

A. false
B. true
C. 0
D. undefined

Q411.

What is logged?
console.log(typeof (1 / 8));

A. object
B. number
C. string
D. undefined

Q412.

What does CSS position: sticky depend on?

A. The DOMContentLoaded event
B. Only the z-index
C. The HTML lang attribute
D. The relevant scrolling container and threshold offsets

IET, C-DAC

Q413.

What is printed?
const x = [5, 7]; console.log(x.length);

A. undefined
B. 12
C. 1
D. 2

Q414.

Evaluate the expression.
console.log(6 * 3 + 7);

A. 24
B. 22
C. 25
D. 26

Q415.

What is logged by JavaScript?
console.log(4 + 7);

A. 11
B. 8
C. 10
D. 12

Q416.

What is printed?
const x = [6, 6]; console.log(x.length);

A. 2
B. 1
C. undefined
D. 12

Q417.

Evaluate the expression.
console.log(6 * 2 + 7);

A. 19
B. 20
C. 16
D. 18

Q418.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 14
B. 15
C. 16
D. 12

Q419.

What is logged by JavaScript?
console.log(4 + 3);

A. 7
B. 6
C. 8
D. 4

IET, C-DAC

Q420.

What is printed?
const x = [7, 4]; console.log(x.length);

A. 2
B. undefined
C. 11
D. 1

Q421.

Determine the console output.
console.log("9" + 5);

A. 95
B. 59
C. NaN
D. 14

Q422.

Which JavaScript method returns a new array containing elements that pass a predicate?

A. map()
B. findIndex()
C. push()
D. filter()

Q423.

What is logged by JavaScript?
console.log(5 + 6);

A. 8
B. 10
C. 11
D. 12

Q424.

What value is logged?
console.log((7 + 9) * 5);

A. 79
B. 80
C. 77
D. 81

Q425.

Evaluate the expression.
console.log(9 * 4 + 6);

A. 39
B. 42
C. 41
D. 43

Q426.

What value is logged?
console.log((7 + 4) * 2);

A. 23
B. 19
C. 21
D. 22

IET, C-DAC

Q427.

What is logged by JavaScript?
console.log(8 + 9);

A. 18
B. 14
C. 17
D. 16

Q428.

Determine the console output.
console.log("8" + 3);

A. 83
B. NaN
C. 11
D. 38

Q429.

What is printed?
const x = [7, 8]; console.log(x.length);

A. undefined
B. 2
C. 1
D. 15

Q430.

What is logged?
console.log(typeof (7 / 9));

A. string
B. number
C. undefined
D. object

Q431.

Which header commonly tells a server the media type of the request body?

A. Content-Type
B. Accept-Language
C. Referer
D. Cache-Control

Q432.

What is logged by JavaScript?
console.log(8 + 8);

A. 15
B. 16
C. 13
D. 17

Q433.

What is logged?
console.log(typeof (8 / 8));

A. number
B. string
C. object
D. undefined

IET, C-DAC

Q434.

What is logged by JavaScript?
console.log(2 + 7);

A. 10
B. 9
C. 6
D. 8

Q435.

Determine the console output.
console.log("5" + 4);

A. 9
B. 45
C. NaN
D. 54

Q436.

Determine the console output.
console.log("1" + 7);

A. NaN
B. 17
C. 71
D. 8

Q437.

What is the output?
console.log(Boolean(9));

A. true
B. false
C. 0
D. undefined

Q438.

What is the output?
console.log(Boolean(4));

A. false
B. true
C. 0
D. undefined

Q439.

What is the output?
console.log(Boolean(4));

A. undefined
B. false
C. 0
D. true

Q440.

What value is logged?
console.log((3 + 9) * 5);

A. 59
B. 61
C. 57
D. 60

IET, C-DAC

Q441.

What is the output?
console.log(Boolean(9));

A. true
B. false
C. undefined
D. 0

Q442.

What is printed?
const x = [3, 6]; console.log(x.length);

A. 1
B. undefined
C. 9
D. 2

Q443.

What is printed?
const x = [4, 8]; console.log(x.length);

A. 1
B. 2
C. 12
D. undefined

Q444.

What value is logged?
console.log((3 + 7) * 3);

A. 31
B. 27
C. 29
D. 30

Q445.

What is the output?
console.log(Boolean(9));

A. 0
B. false
C. true
D. undefined

Q446.

What is the output?
console.log(Boolean(4));

A. true
B. 0
C. undefined
D. false

Q447.

Determine the console output.
console.log("4" + 7);

A. NaN
B. 74
C. 11
D. 47

IET, C-DAC

Q448.

What is logged by JavaScript?
console.log(6 + 7);

A. 14
B. 10
C. 13
D. 12

Q449.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 2
B. 4
C. 0
D. 3

Q450.

What is printed?
const x = [1, 7]; console.log(x.length);

A. 8
B. 2
C. undefined
D. 1

Q451.

Find the console output.
let s=0; for(let i=1;i<=4;i++) s+=i; console.log(s);

A. 7
B. 11
C. 9
D. 10

Q452.

What is logged by JavaScript?
console.log(8 + 8);

A. 16
B. 13
C. 17
D. 15

Q453.

What is printed?
const x = [8, 3]; console.log(x.length);

A. 2
B. undefined
C. 1
D. 11

Q454.

Determine the console output.
console.log("6" + 4);

A. 64
B. 46
C. NaN
D. 10

IET, C-DAC

Q455.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 14
B. 15
C. 12
D. 16

Q456.

What is logged?
console.log(typeof (8 / 3));

A. object
B. number
C. undefined
D. string

Q457.

Determine the console output.
console.log("7" + 8);

A. 15
B. NaN
C. 87
D. 78

Q458.

Evaluate the expression.
console.log(7 * 4 + 2);

A. 30
B. 29
C. 27
D. 31

Q459.

Determine the console output.
console.log("8" + 4);

A. 48
B. 12
C. 84
D. NaN

Q460.

What is the output?
console.log(Boolean(5));

A. 0
B. undefined
C. false
D. true

Q461.

Find the console output.
let s=0; for(let i=1;i<=6;i++) s+=i; console.log(s);

A. 20
B. 21
C. 22
D. 18

IET, C-DAC

Q462.

What is logged by JavaScript?
console.log(7 + 8);

A. 16
B. 14
C. 15
D. 12

Q463.

What is logged by JavaScript?
console.log(1 + 4);

A. 5
B. 2
C. 4
D. 6

Q464.

What value is logged?
console.log((5 + 8) * 6);

A. 79
B. 78
C. 77
D. 75

Q465.

What is printed?
const x = [6, 2]; console.log(x.length);

A. 8
B. 1
C. 2
D. undefined

Q466.

Determine the console output.
console.log("2" + 2);

A. 22
B. 22
C. NaN
D. 4

Q467.

What value is logged?
console.log((2 + 3) * 5);

A. 25
B. 22
C. 26
D. 24

Q468.

What is logged?
console.log(typeof (2 / 2));

A. number
B. undefined
C. string
D. object

IET, C-DAC

Q469.

What is logged?
console.log(typeof (7 / 2));

A. string
B. object
C. number
D. undefined

Q470.

What is printed?
const x = [7, 9]; console.log(x.length);

A. 16
B. 1
C. undefined
D. 2

Q471.

Evaluate the expression.
console.log(1 * 9 + 5);

A. 11
B. 15
C. 13
D. 14

Q472.

What is the output?
console.log(Boolean(4));

A. undefined
B. true
C. 0
D. false

Q473.

Determine the console output.
console.log("5" + 8);

A. 13
B. 85
C. 58
D. NaN

Q474.

Which CSS selector has the highest specificity among these?

A. section
B. #panel
C. .panel
D. *

Q475.

Determine the console output.
console.log("4" + 2);

A. 6
B. 24
C. 42
D. NaN

IET, C-DAC

Q476.

What is logged?
console.log(typeof (7 / 7));

A. string
B. number
C. undefined
D. object

Q477.

What is logged?
console.log(typeof (4 / 8));

A. number
B. string
C. undefined
D. object

Q478.

Evaluate the expression.
console.log(4 * 6 + 5);

A. 30
B. 29
C. 28
D. 26

Q479.

What value is logged?
console.log((9 + 7) * 5);

A. 80
B. 77
C. 79
D. 81

Q480.

What is logged?
console.log(typeof (4 / 4));

A. string
B. number
C. undefined
D. object

Q481.

Find the console output.
let s=0; for(let i=1;i<=5;i++) s+=i; console.log(s);

A. 14
B. 15
C. 12
D. 16

Q482.

What is logged?
console.log(typeof (4 / 5));

A. number
B. string
C. undefined
D. object

IET, C-DAC

Q483.

What is the output?
console.log(Boolean(3));

A. true
B. 0
C. false
D. undefined

Q484.

What is a closure?

A. A function together with access to its lexical environment
B. A class with private constructor only
C. A promise that has settled
D. A function with no parameters

Q485.

Find the console output.
let s=0; for(let i=1;i<=2;i++) s+=i; console.log(s);

A. 3
B. 2
C. 0
D. 4

Q486.

Evaluate the expression.
console.log(4 * 5 + 6);

A. 27
B. 23
C. 25
D. 26

Q487.

What value is logged?
console.log((6 + 2) * 6);

A. 48
B. 47
C. 45
D. 49

Q488.

What is printed?
const x = [8, 8]; console.log(x.length);

A. 1
B. 16
C. undefined
D. 2

Q489.

What is logged by JavaScript?
console.log(5 + 9);

A. 14
B. 11
C. 13
D. 15

IET, C-DAC

Q490.

What value is logged?
console.log((6 + 2) * 5);

A. 41
B. 37
C. 40
D. 39

Q491.

What is logged?
console.log(typeof (9 / 5));

A. string
B. number
C. object
D. undefined

Q492.

Determine the console output.
console.log("4" + 5);

A. NaN
B. 45
C. 54
D. 9

Q493.

What value is logged?
console.log((2 + 4) * 6);

A. 37
B. 33
C. 36
D. 35

Q494.

What is hydration in server-rendered React applications?

A. Compressing JSON responses
B. Creating database migrations
C. Attaching client-side React behavior to server-rendered HTML
D. Converting CSS to HTML

Q495.

What value is logged?
console.log((3 + 3) * 7);

A. 43
B. 41
C. 42
D. 39

Q496.

Which event is commonly used to detect that a form is being submitted?

A. mouseover
B. submit
C. scroll
D. resize

IET, C-DAC

Q497.

Determine the console output.
console.log("6" + 4);

A. 64
B. 10
C. 46
D. NaN

Q498.

What is logged by JavaScript?
console.log(3 + 7);

A. 10
B. 9
C. 11
D. 7

Q499.

What is logged by JavaScript?
console.log(5 + 4);

A. 8
B. 10
C. 6
D. 9

Q500.

What is the output?
console.log(Boolean(6));

A. true
B. false
C. undefined
D. 0

IET, C-DAC

CONSOLIDATED ANSWER KEY

Answers are listed by question number. Each key corresponds to the option order shown in the question section.

1. D	2. C	3. B	4. B	5. D
6. B	7. C	8. C	9. B	10. B
11. A	12. D	13. D	14. B	15. A
16. A	17. C	18. D	19. D	20. A
21. B	22. A	23. B	24. D	25. C
26. C	27. B	28. C	29. C	30. C
31. B	32. D	33. B	34. C	35. A
36. A	37. A	38. D	39. A	40. A
41. D	42. B	43. D	44. A	45. A
46. B	47. D	48. D	49. D	50. D
51. A	52. B	53. C	54. C	55. D
56. D	57. B	58. D	59. D	60. B
61. A	62. B	63. B	64. C	65. C
66. B	67. D	68. C	69. D	70. D
71. A	72. C	73. B	74. B	75. D
76. A	77. D	78. B	79. D	80. B
81. A	82. C	83. D	84. D	85. B
86. A	87. C	88. A	89. D	90. D
91. D	92. D	93. A	94. A	95. B
96. D	97. B	98. D	99. A	100. B
101. B	102. D	103. D	104. C	105. B
106. A	107. D	108. A	109. B	110. A
111. C	112. B	113. D	114. B	115. B
116. B	117. B	118. A	119. B	120. D
121. D	122. D	123. C	124. B	125. B
126. B	127. B	128. D	129. D	130. B
131. C	132. C	133. B	134. A	135. B
136. B	137. B	138. B	139. A	140. B
141. B	142. A	143. C	144. C	145. A
146. A	147. C	148. C	149. A	150. D
151. A	152. A	153. D	154. B	155. C

156. D	157. D	158. D	159. B	160. B
161. B	162. B	163. A	164. C	165. A
166. D	167. A	168. A	169. D	170. B
171. C	172. A	173. B	174. C	175. A
176. D	177. A	178. C	179. A	180. A
181. A	182. A	183. A	184. A	185. A
186. B	187. C	188. D	189. C	190. C
191. B	192. C	193. C	194. D	195. A
196. A	197. A	198. C	199. C	200. A
201. B	202. B	203. D	204. B	205. C
206. D	207. C	208. C	209. A	210. C
211. C	212. C	213. D	214. B	215. B
216. B	217. B	218. D	219. B	220. A
221. B	222. B	223. B	224. D	225. B
226. B	227. D	228. B	229. A	230. B
231. D	232. D	233. D	234. D	235. D
236. A	237. C	238. D	239. D	240. D
241. D	242. A	243. D	244. D	245. C
246. C	247. D	248. C	249. C	250. A
251. A	252. D	253. B	254. A	255. B
256. D	257. D	258. C	259. D	260. A
261. D	262. B	263. D	264. B	265. D
266. B	267. A	268. B	269. B	270. C
271. C	272. C	273. A	274. D	275. B
276. A	277. B	278. D	279. A	280. B
281. B	282. A	283. B	284. D	285. D
286. C	287. B	288. C	289. C	290. A
291. C	292. D	293. C	294. B	295. D
296. C	297. A	298. B	299. C	300. A
301. A	302. C	303. C	304. D	305. A
306. A	307. A	308. D	309. C	310. B
311. B	312. B	313. D	314. B	315. D
316. A	317. D	318. B	319. B	320. A

321. D	322. A	323. B	324. D	325. C
326. A	327. D	328. B	329. C	330. D
331. B	332. D	333. B	334. D	335. B
336. B	337. A	338. A	339. A	340. B
341. A	342. A	343. A	344. A	345. D
346. B	347. B	348. C	349. B	350. C
351. C	352. D	353. A	354. A	355. A
356. B	357. A	358. D	359. C	360. C
361. B	362. B	363. D	364. D	365. B
366. A	367. B	368. C	369. A	370. C
371. C	372. D	373. D	374. B	375. A
376. C	377. C	378. C	379. C	380. A
381. C	382. C	383. B	384. C	385. D
386. C	387. D	388. B	389. C	390. C
391. C	392. A	393. C	394. A	395. B
396. C	397. D	398. D	399. C	400. C
401. B	402. C	403. B	404. A	405. C
406. D	407. A	408. B	409. C	410. B
411. B	412. D	413. D	414. C	415. A
416. A	417. A	418. B	419. A	420. A
421. A	422. D	423. C	424. B	425. B
426. D	427. C	428. A	429. B	430. B
431. A	432. B	433. A	434. B	435. D
436. B	437. A	438. B	439. D	440. D
441. A	442. D	443. B	444. D	445. C
446. A	447. D	448. C	449. D	450. B
451. D	452. A	453. A	454. A	455. B
456. B	457. D	458. A	459. C	460. D
461. B	462. C	463. A	464. B	465. C
466. A	467. A	468. A	469. C	470. D
471. D	472. B	473. C	474. B	475. C
476. B	477. A	478. B	479. A	480. B
481. B	482. A	483. A	484. A	485. A

486. D	**487. A**	**488. D**	**489. A**	**490. C**
491. B	**492. B**	**493. C**	**494. C**	**495. C**
496. B	**497. A**	**498. A**	**499. D**	**500. A**

Reference basis: C-DAC official PG-DAC/PGCP-AC course brochure and publicly available module outlines for topic coverage; publicly available C-DAC evaluation guidance for the objective-question format and difficulty framework. Questions in this booklet are independently authored practice items, not copied past-paper questions.

Official course outline: https://cdac.gov.in/index.aspx?courseid=0&id=DAC
C-DAC evaluation guideline reference: publicly available C-DAC evaluation guideline PDF (search result/source reference used during preparation).

IET, C-DAC