

Sante Speech Health Summary

Report ID: sum_27a2fd0b68d4 | Generated: 2026-02-15 07:48 UTC

Session: conversation | Duration: 66.4s

Executive Summary

Data quality is high; exploratory interpretations are likely stable.

- Perceived Vocal Age / Gender Proxy: moderate (score 71, confidence 67%)
- Voice Strain / Respiratory Effort Indicator: moderate (score 65, confidence 68%)
- Slurred Speech / Intoxication Likelihood: moderate (score 58, confidence 62%)

Estimates

Mood / Depression Risk Signal | low | score 1 | confidence 66%

Suggestion: Track trend across multiple days and pair with self-reported mood scales.

Evidence: Mean pause length 0.43s; Speaking-rate proxy 1.74 peaks/s; Disfluency ratio 0.52

Limitations: Speech-only estimate; mood state can be situational.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Aphasia-like Language Pattern Flag | low | score 49 | confidence 70%

Suggestion: If persistent, run structured language tasks and formal aphasia batteries.

Evidence: Phoneme coverage 310 tokens; Flagged disfluencies 162; Voiced segment rate 1.66/s

Limitations: Cannot subtype aphasia from this short speech sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Perceived Vocal Age / Gender Proxy | moderate | score 71 | confidence 67%

Suggestion: Use only as demographic context; avoid identity or eligibility decisions.

Evidence: F0 mean 27.63 st; Jitter 0.028

Limitations: Only estimates broad vocal age band, not chronological age.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Slurred Speech / Intoxication Likelihood | moderate | score 58 | confidence 62%

Suggestion: Confirm with behavioral checks and contextual history before acting.

Evidence: Jitter 0.028; Shimmer 1.445 dB; Mean pause length 0.43s

Limitations: Medication, fatigue, and microphone clipping can mimic this pattern.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Cognitive Load / Fatigue Proxy | low | score 40 | confidence 67%

Suggestion: Repeat under controlled conditions and compare with baseline sessions.

Evidence: Speech pacing proxy 1.74 peaks/s; Pause duration 0.43s; Disfluency ratio 0.52

Limitations: Single-session fatigue score is highly context-dependent.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Voice Strain / Respiratory Effort Indicator | moderate | score 65 | confidence 68%

Suggestion: Consider hydration, rest, and ENT/SLP follow-up if trend worsens.

Evidence: HNR 4.71 dB; Shimmer 1.445 dB; Jitter 0.028

Limitations: Breathing pattern cannot be directly measured from this sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Transcript Snapshot

That is the principles. Oh, I got the pitch in. But I was per minute. ,,??? Hello. Hello, hello. I think I slept really good. I really like sleeping. I really like sleeping a lot. Did it go on? I got a lot of hours, a lot of hours. I love hours. This cannot be

like a function, bro. Like meeting, like, the support setup shit, like... No, it's just like cool.

Research-only estimate report. It is not a medical diagnosis. Use in combination with formal clinical assessment and environmental quality checks.