

Sante Speech Health Summary

Report ID: sum_c20cb46dd70c | Generated: 2026-02-15 15:21 UTC

Session: conversation | Duration: 0.0s

Executive Summary

Data quality is limited; treat outputs as coarse exploratory estimates only.

- Slurred Speech / Intoxication Likelihood: exploratory-high (score 73, confidence 58%)
- Perceived Vocal Age / Gender Proxy: exploratory-moderate (score 68, confidence 58%)
- Mood / Depression Risk Signal: exploratory-moderate (score 63, confidence 58%)

Estimates

Mood / Depression Risk Signal | exploratory-moderate | score 63 | confidence 58%

Suggestion: Track trend across multiple days and pair with self-reported mood scales.

Evidence: Mean pause length 1.78s; Speaking-rate proxy 0.52 peaks/s; Disfluency ratio 0.38

Limitations: Speech-only estimate; mood state can be situational.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Aphasia-like Language Pattern Flag | exploratory-low | score 41 | confidence 58%

Suggestion: If persistent, run structured language tasks and formal aphasia batteries.

Evidence: Phoneme coverage 104 tokens; Flagged disfluencies 39; Voiced segment rate 0.51/s

Limitations: Cannot subtype aphasia from this short speech sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Perceived Vocal Age / Gender Proxy | exploratory-moderate | score 68 | confidence 58%

Suggestion: Use only as demographic context; avoid identity or eligibility decisions.

Evidence: F0 mean 29.08 st; Jitter 0.017

Limitations: Only estimates broad vocal age band, not chronological age.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Slurred Speech / Intoxication Likelihood | exploratory-high | score 73 | confidence 58%

Suggestion: Confirm with behavioral checks and contextual history before acting.

Evidence: Jitter 0.017; Shimmer 1.385 dB; Mean pause length 1.78s

Limitations: Medication, fatigue, and microphone clipping can mimic this pattern.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Cognitive Load / Fatigue Proxy | exploratory-moderate | score 56 | confidence 58%

Suggestion: Repeat under controlled conditions and compare with baseline sessions.

Evidence: Speech pacing proxy 0.52 peaks/s; Pause duration 1.78s; Disfluency ratio 0.38

Limitations: Single-session fatigue score is highly context-dependent.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Voice Strain / Respiratory Effort Indicator | exploratory-low | score 51 | confidence 58%

Suggestion: Consider hydration, rest, and ENT/SLP follow-up if trend worsens.

Evidence: HNR 7.06 dB; Shimmer 1.385 dB; Jitter 0.017

Limitations: Breathing pattern cannot be directly measured from this sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Transcript Snapshot

Hi, Shantay, how are you doing today? Bye-bye. I'm doing great, though. I've been coding a hackathon project the whole day. It's been stressful. It's been stressful. Yeah, music. Yeah, rock music.

Research-only estimate report. It is not a medical diagnosis. Use in combination with formal clinical assessment and environmental quality checks.