

Sante Speech Health Summary

Report ID: sum_61e71bb9fd1a | Generated: 2026-02-15 19:04 UTC

Session: conversation | Duration: 0.0s

Executive Summary

Data quality is limited; treat outputs as coarse exploratory estimates only.

- Intoxicated Speech Pattern Signal: exploratory-low (score 15)
- Sick / Tired Voice Pattern Signal: exploratory-low (score 9)
- Stress Activation Speech Signal: exploratory-low (score 9)

Estimates

Intoxicated Speech Pattern Signal | exploratory-low | score 15

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Short-pause index 0.52; Slow-rate index 1.00; Loudness mean 0.278; Jitter 0.037

Limitations: Sleep deprivation, stress, and microphone clipping can mimic this pattern.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Sick / Tired Voice Pattern Signal | exploratory-low | score 9

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Long-pause index 0.00; Energy-drop index 0.76; Low-loudness index 0.83; HNR 4.83 dB

Limitations: Cannot separate respiratory causes from fatigue without clinical context.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Stress Activation Speech Signal | exploratory-low | score 9

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Speech-rate proxy 2.04 peaks/s; Short-pause index 0.52; Pressured-tempo index 0.42; Fast-rate index 0.00

Limitations: High arousal can also reflect urgency, excitement, or speaking style.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Aphasia-like Language Pattern Flag | exploratory-low | score 5

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Phoneme coverage 122 tokens; Flagged disfluencies 80; Voiced segment rate 3.46/s; Lexical diversity 0.96

Limitations: Cannot subtype aphasia from this short speech sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Transcript Snapshot

You have an agent? I've seen him a couple of times. Agent. He's a talk about hero. Yes Oh, I did. Thank you. Help me get these!

Research-only estimate report. It is not a medical diagnosis. Use in combination with formal clinical assessment and environmental quality checks.