

Sante Speech Health Summary

Report ID: sum_5e33e31a4914 | Generated: 2026-02-15 19:36 UTC

Session: conversation | Duration: 0.0s

Executive Summary

Data quality is limited; treat outputs as coarse exploratory estimates only.

- Intoxicated Speech Pattern Signal: exploratory-low (score 11)
- Aphasia-like Language Pattern Flag: exploratory-low (score 10)
- Stress Activation Speech Signal: exploratory-low (score 8)

Estimates

Intoxicated Speech Pattern Signal | exploratory-low | score 11

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Short-pause index 0.23; Slow-rate index 1.00; Loudness mean 0.333; Jitter 0.031

Limitations: Sleep deprivation, stress, and microphone clipping can mimic this pattern.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Sick / Tired Voice Pattern Signal | exploratory-low | score 7

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Long-pause index 0.00; Energy-drop index 0.62; Low-loudness index 0.58; HNR 6.47 dB

Limitations: Cannot separate respiratory causes from fatigue without clinical context.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Stress Activation Speech Signal | exploratory-low | score 8

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Speech-rate proxy 2.16 peaks/s; Short-pause index 0.23; Pressured-tempo index 0.38; Fast-rate index 0.00

Limitations: High arousal can also reflect urgency, excitement, or speaking style.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Aphasia-like Language Pattern Flag | exploratory-low | score 10

Suggestion: Low signal in this sample. Monitor trend across repeated sessions and retest with a matched microphone/device/codec setup before drawing conclusions.

Evidence: Phoneme coverage 139 tokens; Flagged disfluencies 115; Voiced segment rate 2.50/s; Lexical diversity 0.50

Limitations: Cannot subtype aphasia from this short speech sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Transcript Snapshot

Thank you. here. Hello, Dante. Hello, Dante. Bye. Bye. Bye. Bye.

Research-only estimate report. It is not a medical diagnosis. Use in combination with formal clinical assessment and environmental quality checks.