

Sante Speech Health Summary

Report ID: sum_9924f1e50afd | Generated: 2026-02-15 09:34 UTC

Session: conversation | Duration: 0.0s

Executive Summary

Data quality is limited; treat outputs as coarse exploratory estimates only.

- Perceived Vocal Age / Gender Proxy: exploratory-moderate (score 68, confidence 58%)
- Slurred Speech / Intoxication Likelihood: exploratory-moderate (score 66, confidence 58%)
- Cognitive Load / Fatigue Proxy: exploratory-low (score 51, confidence 58%)

Estimates

Mood / Depression Risk Signal | exploratory-low | score 44 | confidence 58%

Suggestion: Track trend across multiple days and pair with self-reported mood scales.

Evidence: Mean pause length 1.45s; Speaking-rate proxy 0.87 peaks/s; Disfluency ratio 0.32

Limitations: Speech-only estimate; mood state can be situational.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Aphasia-like Language Pattern Flag | exploratory-low | score 38 | confidence 58%

Suggestion: If persistent, run structured language tasks and formal aphasia batteries.

Evidence: Phoneme coverage 148 tokens; Flagged disfluencies 48; Voiced segment rate 0.60/s

Limitations: Cannot subtype aphasia from this short speech sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Perceived Vocal Age / Gender Proxy | exploratory-moderate | score 68 | confidence 58%

Suggestion: Use only as demographic context; avoid identity or eligibility decisions.

Evidence: F0 mean 29.36 st; Jitter 0.016

Limitations: Only estimates broad vocal age band, not chronological age.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Slurred Speech / Intoxication Likelihood | exploratory-moderate | score 66 | confidence 58%

Suggestion: Confirm with behavioral checks and contextual history before acting.

Evidence: Jitter 0.016; Shimmer 1.270 dB; Mean pause length 1.45s

Limitations: Medication, fatigue, and microphone clipping can mimic this pattern.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Cognitive Load / Fatigue Proxy | exploratory-low | score 51 | confidence 58%

Suggestion: Repeat under controlled conditions and compare with baseline sessions.

Evidence: Speech pacing proxy 0.87 peaks/s; Pause duration 1.45s; Disfluency ratio 0.32

Limitations: Single-session fatigue score is highly context-dependent.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Voice Strain / Respiratory Effort Indicator | exploratory-low | score 49 | confidence 58%

Suggestion: Consider hydration, rest, and ENT/SLP follow-up if trend worsens.

Evidence: HNR 7.28 dB; Shimmer 1.270 dB; Jitter 0.016

Limitations: Breathing pattern cannot be directly measured from this sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

Transcript Snapshot

I'm doing good, Santé. How are you? Today has been good so far. I've been coding all day. I've been coding of a hackathon project. Project progress is pretty good. Fixed multiple bugs, added multiple features. Okay. ????? ? ?????

??.

Research-only estimate report. It is not a medical diagnosis. Use in combination with formal clinical assessment and environmental quality checks.