

# Sante Speech Health Summary

Report ID: sum\_f0c3f1b4a2db | Generated: 2026-02-15 08:49 UTC

Session: conversation | Duration: 58.5s

## Executive Summary

Data quality is limited; treat outputs as coarse exploratory estimates only.

- Perceived Vocal Age / Gender Proxy: exploratory-moderate (score 71)
- Voice Strain / Respiratory Effort Indicator: exploratory-moderate (score 69)
- Slurred Speech / Intoxication Likelihood: exploratory-moderate (score 63)

## Estimates

### Mood / Depression Risk Signal | exploratory-low | score 14

Suggestion: Track trend across multiple days and pair with self-reported mood scales.

Evidence: Mean pause length 0.38s; Speaking-rate proxy 1.44 peaks/s; Disfluency ratio 0.75

Limitations: Speech-only estimate; mood state can be situational.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

### Aphasia-like Language Pattern Flag | exploratory-moderate | score 61

Suggestion: If persistent, run structured language tasks and formal aphasia batteries.

Evidence: Phoneme coverage 181 tokens; Flagged disfluencies 135; Voiced segment rate 1.95/s

Limitations: Cannot subtype aphasia from this short speech sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

### Perceived Vocal Age / Gender Proxy | exploratory-moderate | score 71

Suggestion: Use only as demographic context; avoid identity or eligibility decisions.

Evidence: F0 mean 30.33 st; Jitter 0.030

Limitations: Only estimates broad vocal age band, not chronological age.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

### Slurred Speech / Intoxication Likelihood | exploratory-moderate | score 63

Suggestion: Confirm with behavioral checks and contextual history before acting.

Evidence: Jitter 0.030; Shimmer 1.788 dB; Mean pause length 0.38s

Limitations: Medication, fatigue, and microphone clipping can mimic this pattern.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

### Cognitive Load / Fatigue Proxy | exploratory-low | score 44

Suggestion: Repeat under controlled conditions and compare with baseline sessions.

Evidence: Speech pacing proxy 1.44 peaks/s; Pause duration 0.38s; Disfluency ratio 0.75

Limitations: Single-session fatigue score is highly context-dependent.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

### Voice Strain / Respiratory Effort Indicator | exploratory-moderate | score 69

Suggestion: Consider hydration, rest, and ENT/SLP follow-up if trend worsens.

Evidence: HNR 4.41 dB; Shimmer 1.788 dB; Jitter 0.030

Limitations: Breathing pattern cannot be directly measured from this sample.; Exploratory speech biomarkers are probabilistic, not diagnostic outcomes.

## Transcript Snapshot

Tiene suana. So. It's on day, it's on day, So what it goes. I totally that. You have nothing to say. We have one like.

Research-only estimate report. It is not a medical diagnosis. Use in combination with formal clinical assessment and environmental

quality checks.