

TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025



NR AGARWAL INDUSTRIES LTD.

UNIT-5, SURVEY NO.-361 SARIGAM KALE ROAD,
SARIGAM- 396155, VALSAD DIST, GUJARAT
INDIA

CONTACT PERSON: MR. K.B. VIVEK

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION NR PEARL COAT
COLOR BLUISH SHADE
ORDER NO. AUG'25

LAB PROVIDED DETAILS:

CONDITION OF SAMPLE COMPLETE AND OK

THE LOCATION OF PERFORMANCE OF THE LABORATORY ACTIVITIES: SGS GURUGRAM LABORATORY

SAMPLE RECD ON 03-Sep-2025 TESTING PERIOD : 03-Sep-2025 - 10-Sep-2025

SUMMARY OF TEST RESULT:

TESTS	PASS	FAIL	REMARKS
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	P		


Remarks: P= Pass

F= Fail

Conclusion : Based on the performed tests on submitted sample(s), the results of Cadmium, Lead, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amend in Annex II to Directive 2011/65/EU

TEST(S) RESULT & METHOD: PLEASE REFER TO NEXT PAGE(S). RESULTS APPLY TO THE SAMPLE AS RECEIVED

Pro SGS India Pvt. Ltd.



ANSHUL SINGH

SENIOR TECHNICAL EXECUTIVE

Authorized Signatory-Mechanical

Email your Test Report Related Enquiries at Feedback.HLT@sgs.com

JOE No. : 2548803211

400562394

Page 1 of 8

Control No.: 1648506956

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600

TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025

**TEST RESULT:**

Test Part Description:

Specimen No.	SGS Sample ID	Description
A	1	NR PEARL COAT

Remarks:

- (1) 1 mg/kg=0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (<MDL)
- (4) - = not regulated

JOE No. : 2548803211

400562394

Page 2 of 8

Control No.: 1648506956

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600

TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025



EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP):

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES, UV-Vis and GC-MS.

Test Item(s):	Unit	Results	MDL	Limit
		1		
Lead (Pb)	mg/kg	Not Detected	5	1000
Mercury (Hg)	mg/kg	Not Detected	5	1000
Cadmium (Cd)	mg/kg	Not Detected	5	100
Hexavalent Chromium (Cr(VI))	mg/kg	Not Detected	8	1000
Polybrominated biphenyls (PBB)	mg/kg	Not Detected	-	1000
Monobrominated biphenyl (MonoBB)	mg/kg	Not Detected	50	-
Dibrominated biphenyl (DiBB)	mg/kg	Not Detected	50	-
Tribrominated biphenyl (TriBB)	mg/kg	Not Detected	50	-
Tetrabrominated biphenyl (TetraBB)	mg/kg	Not Detected	50	-
Pentabrominated biphenyl (PentaBB)	mg/kg	Not Detected	50	-
Hexabrominated biphenyl (HexaBB)	mg/kg	Not Detected	50	-
Heptabrominated biphenyl (HeptaBB)	mg/kg	Not Detected	50	-
Octabrominated biphenyl (OctaBB)	mg/kg	Not Detected	50	-
Nonabrominated biphenyl (NonaBB)	mg/kg	Not Detected	50	-
Decabrominated biphenyl (DecaBB)	mg/kg	Not Detected	50	-
Polybrominated diphenyl ethers (PBDE)	mg/kg	Not Detected	-	1000
Monobrominated diphenyl ether (MonoBDE)	mg/kg	Not Detected	50	-
Dibrominated diphenyl ether (DiBDE)	mg/kg	Not Detected	50	-
Tribrominated diphenyl ether (TriBDE)	mg/kg	Not Detected	50	-
Tetrabrominated diphenyl ether (TetraBDE)	mg/kg	Not Detected	50	-
Pentabrominated diphenyl ether (PentaBDE)	mg/kg	Not Detected	50	-
Hexabrominated diphenyl ether (HexaBDE)	mg/kg	Not Detected	50	-
Heptabrominated diphenyl ether (HeptaBDE)	mg/kg	Not Detected	50	-
Octabrominated diphenyl ether (OctaBDE)	mg/kg	Not Detected	50	-
Nonabrominated diphenyl ether (NonaBDE)	mg/kg	Not Detected	50	-
Decabrominated diphenyl ether (DecaBDE)	mg/kg	Not Detected	50	-
Bis(2-ethylhexyl) phthalate (DEHP)	mg/kg	Not Detected	100	1000
Butyl benzyl phthalate (BBP)	mg/kg	Not Detected	100	1000
Dibutyl phthalate (DBP)	mg/kg	Not Detected	100	1000
Diisobutyl phthalate (DIBP)	mg/kg	Not Detected	100	1000

Note:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series.
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021
- (4) Test has been sub-contracted to ISO/IEC 17025 accredited laboratory.
- (5) Testing has been performed as per customer request.

JOE No. : 2548803211

400562394

Page 3 of 8

Control No.: 1648506956

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600


TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025



Process Flow for analysis of metal contents in plastics, metals, and electronic components sample



Analyzed By: Mahesh Panday

Checked By: Bikram Deo Ohdar


TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025



Process Flow for analysis of Flame Retardants in plastics, metals and electronic components sample



Analyzed By : Ashish Shrivastava

Checked By : Vijai Chauhan

JOE No. : 2548803211

400562394

Page 5 of 8

Control No.: 1648506956

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600


TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025



Process Flow for analysis of Hexavalent Chromium contents in Plastics and electronic components sample



Analyzed By: Mahesh Pandey

Checked By: Bikram Deo Ohdar

JOE No. : 2548803211

400562394

Page 6 of 8

Control No.: 1648506956

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600


TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025



Process Flow for analysis of Phthalates in Electrotechnical Product As per Soxhlet Extraction



Analyzed By: Ashish Shrivastava

Checked By: Vijai Chauhan

JOE No. : 2548803211

400562394

Page 7 of 8

Control No.: 1648506956

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600

TEST REPORT

Report No. : MAN:HL:1648006255

ISSUE DATE: 10-Sep-2025



Sample as Received



*****END OF REPORT*****

JOE No. : 2548803211

400562394

Page 8 of 8

Control No.: 1648506956

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600