




Requester
RequesterLogin
-loginWindow: JFrame
-loginPanel: JPanel
-username: JLabel
-userField: JTextField
-password: JLabel
-passField: JPasswordField
-pressLogin: JButton
-contactAdmin: JButton
+RequesterLogin()
RequesterMain
+requesterUser: ArrayList<RequesterDetails>
+documentRequests: ArrayList<RequestedDocuments>
~nextRequestId: int
+main(args: String[]): void
+updateNxtReqId(): void
RequesterWelcoming
-userWindow: JFrame
-brgy: JLabel
-req: JLabel
-TextContainer: JPanel
-login: JButton
-crtAcc: JButton
-msg: JLabel
-centerPANEL: JPanel
+RequesterWelcoming()
RequesterCreateAccount
-AccountCreation: JFrame
-accCrtPanel: JPanel
-back: JButton
-nameLabel: JLabel
-nameField: JTextField
-username: String
-passText: JLabel
-passField: JPasswordField
-password: String
-must: JLabel
-confirmPassText: JLabel
-confirmPassField: JPasswordField
-confirmPass: String
-crtButton: JButton
-userInfoFrame: JFrame
-userInfoContainer: JScrollPane
-userInfoPanel: JPanel
-firstName: JLabel
-firstNameField: JTextField
-fName: String
-midName: JLabel
-midNameField: JTextField
-mName: String
-lastName: JLabel
-lastNameField: JTextField
-lName: String
-suffix: JLabel
-suffixField: JTextField
-sufix: String
-contactNum: JLabel
-contactField: JTextField
-number: String
-addressLabel: JLabel
-houme: JLabel
-houmeField: JTextField
-house: String
-brgy: JLabel
-brgyField: JTextField
-barangy: String
-city: JLabel
-cityField: JTextField
-municity: String
-province: JLabel
-provinceField: JTextField
-provin: String
-bDayLabel: JLabel
-bMonth: JLabel
-monthList: Integer[]
-bMonthField: JComboBox<Integer>
-buwan: int
-bDay: JLabel
-bDayField: JTextField
-bDayWarn: JLabel
-araw: int
-bYear: JLabel
-yearList: Integer[]
-bYearField: JComboBox<Integer>
-taon: int
-verificationFrame: JFrame
-verificationPanel: JPanel
-frontIDLabel: JLabel
-backIDLabel: JLabel
-birthCertLabel: JLabel
-frontIDPath: String
-backIDPath: String
-birthCertPath: String
+RequesterCreateAccount()
-userInfo(): void
-verification(): void
-chooseFile(): String
-contactChecker(): boolean
-bDayChecker(): boolean
-fieldChecker(): boolean
-dates(): void
-idGenerator(): int
-usernameChecker(): boolean
-resetField(): void
RequesterDashboard
-loggedInRequester: RequesterDetails
-dbFrame: JFrame
-userName: JLabel
-dbPanel: JPanel
-bgContainer: JLabel
-options: JPanel
-menu: JButton
-exitMenu: JButton
-req: JButton
-myReq: JButton
-profile: JButton
-security: JButton
-back: JButton
-requestPanel: RequestDocument
-myRequestsPanel: MyRequests
-editProfilePanel: EditProfile
-editSecurityPanel: EditRequesterSecurity
+RequesterDashboard(account: RequesterDetails)
RequestDocument
-loggedInUser: RequesterDetails
-dashboard: RequesterDashboard
-documentChoice: JComboBox<String>
-purposeField: JTextArea
-requirementsField: JTextArea
-next: JButton
-availableDocuments: ArrayList<DC_DocsToRequest>
+RequestDocument(
account: RequesterDetails,
dashboard: RequesterDashboard)
+loadAvailableDocuments(): void
+showRequirements(): void
+disableComponents(): void
+enableComponents(): void
EditProfile
-loggedInUser: RequesterDetails
-firstName: JLabel
-firstNameField: JTextField
-fName: String
-midName: JLabel
-midNameField: JTextField
-mName: String
-lastName: JLabel
-lastNameField: JTextField
-lName: String
-suffix: JLabel
-suffixField: JTextField
-sufix: String
-contactNum: JLabel
-contactField: JTextField
-numWarn: JLabel
-number: String
-addressLabel: JLabel
-houme: JLabel
-houmeField: JTextField
-house: String
-brgy: JLabel
-brgyField: JTextField
-barangy: String
-city: JLabel
-cityField: JTextField
-municity: String
-province: JLabel
-provinceField: JTextField
-provin: String
-bDayLabel: JLabel
-bMonth: JLabel
-monthList: Integer[]
-bMonthField: JComboBox<Integer>
-buwan: int
-bDay: JLabel
-bDayField: JTextField
-bDayWarn: JLabel
-araw: int
-bYear: JLabel
-yearList: Integer[]
-bYearField: JComboBox<Integer>
-taon: int
-saveEdit: JButton
+EditProfile(account: RequesterDetails)
-loadProfile(): void
-contactChecker(): boolean
-bDayChecker(): boolean
-fieldChecker(): boolean
-dates(): void
EditRequesterSecurity
-loggedInUser: RequesterDetails
-nameLabel: JLabel
-nameField: JTextField
-username: String
-currentPassText: JLabel
-currentPassField: JPasswordField
-currentPassword: String
-passText: JLabel
-passField: JPasswordField
-password: String
-confirmPassText: JLabel
-confirmPassField: JPasswordField
-confirmPass: String
-must: JLabel
-passWarn: JLabel
-confirmWarn: JLabel
-saveSecurity: JButton
+EditRequesterSecurity(account: RequesterDetails)
-loadSecurity(): void
-currentPassChecker(): boolean
-newPassChecker(): boolean
-confirmPassChecker(): boolean
MyRequests
-loggedInUser: RequesterDetails
-requestsTable: JTable
-tableModel: DefaultTableModel
-preparingPanel: JPanel
-messagesPanel: JPanel
-messageScroll: JScrollPane
-refresh: Timer
+MyRequests(account: RequesterDetails)
+loadRequests(): void


Data
RequesterDetails
-userID: int
-dateCreated: LocalDateTime
-status: String
-security: String
-failedAttempts: int
-contactNum: String
-fullAddress: String
-houseBuildingNoStrt: String
-baranggay: String
-city: String
-province: String
-age: int
-birtMonth: int
-birtDay: int
-birtYear: int
-frontID: String
-backID: String
-brthCerti: String
-documents: ArrayList<RequestedDocuments>
+RequesterDetails(
userName: String,
password: String,
role: String,
userID: int,
dateCreated: LocalDateTime,
status: String,
FName: String,
MName: String,
LName: String,
suffix: String,
contactNum: String,
houseBuildingNoStrt: String,
baranggay: String,
city: String,
province: String,
birtMonth: int,
birtDay: int,
birtYear: int,
frontID: String,
backID: String,
brthCerti: String)
+setFullAddress(
houseBuildingNoStrt: String,
baranggay: String,
city: String,
province: String): void
+calcAge(): void
+addDocument(document: RequestedDocuments): void
+getDocuments(): ArrayList<RequestedDocuments>
+getUserID(): int
+getDateCreated(): LocalDateTime
+getStatus(): String
+setStatus(status: String): void
+getSecurity(): String
+setSecurity(security: String): void
+getFailedAttempts(): int
+setFailedAttempts(failedAttempts: int): void
+getContactNum(): String
+setContactNum(contactNum: String): void
+getFullAddress(): String
+getHouseBuildingNoStrt(): String
+setHouseBuildingNoStrt(
houseBuildingNoStrt: String): void
+getBaranggay(): String
+setBaranggay(baranggay: String): void
+getCity(): String
+setCity(city: String): void
+getProvince(): String
+setProvince(province: String): void
+getBirtMonth(): int
+setBirtMonth(birtMonth: int): void
+getBirtDay(): int
+setBirtDay(birtDay: int): void
+getBirtYear(): int
+setBirtYear(birtYear: int): void
+getFrontID(): String
+setFrontID(frontID: String): void
+getBackID(): String
+setBackID(backID: String): void
+getBrthCerti(): String
+setBrthCerti(brthCerti: String): void
UserDetails
-userName: String
-password: String
-role: String
-FName: String
-MName: String
-LName: String
-suffix: String
+UserDetails(
userName: String,
password: String,
role: String,
FName: String,
MName: String,
LName: String,
suffix: String)
+getFullName(): String
+getUserName(): String
+setUserName(userName: String): void
+getPassword(): String
+setPassword(password: String): void
+getRole(): String
+setRole(role: String): void
+getFName(): String
+setFName(FName: String): void
+getMName(): String
+setMName(MName: String): void
+getLName(): String
+setLName(LName: String): void
+getSuffix(): String
+setSuffix(suffix: String): void
CounterDetails
-counterUserId: int
-status: String
-security: String
-failedAttempts: int
+CounterDetails(
userName: String,
password: String,
role: String,
counterUserId: int,
status: String,
FName: String,
MName: String,
LName: String,
suffix: String)
+getCounterUserId(): int
+setCounterUserId(counterUserId: int): void
+setStatus(status: String): void
+getStatus(): String
+getSecurity(): String
+setSecurity(security: String): void
+getFailedAttempts(): int
+setFailedAttempts(failedAttempts: int): void
RequestedDocuments
-requestId: int
-requesterId: int
-document: String
-purpose: String
-status: String
-counterID: int
-counterName: String
-attachment: ArrayList<RequesterRequiredDocu>
+RequestedDocuments(
requestId: int,
requesterId: int,
document: String,
purpose: String,
status: String)
+getRequestId(): int
+setRequestId(requestId: int): void
+getRequesterId(): int
+setRequesterId(requesterId: int): void
+getDocument(): String
+setDocument(document: String): void
+getPurpose(): String
+setPurpose(purpose: String): void
+getStatus(): String
+setStatus(status: String): void
+getAttachment(): ArrayList<RequesterRequiredDocu>
+addAttachment(attachments: RequesterRequiredDocu): void
+getCounterID(): int
+setCounterID(counterID: int): void
+getCounterName(): String
+setCounterName(counterName: String): void
AdminDetails
-username: String
-password: String
-serverStats: String
+AdminDetails()
+getUsername(): String
+getPassword(): String
+getServerStatus(): String
+setServerStatus(serverStatus: String): void
RequesterRequiredDocu
-requirementName: String
-filePath: String
+RequesterRequiredDocu()
+RequesterRequiredDocu(
requirementName: String,
filePath: String)
+getRequirementName(): String
+setRequirementName(requirementName: String): void
+getFilePath(): String
+setFilePath(filePath: String): void
RequestDataSaver
-REQUEST_FILE: String
-ATTACHMENT_FILE: String
+saveRequests(requestList: ArrayList<RequestedDocuments>): void
+saveAttachments(requestList: ArrayList<RequestedDocuments>): void
+loadRequests(requestList: ArrayList<RequestedDocuments>): void
+loadAttachments(requestList: ArrayList<RequestedDocuments>): void
UserDataSaver
+saveCounters(counters: ArrayList<CounterDetails>): void
+loadCounters(counters: ArrayList<CounterDetails>): void
+saveRequesters(requesters: ArrayList<RequesterDetails>): void
+loadRequesters(requesters: ArrayList<RequesterDetails>): void
+saveRequests(requests: ArrayList<RequestedDocuments>): void
+loadRequests(requests: ArrayList<RequestedDocuments>): void


Counter
CounterMain
~counterUser: ArrayList<CounterDetails>
+main(args: String[]): void
CounterWelcoming
-userWindow: JFrame
-brgy: JLabel
-req: JLabel
-TextContainer: JPanel
-login: JButton
-crtAcc: JButton
-msg: JLabel
-centerPANEL: JPanel
+CounterWelcoming()
CounterLogin
-loginWindow: JFrame
-loginPanel: JPanel
-username: JLabel
-userField: JTextField
-password: JLabel
-passField: JPasswordField
-pressLogin: JButton
-contactAdmin: JButton
-back: JButton
+CounterLogin()
CounterCreateAccount
-AccountCreation: JFrame
-accCrtPanel: JPanel
-back: JButton
-nameLabel: JLabel
-nameField: JTextField
-username: String
-passText: JLabel
-passField: JPasswordField
-password: String
-must: JLabel
-confirmPassText: JLabel
-confirmPassField: JPasswordField
-confirmPass: String
-crtButton: JButton
-userInfoFrame: JFrame
-userInfoContainer: JScrollPane
-userInfoPanel: JPanel
-firstName: JLabel
-firstNameField: JTextField
-fName: String
-midName: JLabel
-midNameField: JTextField
-mName: String
-lastName: JLabel
-lastNameField: JTextField
-lName: String
-suffix: JLabel
-suffixField: JTextField
-sufix: String
-fulname: String
+CounterCreateAccount()
-counterInfo(): void
-usernameChecker(): boolean
-idGenerator(): int
-resetField(): void
CounterDashboard
-loggedInCounter: CounterDetails
-newRequester: NewRequester
-dbFrame: JFrame
-dbPanel: JPanel
-counterName: JLabel
-bgContainer: JLabel
-options: JPanel
-menu: JButton
-exitMenu: JButton
-requests: JButton
-newUsers: JButton
-security: JButton
-back: JButton
-showRequest: ShowRequest
-editSecurityPanel: EditCounterSecurity
+CounterDashboard(account: CounterDetails)
EditCounterSecurity
-loggedInUser: CounterDetails
-nameLabel: JLabel
-nameField: JTextField
-username: String
-currentPassText: JLabel
-currentPassField: JPasswordField
-currentPassword: String
-passText: JLabel
-passField: JPasswordField
-password: String
-confirmPassText: JLabel
-confirmPassField: JPasswordField
-confirmPass: String
-must: JLabel
-passWarn: JLabel
-confirmWarn: JLabel
-saveSecurity: JButton
+EditCounterSecurity(account: CounterDetails)
-loadSecurity(): void
-currentPassChecker(): boolean
-newPassChecker(): boolean
-confirmPassChecker(): boolean
NewRequester
-requesterTable: JTable
-tableModel: DefaultTableModel
+NewRequester()
+loadRequesters(): void
-showRequesterDetails(requester: RequesterDetails): void
-showPicture(title: String, path: String): void
RequestDetails
-showRequest: ShowRequest
+RequestDetails(
request: RequestedDocuments,
requester: RequesterDetails,
showRequest: ShowRequest)
ShowRequest
-requestTable: JTable
-preparingTable: JTable
-tableModel: DefaultTableModel
-preparingModel: DefaultTableModel
-requestQueue: RequestQueue
-loggedInCounter: CounterDetails
-receivedBtn: JButton
-pendingPanel: JPanel
-preparingPanel: JPanel
-tablesPanel: JPanel
+ShowRequest(account: CounterDetails)
-createTableModel(columns: String[]): DefaultTableModel
-createTable(model: DefaultTableModel): JTable
+loadRequests(): void
-findRequest(requestId: int): RequestedDocuments
+isNextRequest(requestId: int): boolean
+acceptRequest(request: RequestedDocuments): boolean
+declineRequest(request: RequestedDocuments): boolean
-markDocumentsReceived(): void
+disableTable(): void
+enableTable(): void
RequestQueue
-queue: RequestedDocuments[]
-front: int
-rear: int
+enqueue(request: RequestedDocuments): boolean
+peek(): RequestedDocuments
+dequeue(): RequestedDocuments
+syncPendingRequests(
requests: ArrayList<RequestedDocuments>): void
+contains(requestId: int): boolean
+isEmpty(): boolean
+getQueueSize(): int
+isNextRequest(requestId: int): boolean
Data
CounterDetails
RequesterDetails
RequestedDocuments
UserDataSaver
Admin
BackgroundPicture
Requester
RequesterMain


Admin
AdminDashboard
-refreshTimer: Timer
-dbFrame: JFrame
-dbPanel: JPanel
-bgContainer: JLabel
-showUser: JButton
-suMarker: JPanel
-docToReq: JButton
-dtrMarker: JPanel
-history: JButton
-historyMarker: JPanel
-changeBG: JButton
-changeBGMarker: JPanel
-removeBG: JButton
-removeBGMarker: JPanel
-usersPanel: ShowUsers
-historyPanel: CounterHistory
-docsPanel: DocumentsConfigure
-call8G: BackgroundPicture
-path: String
+AdminDashboard()
-showUsersPanel(): void
-showDocumentsPanel(): void
-showHistoryPanel(): void
AdminLogin
-loginWindow: JFrame
-loginPanel: JPanel
-username: JLabel
-userField: JTextField
-password: JLabel
-passField: JPasswordField
-pressLogin: JButton
+AdminLogin()
AdminMain
+admin: AdminDetails
+main(args: String[]): void
BackgroundPicture
-filePath: String
+BackgroundPicture()
+setBackground(): void
+getBackground(): String
+removeBackground(): void
BlockedSearch
+binarySearch(userIDs: ArrayList<Integer>, targetID: int): int
CounterHistory
-counters: ArrayList<CounterDetails>
-counterPanel: JPanel
+CounterHistory()
+refreshHistory(): void
-showCounterHistory(counter: CounterDetails): void
DC_DocsToRequest
-docsToReq: String
-required: ArrayList<DC_Requirements>
+DC_DocsToRequest(docsToReq: String)
+getDocsToReq(): String
+getRequired(): ArrayList<DC_Requirements>
+addRequirement(requirement: DC_Requirements): void
DC_Requirements
-requirements: String
+DC_Requirements(requirements: String)
+getRequirements(): String
ShowUsers
-cntList: ArrayList<CounterDetails>
-reqList: ArrayList<RequesterDetails>
-cards: CardLayout
-mainPanel: JPanel
-topBtns: JPanel
-reqBtn: JButton
-cntBtn: JButton
-blkBtn: JButton
-msgBtn: JButton
-reqPanel: JPanel
-cntPanel: JPanel
-blkPanel: JPanel
-msgPanel: JPanel
-reqModel: DefaultTableModel
-cntModel: DefaultTableModel
-blkReqModel: DefaultTableModel
-blkCntModel: DefaultTableModel
-msgModel: DefaultTableModel
-reqTable: JTable
-cntTable: JTable
-blkReqTable: JTable
-blkCntTable: JTable
-msgTable: JTable
-blockReqBtn: JButton
-blockCntBtn: JButton
-verifyCntBtn: JButton
-unblockReqBtn: JButton
-unblockCntBtn: JButton
-searchReqIDField: JTextField
-searchReqIDBtn: JButton
-resetReqIDBtn: JButton
-searchCntIDField: JTextField
-searchCntIDBtn: JButton
-resetCntIDBtn: JButton
+ShowUsers()
-makeModel(): DefaultTableModel
-makeSection(title: String, table: JTable): JPanel
-makeBlockedSection(
title: String,
table: JTable,
searchField: JTextField,
searchBtn: JButton,
resetBtn: JButton): JPanel
-loadMessages(): void
+refreshUsers(): void
-searchBlockedRequester(): void
-searchBlockedCounter(): void
-blockReq(): void
-blockCnt(): void
-verifyCnt(): void
-unblockReq(): void
-unblockCnt(): void
DocumentsConfigure
-docsToreq: ArrayList<DC_DocsToRequest>
-currentRequirements: ArrayList<DC_Requirements>
-configurePanel: JPanel
-documentLabel: JLabel
-documentField: JTextField
-addRequirement: JButton
-requirementsPanel: JPanel
-saveDocument: JButton
-configureScroll: JScrollPane
-documentsPanel: JPanel
-selectPanel: JPanel
-savedReqPanel: JPanel
-savedButtonsPanel: JPanel
-documentChoice: JComboBox<String>
-documentsScroll: JScrollPane
-addSavedReq: JButton
-deleteDocument: JButton
+DocumentsConfigure()
+showSavedRequirements(): void
+saveDocuments(): void
+loadDocuments(): void


Data
AdminDetails
CounterDetails
RequesterDetails
RequestedDocuments
UserDataSaver