


HW03: Multilayer Perceptron for Multiclass Discrimination

Deadline: October 31, 2018, 11:59 PM

In this homework, you will implement a multilayer perceptron for multiclass discrimination in R, Matlab, or Python. Here are the steps you need to follow:

1. Read Section 11.7.3 from the textbook.
2. You are given a multivariate classification data set, which contains 195 handwritten letters of size $20 \text{ pixels} \times 16 \text{ pixels}$ (i.e., 320 pixels). These images are from five distinct classes, namely, A, B, C, D, and E, where we have 39 data points from each class. The figure below shows five sample figures from each class. You are given two data files:
 - a. `hw02_data_set_images.csv`: letter images,
 - b. `hw02_data_set_labels.csv`: corresponding class labels.




3. Divide the data set into two parts by assigning the first 25 images from each class to the training set and the remaining 14 images to the test set.
4. Train a multilayer perceptron for multiclass discrimination using the sigmoid activation function for twenty nodes in the hidden layer ($H = 20$) and using the softmax activation function for five nodes in the output layer. You should develop a backpropagation algorithm under batch learning scenario with the following learning parameters.

```

eta <- 0.005
epsilon <- 1e-3
H <- 20
max_iteration <- 200
set.seed(521)

```

5. Draw the objective function values throughout the iterations. Your figure should be similar to the following figure.



6. Calculate the confusion matrix for the data points in your training set using the discrimination rule you will develop using the trained multilayer perceptron. Your confusion matrix should be similar to the following matrix.

| | y_train | | | | |
|-------------|---------|----|----|----|----|
| y_predicted | 1 | 2 | 3 | 4 | 5 |
| 1 | 25 | 0 | 0 | 0 | 0 |
| 2 | 0 | 25 | 0 | 0 | 0 |
| 3 | 0 | 0 | 25 | 0 | 0 |
| 4 | 0 | 0 | 0 | 25 | 0 |
| 5 | 0 | 0 | 0 | 0 | 25 |

7. Calculate the confusion matrix for the data points in your test set using the discrimination rule you will develop using the trained multilayer perceptron. Your confusion matrix should be similar to the following matrix.

| | y_test | | | | |
|-------------|--------|----|----|----|----|
| y_predicted | 1 | 2 | 3 | 4 | 5 |
| 1 | 13 | 1 | 0 | 0 | 0 |
| 2 | 1 | 13 | 0 | 0 | 0 |
| 3 | 0 | 0 | 14 | 0 | 1 |
| 4 | 0 | 0 | 0 | 14 | 0 |
| 5 | 0 | 0 | 0 | 0 | 13 |

What to submit: You need to submit your source code in a single file (.R file if you are using R, .m file if you are using Matlab, or .py file if you are using Python) and a short report explaining

your approach (.doc, .docx, or .pdf file). You will put these two files in a single zip file named as ***STUDENTID.zip***, where ***STUDENTID*** should be replaced with your 7-digit student number.

How to submit: E-mail the zip file you created to jsayilgan14@ku.edu.tr with the subject line ***Intro2MachineLearningHW03***. Please follow the exact style mentioned for the subject line and do not send a zip file named as ***STUDENTID.zip***. Submissions that do not follow these guidelines will not be graded.

Late submission policy: Late submissions will not be graded.

Cheating policy: Very similar submissions will not be graded.