

TW-03 GROUP VERSION



CLARUSWAY
WAY TO REINVENT YOURSELF

Meeting Agenda

- ▶ Icebreaking
- ▶ Workshop Activities
- ▶ Teamwork Activities
 - ▶ Questions
 - ▶ Interview Questions
- ▶ Video of the week
- ▶ Retro meeting
- ▶ Case study / project

Teamwork Schedule

Ice-breaking

10m

- Personal Questions (Study Environment, Kids etc.)
- Any challenges (Classes, Coding, studying, etc.)
- Ask how they're studying, give personal advice.
- Remind that practice makes perfect.

Workshop Activities

90m

- [HTML Form Assignment](#)

Team Work Activities

90m

Ask Questions

15m

1. Which of the following is correct about RGB Values format of CSS colors?

- A. This color value is specified using the `rgb()` property.
- B. This property takes three values, one each for red, green, and blue.
- C. The value can be an integer between 0 and 255.
- D. All of the options.

2. The `.` symbol specifies that the selector is?

- A. class
- B. tag
- C. number
- D. id

3. Which of the following CSS3 Color Feature like RGB color but adds an alpha channel value to specify the opacity of the color?

- A. RGB
- B. RGBa
- C. RGBaplha
- D. AlphaRGB

4. Which snippet of CSS is commonly used to center a website horizontally?

- A. site-align: center;
- B. margin: center;
- C. margin: auto 0;
- D. margin: 0 auto;

5. How do you make a list not display bullet points?

- A. list-style-type: no-bullet
- B. list: none
- C. list-style-type: none
- D. bulletpoints: none

6. Which HTML attribute is used to define inline CSS styles?

- A. CSS
- B. Style
- C. ID
- D. script

7. What is the correct CSS syntax for making all the <p> tags font size 14px?

- A. p {14px}
- B. p {font-size: 14px;}
- C. p {text-size: 14px;}
- D. p {font: 14px;}

8. How do you display hyperlinks without an underline?

- A. a {text-decoration : none;}
- B. a {decoration: no underline}
- C. a {hyperlink: no underline}
- D. a {text-decoration: no underline}

9. What is not true about class selectors?

- A. Only one class value can be assigned to an element.
- B. An element can have multiple class value.
- C. Class selectors are marked with a leading period.
- D. More than one element can have the same class value.

10. In this example, according to cascading and specificity rules, what color will the link be?

```
.example {  
  color: yellow;  
}  
ul li a {  
  color: blue;  
}  
ul a {  
  color: green;  
}  
a {  
  color: red;  
}
```

```
<ul>  
  <li><a href="#" class="example">link</a></li>  
  <li>list item</li>  
  <li>list item</li>  
</ul>
```

- A. green
- B. blue
- C. yellow
- D. red

11. In this example, what is the selector, property, and value?

```
p {  
  color: #000000;  
}
```

- ☐ A

"p" is the selector
"#000000" is the property
"color" is the value

- ☐ B

```
"color" is the selector  
"p" is the property  
"#000000" is the value
```

- ☐ C

```
"color" is the selector  
"#000000" is the property  
"#p" is the value
```

- ☐ D

```
"p" is the selector  
"color" is the property  
"#000000" is the value
```

12. What benefit does utilizing inline CSS offer?

- A. It is easier to manage.
- B. It can be used to quickly test local CSS overrides.
- C. It reduces conflict with other CSS definition methods.
- D. It is easier to add multiple styles through it.

13. Are any of the following declarations invalid?

```
color: red; /* declaration A */  
font-size: 1em; /* declaration B */  
padding: 10px 0; /* declaration C */
```

- A. All declarations are valid.
- B. Declaration A is invalid.
- C. Declaration B is invalid.
- D. Declaration C is invalid.

14. What CSS property is used to control the spacing between characters in a text?

- A. line-height
- B. letter-spacing
- C. word-spacing
- D. text-align

15. What CSS property is used to control the stacking order of elements?

- A. order
- B. layer-index
- C. z-index
- D. stack-order

16. How can you create rounded corners for an element in CSS?

- A. border-radius: 10px;
- B. corner-radius: 10px;
- C. border-corner: 10px;
- D. rounded: 10px;

17. How can you set a custom image as a bullet point for an unordered list?

- A. list-image: url('image.png');
- B. list-style-image: url('image.png');
- C. bullet-image: url('image.png');
- D. image: list('image.png');

18. What CSS property is used to remove the default styling (bullet points) from an unordered list?

- A. list-style-type
- B. list-style
- C. list-decoration
- D. list-type

19. How can you remove the underline from a hyperlink?

- A. text-decoration: underline;
- B. link-style: none;
- C. text-decoration: none;
- D. link-decoration: none;

20. How can you change the cursor style to  when hovering over an item?

- A. cursor: style
- B. mouse-hand
- C. hover-cursor
- D. cursor: pointer;

Interview Questions

10m

- 1. What is Semantic HTML?
- 2. What is the difference between a class and an ID?
- 3. What is the difference between inline, inline-block, and block?
- 4. Tell about the use of the CSS Box Model



Coffee Break

10m



Case study/Project

30m

- [Survey Form](#)

Video of the Week

10m

- [CSS Box Model](#)

Retro Meeting on a personal and team level

10m

Ask the questions below:

- What went well?
- What could be improved?
- What will we commit to do better in the next week?

Closing

5m

- Next week's plan
 - QA Session
-