



Science & Technology  
Facilities Council



ÉCOLE  
POLYTECHNIQUE  
MONTREAL



UNIVERSITÉ  
DE NAMUR

---

# GALAHAD

# SYMBOLS

---

USER DOCUMENTATION

GALAHAD Optimization Library version 3.0

---

## 1 SUMMARY

This module does not directly provide an algorithm, but rather the definitions of *symbols* that are used throughout GALAHAD. A symbol is a publicly available predefined string which can be used as an integer value. The purpose of symbols is to allow meaningful names to be given to these integers, thus allowing a more natural expression of algorithmic or storage options, otherwise represented by integer values that may not be illuminating or mnemonic.

In order to avoid conflicts with other user variable names, all symbols are of the form `GALAHAD_NAME`, where we refer to `NAME` as the name of this symbol.

**ATTRIBUTES — Versions:** `GALAHAD_SYMBOLS`. **Date:** March 2002. **Origin:** N. I. M. Gould, Rutherford Appleton Laboratory, and Ph. L. Toint, The University of Namur, Belgium. **Language:** Fortran 95 + TR 15581 or Fortran 2003.

## 2 HOW TO USE THE PACKAGE

Access to the package requires a `USE` statement such as

```
USE GALAHAD_SYMBOLS
```

Note that the symbol's name may be redefined in the use statement, as in

```
USE GALAHAD_SYMBOLS, DENSE => GALAHAD_DENSE
```

allowing the use of the shorter `DENSE` symbol within the code that uses the module. It is then good policy to make the `DENSE` symbol private to the code.

### 2.1 The GALAHAD symbols

The symbols provided by the `SYMBOLS` module are listed in Tables 2.1 and 2.2 with their associated integer value and by broad categories.

## 3 GENERAL INFORMATION

**Use of common:** None.

**Workspace:** None.

**Other routines called directly:** None.

**Portability:** ISO Fortran 95 + TR 15581 or Fortran 2003. The package is thread-safe.

---

All use is subject to the conditions of the GNU Lesser General Public License version 3.  
See <http://galahad.rl.ac.uk/galahad-www/cou.html> for full details.

Symbol	Value	Symbol	Value
GALAHAD_DIAGONAL	-3	GALAHAD_TIGHTEST	0
GALAHAD_DENSE	-2	GALAHAD_NON_DEGENERATE	1
GALAHAD_SPARSE_by_ROWS	-1	GALAHAD_LOOSEST	2
GALAHAD_COORDINATE	0	GALAHAD_GAUSS_NEWTON	0
GALAHAD_INACTIVE	-2	GALAHAD_NEWTON	1
GALAHAD_STRUCTURAL	-1	GALAHAD_ADAPTIVE	0
GALAHAD_ELIMINATED	0	GALAHAD_FULL	1
GALAHAD_ACTIVE	1	GALAHAD_CURRENT	0
GALAHAD_RANGE	2	GALAHAD_SMALLEST	1
GALAHAD_UPPER	3	GALAHAD_BEST_FIT	0
GALAHAD_LOWER	4	GALAHAD_BEST_REDUCTION	1
GALAHAD_FREE	5	GALAHAD_FORCE_TO_ZERO	0
GALAHAD_POSITIVE	1	GALAHAD_LEAVE_AS_IS	1
GALAHAD_NEGATIVE	-1	GALAHAD_KEEP	0
GALAHAD_ALL_ZEROS	0	GALAHAD_DELETE	1
GALAHAD_ALL_ONES	1	GALAHAD_1	1
GALAHAD_SILENT	0	GALAHAD_2	2
GALAHAD_TRACE	1	GALAHAD_3	3
GALAHAD_ACTION	2	GALAHAD_4	4
GALAHAD_DETAILS	3	GALAHAD_5	5
GALAHAD_DEBUG	4	GALAHAD_6	6
GALAHAD_CRAZY	5	GALAHAD_7	7
GALAHAD_NONE	0	GALAHAD_8	8
GALAHAD_BASIC	1	GALAHAD_9	9
GALAHAD_SEVERE	2	GALAHAD_10	10
GALAHAD_UNDEFINED	-100	GALAHAD_11	11
GALAHAD_NONE	0	GALAHAD_12	12
GALAHAD_USER_DEFINED	2	GALAHAD_EXACT	0
GALAHAD_AUTOMATIC	10	GALAHAD_FORWARD	1
GALAHAD_NEVER	3	GALAHAD_CENTRAL	2
GALAHAD_INITIAL	4	GALAHAD_BFGS	1
GALAHAD_ALWAYS	5	GALAHAD_DFP	2
GALAHAD_UNCONSTRAINED	0	GALAHAD_PSB	3
GALAHAD_CONSTRAINED	1	GALAHAD_SR1	4
GALAHAD_SUCCESS	0	GALAHAD_CG	1
GALAHAD_MEMORY_FULL	-1	GALAHAD_DIAGONAL_CG	2
GALAHAD_FILE_NOT_OPENED	-2	GALAHAD_USERS_CG	3
GALAHAD_COULD_NOT_WRITE	-3	GALAHAD_EXPANDING_BAND_CG	4
GALAHAD_TOO_FEW_BITS_PER_BYTE	-4	GALAHAD_MUNKSGAARD_CG	5
GALAHAD_FURTHER_PROGRESS_IMPOSSIBLE	-5	GALAHAD_SCHNABEL_ESKOW_CG	6
GALAHAD_MAX_ITERATIONS_REACHED	-6	GALAHAD_GMPS_CG	7
GALAHAD_NOT_INITIALIZE	-7	GALAHAD_BAND_CG	8
GALAHAD_WRONG_N	-8	GALAHAD_LIN_MORE_CG	9
GALAHAD_WRONG_M	-9	GALAHAD_MULTIFRONTAL	11
GALAHAD_SORT_TOO_LONG	-10	GALAHAD_MODIFIED_MULTIFRONTAL	12
GALAHAD_NOT_DIAGONAL	-11		
GALAHAD_REDUCE_SIZE	1		
GALAHAD_FULL_PRESOLVE	2		

Figure 2.1: GALAHAD symbols.

**All use is subject to the conditions of the GNU Lesser General Public License version 3.**  
**See <http://galahad.rl.ac.uk/galahad-www/cou.html> for full details.**

Symbol	Value	Symbol	Value
GALAHAD_ok	0	GALAHAD_error_allocate	- 1
GALAHAD_error_deallocate	- 2	GALAHAD_error_restrictions	- 3
GALAHAD_error_bad_bounds	- 4	GALAHAD_error_primal_infeasible	- 5
GALAHAD_error_dual_infeasible	- 6	GALAHAD_error_unbounded	- 7
GALAHAD_error_no_center	- 8	GALAHAD_error_analysis	- 9
GALAHAD_error_factorization	- 10	GALAHAD_error_solve	- 11
GALAHAD_error_uls_analysis	- 12	GALAHAD_error_uls_factorization	- 13
GALAHAD_error_uls_solve	- 14	GALAHAD_error_preconditioner	- 15
GALAHAD_error_ill_conditioned	- 16	GALAHAD_error_tiny_step	- 17
GALAHAD_error_max_iterations	- 18	GALAHAD_error_cpu_limit	- 19
GALAHAD_error_inertia	- 20	GALAHAD_error_file	- 21
GALAHAD_error_io	- 22	GALAHAD_error_upper_entry	- 23
GALAHAD_error_sort	- 24	GALAHAD_error_input_status	- 25
GALAHAD_error_unknown_solver	- 26	GALAHAD_not_yet_implemented	- 27
GALAHAD_error_qp_solve	- 28	GALAHAD_unavailable_option	- 29
GALAHAD_warning_on_boundary	- 30	GALAHAD_error_call_order	- 31
GALAHAD_error_integer_ws	- 32	GALAHAD_error_real_ws	- 33
GALAHAD_error_pardiso	- 34	GALAHAD_error_wsmp	- 35
GALAHAD_error_mc64	- 36	GALAHAD_error_mc77	- 37
GALAHAD_error_lapack	- 38	GALAHAD_error_permutation	- 39
GALAHAD_error_alter_diagonal	- 40	GALAHAD_error_access_pivots	- 41
GALAHAD_error_access_pert	- 42	GALAHAD_error_direct_access	- 43
GALAHAD_error_f_min	- 44	GALAHAD_error_unknown_precond	- 45
GALAHAD_error_schur_complement	- 46	GALAHAD_error_technical	- 50
GALAHAD_error_reformat	- 52	GALAHAD_error_ah_unordered	- 53
GALAHAD_error_y_unallocated	- 54	GALAHAD_error_z_unallocated	- 55
GALAHAD_error_scale	- 61	GALAHAD_error_presolve	- 62
GALAHAD_error_qpa	- 63	GALAHAD_error_qpb	- 64
GALAHAD_error_qpc	- 65	GALAHAD_error_cqp	- 66
GALAHAD_error_dqp	- 67	GALAHAD_error_mc61	- 69
GALAHAD_error_mc68	- 70	GALAHAD_error_metis	- 71
GALAHAD_error_spral	- 72	GALAHAD_warning_repeated_entry	- 73

Figure 2.2: GALAHAD symbols: error codes.