



## **Leading University**

### **Lab Report: 4**

**Course Title: Web Technologies**

**Course Code: CSE –4116**

### **Submitted To:**

Naeem Ahsan Chowdury

Lecturer

Department of Computer Science & Engineering

Leading University

### **Submitted By:**

Ayesha Begum Tahmina

ID: 0182310012101086

Batch- 61(B)


Department of Computer Science & Engineering

Leading University

**Date of Submission: 23 April 2026**


## 1. Font Properties:

- font-family: Selects the type/style of font (like Arial, Times New Roman).
- font-size: Sets the size of the text (like 16px, 20px).
- font-weight: Controls the thickness of text (normal, bold).
- font-style: Changes text style to normal or italic.
- line-height: Controls the space between lines of text.




## 2. Web Fonts (Google Fonts):

Web fonts allow you to use online fonts (like Google Fonts) instead of default system fonts by linking them to your webpage.




### 3.Text Alignment:

- auto: Last line follows default alignment (usually justified then left).
- left: Aligns the last line to the left side.
- right: Aligns the last line to the right side.
- center: Aligns the last line to the center.
- justify: Makes the last line justified like other lines.
- start: Aligns the last line to the start direction (left in English).
- end: Aligns the last line to the end direction (right in English).




### 4.Text Decoration:

- text-decoration: A shorthand property used to add decorative lines to text.
- text-decoration-line: Sets the position/type of line on text (underline, over line, line-through).
- none: Shows text without any decoration line.
- underline: Adds a line below the text.
- Over line: Adds a line above the text.
- line-through: Adds a line through the middle of the text.




## 5. CSS Shadow Effects:

- Adds a shadow behind text to make it look raised or glowing.



## 6. Advanced Selectors and Pseudo-Classes:

- Attribute Selector (input[type="text"]): Selects elements based on their attribute and value.
- :hover: Changes style when mouse is over an element.
- :focus: Applies style when an element is clicked or active (like input box).
- :first-child: Targets the first element inside a parent.
- :nth-child(n): Selects the nth child element in a list or group.
- ::before: Adds content before an element.
- ::after: Adds content after an element.



## 7. CSS Transitions & Animations:

- CSS Transition: Smoothly changes a property when a user interacts (like hover).
- transition property: Defines which property changes smoothly and how long it takes.
- CSS Animation: Automatically animates elements using keyframes without user action.
- @keyframes: Defines the step-by-step animation stages.
- animation property: Applies the keyframe animation to an element and controls timing.

