

# DATA DICTIONARY

| Table Name                     | Column Name         | Description                                                                          | Data Type    | Key |
|--------------------------------|---------------------|--------------------------------------------------------------------------------------|--------------|-----|
| SystemwideRoute                | SystemwideRouteID   | Unique identifier for each systemwide route                                          | Text         | PK  |
| SystemwideRoute                | SystemwideRouteName | Name of the systemwide route                                                         | Text         | -   |
| BusRoute                       | BusRouteID          | Unique identifier for each bus route                                                 | Text         | PK  |
| BusRoute                       | BusRouteName        | Name of the bus route                                                                | Text         | -   |
| TrainRoute                     | TrainRouteID        | Unique identified for each train route                                               | Text         | PK  |
| TrainRoute                     | TrainRouteName      | Name of the train route                                                              | Text         | -   |
| TrainRoute                     | TrainColorCode      | Hex color code associated with the train route                                       | Text         | -   |
| Historical Calendar Dim        | DateID              | Unique identified used to link records to the Calendar table                         | Date         | PK  |
| Historical Calendar Dim        | Year                | Calendar year of the date                                                            | Whole Number | -   |
| Historical Calendar Dim        | Quarter             | Quarter of the year (Q1-Q4)                                                          | Whole Number | -   |
| Historical Calendar Dim        | MonthName           | Full name of the month                                                               | Text         | -   |
| Historical Calendar Dim        | MonthShortForm      | 3 letter abbreviation of the month, used for concise reporting & visualizations      | Text         | -   |
| Historical Calendar Dim        | MonthNumber         | Numeric representation of the month (1-12)                                           | Whole Number | -   |
| Historical Calendar Dim        | WeekNumber          | Week number of the year                                                              | Whole Number | -   |
| Historical Calendar Dim        | Weekday             | Name of the day of the week                                                          | Text         | -   |
| Historical Calendar Dim        | WeekdayShortForm    | Abbreviated name of the day of the week, used for concise reporting & visualizations | Text         | -   |
| Time                           | HourID              | Unique identified for each hour of the day                                           | Whole Number | PK  |
| Time                           | FormattedHour       | Hour of the day                                                                      | Whole Number | -   |
| Time                           | AmPm                | Indicates whether the hour falls in AM or PM                                         | Text         | -   |
| Time                           | Day Period          | Segment of the day the hour falls under (e.g., Morning, Midday, Evening)             | Text         | -   |
| Historical Alerts Fact         | AlertID             | Unique identified for each alert record                                              | Whole Number | PK  |
| Historical Alerts Fact         | DateID              | Links each alert to the Calendar table                                               | Date         | FK  |
| Historical Alerts Fact         | HourID              | Links each alert to the Time table                                                   | Whole Number | FK  |
| Historical Alerts Fact         | SystemwideRouteID   | Links each alert to the SystemwideRoute table                                        | Text         | FK  |
| Historical Alerts Fact         | TrainRouteID        | Links each alert to the TrainRoute table                                             | Text         | FK  |
| Historical Alerts Fact         | BusRouteID          | Links each alert to the BusRoute table                                               | Text         | FK  |
| Historical Alerts Fact         | RouteStatus         | Status of the route at the time of the alert                                         | Text         | -   |
| Historical Alerts Fact         | Time                | Timestamp indicating when the alert occurred                                         | Time         | -   |
| Historical Alerts Fact         | AlertSeverityRange  | Severity level associated with the alert eg 0, 1-19, 20-39                           | Text         | -   |
| Historical Alerts Fact         | RouteStatusCategory | Category grouping assigned to the route status                                       | Text         | -   |
| Live Alerts Fact (Not the part | RecordID            | Unique identifier for each alert record                                              | Whole Number | -   |
| Live Alerts Fact               | RecordType          | Type of route the record belongs to (bus, train, or systemwide)                      | Text         | -   |
| Live Alerts Fact               | RouteID             | Identifier of the route associated with the alert                                    | Text         | -   |

|                         |                     |                                                                                     |              |    |
|-------------------------|---------------------|-------------------------------------------------------------------------------------|--------------|----|
| Live Alerts Fact        | RouteName           | Name of the route associated with the alert                                         | Text         | -  |
| Live Alerts Fact        | RouteStatus         | Current status of the route                                                         | Text         | -  |
| Live Alerts Fact        | RouteColorCode      | Hex color code associated with each route                                           | Text         | -  |
| Live Alerts Fact        | FetchDate           | Date indicating when the alert occurred                                             | Date         | -  |
| Live Alerts Fact        | FetchTime           | Time indicating when the alert occurred                                             | Time         | -  |
| Live Alerts Fact        | AlertSeverityRange  | Severity level associated with the current alert.                                   | Text         | -  |
| Live Alerts Fact        | RouteStatusCategory | category grouping assined to the route status                                       | Text         |    |
| Calendar Dim            | DateID              | Unique identified used to link records to the Calendar table                        | Date         | PK |
| Calendar Dim            | Year                | Calendar year of the date                                                           | Whole Number | -  |
| Calendar Dim            | Quarter             | Quarter of the year (Q1-Q4)                                                         | Whole Number | -  |
| Calendar Dim            | MonthName           | Full name of the month                                                              | Text         | -  |
| Calendar Dim            | MonthShortForm      | 3 letter abbreviation of the month, used for concise reporting & visualizations     | Text         | -  |
| Calendar Dim            | MonthNumber         | Numeric representation of the month (1-12)                                          | Whole Number | -  |
| Calendar Dim            | WeekNumber          | Week number of the year                                                             | Whole Number | -  |
| Calendar Dim            | Weekday             | Name of the day of the week                                                         | Text         | -  |
| Calendar Dim            | WeekdayShortForm    | Abbrevated name of the day of the week, used for concise reporting & visualizations | Text         | -  |
| Persistent Train Alerts | TrainRouteID        | Unique identifier used to link records to the train table                           | Text         | PK |
| Persistent Train Alerts | TrainRouteName      | Name of the train route                                                             | Text         | -  |
| Persistent Train Alerts | Status              | Current status of the route at the latest snapshot                                  | Text         | -  |
| Persistent Train Alerts | Interpretation      | Explanation of how long the status has stayed unchanged                             | Text         | -  |
| Persistent Train Alerts | Match2              | Indicates whether the status matched the prior snapshot 2 checks back               | Boolean      | -  |
| Persistent Train Alerts | Match3              | Indicates whether the status matched the prior snapshot 3 checks back               | Boolean      | -  |
| Persistent Train Alerts | Match4              | Indicates whether the status matched the prior snapshot 4 checks back               | Boolean      | -  |
| Persistent Train Alerts | Match5              | Indicates whether the status matched the prior snapshot 5 checks back               | Boolean      | -  |
| Persistent Train Alerts | SinceSnaphot        | Timestamp marking when the current status was recorded                              | Time         | -  |
| Persistent Train Alerts | Duration (min)      | Length of time in mins since the current status has remained unchanged              | Text         | -  |
| Persistent Train Alerts | Persistence Level   | Category label based on how long the status is. Chronic or Ongoing                  | Text         | -  |
| Persistent Train Alerts | Duration            | Length of time in hours and mins since the current status has remained unchanged    | Text         | -  |
| Persistent Bus Alerts   | BusRouteID          | Unique identifier used to link records to the bus table                             | Text         | PK |
| Persistent Bus Alerts   | BusRouteName        | Name of the bus route                                                               | Text         | -  |
| Persistent Bus Alerts   | Status              | Current status of the route at the latest snapshot                                  | Text         | -  |
| Persistent Bus Alerts   | Interpretation      | Explanation of how long the status has stayed unchanged                             | Text         | -  |
| Persistent Bus Alerts   | Match2              | Indicates whether the status matched the prior snapshot 2 checks back               | Boolean      | -  |
| Persistent Bus Alerts   | Match3              | Indicates whether the status matched the prior snapshot 3 checks back               | Boolean      | -  |
| Persistent Bus Alerts   | Match4              | Indicates whether the status matched the prior snapshot 4 checks back               | Boolean      | -  |
| Persistent Bus Alerts   | Match5              | Indicates whether the status matched the prior snapshot 5 checks back               | Boolean      | -  |

|                              |                     |                                                                                  |         |    |
|------------------------------|---------------------|----------------------------------------------------------------------------------|---------|----|
| Persistent Bus Alerts        | Match5              | Indicates whether the status matched the prior snapshot 5 checks back            | Boolean | -  |
| Persistent Bus Alerts        | SinceSnaphot        | Timestamp marking when the current status was recorded                           | Time    | -  |
| Persistent Bus Alerts        | Duration (min)      | Length of time in mins since the current status has remained unchanged           | Text    | -  |
| Persistent Bus Alerts        | Persistence Level   | Category label based on how long the status is. Chronic or Ongoing               | Text    | -  |
| Persistent Bus Alerts        | Duration            | Length of time in hours and mins since the current status has remained unchanged | Text    | -  |
| Persistent Systemwide Alerts | SystemwideRouteID   | Unique identifier used to link records to the systemwide table                   | Text    | PK |
| Persistent Systemwide Alerts | SystemwideRouteName | Name of the systemwide route                                                     | Text    | -  |
| Persistent Systemwide Alerts | Status              | Current status of the route at the latest snapshot                               | Text    | -  |
| Persistent Systemwide Alerts | Interpretation      | Explanation of how long the status has stayed unchanged                          | Text    | -  |
| Persistent Systemwide Alerts | Match2              | Indicates whether the status matched the prior snapshot 2 checks back            | Boolean | -  |
| Persistent Systemwide Alerts | Match3              | Indicates whether the status matched the prior snapshot 3 checks back            | Boolean | -  |
| Persistent Systemwide Alerts | Match4              | Indicates whether the status matched the prior snapshot 4 checks back            | Boolean | -  |
| Persistent Systemwide Alerts | Match5              | Indicates whether the status matched the prior snapshot 5 checks back            | Boolean | -  |
| Persistent Systemwide Alerts | SinceSnaphot        | Timestamp marking when the current status was recorded                           | Time    | -  |
| Persistent Systemwide Alerts | Duration (min)      | Length of time in mins since the current status has remained unchanged           | Text    | -  |
| Persistent Systemwide Alerts | Persistence Level   | Category label based on how long the status is. Chronic or Ongoing               | Text    | -  |
| Persistent Systemwide Alerts | Duration            | Length of time in hours and mins since the current status has remained unchanged | Text    | -  |